
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



COTTON QUALITY CROP OF 2006



U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

Vol. 80, No. 9 – Annual Report Bales Classed 08/01/06 - 04/26/07



COTTON QUALITY - UNITED STATES 2006 Crop

Color. The predominant color of Upland cotton classed from the 2006 crop was color 31, accounting for 40 percent of classings, according to the USDA, Agricultural Marketing Service, Cotton Program. Color 31 was the predominant color grade in 2005 and made up 36 percent of classings. In the white color grades, color 41 and better made up 93 percent of classings, up from 89 percent in 2005. All white color grades accounted for 95 percent of the 2006 crop, up from 91 percent in 2005. Light Spotted color grades comprised 5 percent of classings, down from 8 percent in 2005. Spotted color grades made up less than 1 percent of classings this season, about the same as a year earlier. Tinged, Yellow Stained and Below grades accounted for less than 1 percent of classings this season, about the same as last year.

<u>Leaf</u>. The predominant leaf grade of Upland cotton classed from the 2006 crop was leaf grade 3, accounting for 55 percent of Upland classings. Leaf grade 3 was also the predominant leaf grade a year earlier, making up 51 percent of classings. Leaf grade 4 comprised the next highest percentage from the 2006 crop at 32 percent against 31 percent a year ago. Leaf grades 1-2 made up 8 percent of classings of the 2006 crop, compared with 15 percent in 2005. Leaf grades 5-7 made up about 5 percent of classings, as compared to 3 percent last year.

Staple. The average staple length of Upland cotton classed from the 2006 crop was 35.28 thirty-seconds of an inch, up from 34.8 a year ago. The predominant staple length was 35, making up about 26 percent of classings. Staple 35 was the predominant length last year and accounted for 32 percent of classings. Staples 31 and shorter comprised about 1 percent of classings this season, the same as last year. Staples 32 and 33, at 12 percent, were down slightly from 14 percent the previous year. Staple 34 made up 18 percent of the crop, up from 26 percent last year. Staples 36 and longer accounted for 43 percent of classings, down from 28 percent the previous year.

Mike. The average mike of Upland cotton classed from the 2006 crop was 4.4, up slightly from last year. Cotton with mike 3.4 and lower made up about 8 percent of classings, down from 10 percent in 2005. Cotton miking 3.5 through 4.9 comprised 79 percent of the classings this season, down from 82 percent a year ago. Cotton with mike 5.0 and higher made up 13 percent of the classings, up slightly from 12 percent in 2005.

Strength. The average fiber strength of Upland cotton classed from the 2006 crop was 29.2 grams per tex, the same as in 2005. Strengths in the 22 grams per tex and lower range accounted for less than 1 percent of classings, the same as the last four years. Strengths in the 23 to 25 range accounted for 3 percent, up slightly from 2 percent in 2005. Cotton with strengths of 26 to 29 grams per tex accounted for 55 percent of classings, down from 60 percent in 2005. Strengths in the 30 and higher range comprised 42 percent of classings, up from 38 percent a year ago.

American Pima. Color grades 1 and 2 made up 85 percent of classings from the 2006 crop, down from 88 percent in 2005. Color grade 2 was the predominant color grade in 2006, accounting for 81 percent of the classings. Color grades 3 and lower comprised 15 percent of 2006 classings. Leaf grades 1 and 2 accounted respectively for 4 percent and 68 percent of the 2006 classings. The average staple length was 47.8 thirty-seconds of an inch, as compared to 47.7 last year. Staple 48 was the predominant length, comprising 75 percent of classings this season. Staple 48 was the predominant staple length in 2005. Average mike was 4.0 and was the same as last year. Average fiber strength was 40.1 grams per tex, down from 40.4 last year.

Ginnings of 2006-crop cotton in the United States totaled 20,997,600 running bales, according to the Cotton Ginnings 2006 Summary report released on May 11, 2007 by the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This total includes 20,260,450 bales of Upland and 737,150 bales of American Pima cotton. The number of active cotton gins for crop year 2006 was 835 compared with 887 in 2005. Classings at AMS, Cotton Program Offices totaled 20,262,361 Upland samples and 729,823 American Pima samples through April 26, 2007.

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2006 Crop

QUALITY	1				2006 Crop	STAPLE				
QUALITY	LEAF					STAPLE				
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales 117,859	Bales 220,55
11 & 21	1-2	3	14 42	382 568	2,855 3,871	10,042 14,242	28,403 46,160	60,996 117,678	252,450	435,01
	4		26	175	605	1,436	3,391	8,282	17,632	31,54
	5	- 1	2	8	41	141	205	498	692	1,58
	6		-	-	1	6	15	8	32	6:
TOTAL	7	-	- 04	4 422	7,373	25,867	78,174	187,462	388,665	688,761
31	1-2	3	9	1,133	551	4,596	21,486	50,329	70,917	147,94
31	3	1	45	393	3,822	32,952	193,169	628,300	1,248,526	2,107,208
	4		45	264	1,579	7,850	36,138	120,919	313,637	480,432
	5		20	86	161	1,175	4,947	13,541	18,696	38,620
	6		-	3	7	37	404	1,397	1,498	3,340
TOTAL	7	- 8	119	799	6,122	46,610	256,159	62 814,548	50 1,653,324	2,777,689
41	1-2	0		7	78	797	3,204	6,664	7,837	18,589
41	3	1	9	97	1,455	13,837	91,272	341,941	741,768	1,190,379
	4		26	208	1,760	8,913	51,131	205,074	586,682	853,794
	5	-	33	102	641	2,563	11,776	32,407	70,779	118,301
	6	-	15	36	171	574	2,056	4,206	6,688	13,746
	7	<u> </u>		8	18	96	279	520	625	1,546
TOTAL		1	84	458	4,123	26,780	159,718	590,812	1,414,379	2,196,355
51	1-2	-		6	11 70	66 867	153 4,308	300 12,862	364 25,257	894 43,370
	4			8	138	1,116	4,850	14,717	35,017	55,846
	5			11	67	400	1,999	5,235	9,992	17,704
	6		-	3	12	127	512	976	1,747	3,377
	7	-	-	2	7	55	149	108	191	512
TOTAL				30	305	2,631	11,971	34,198	72,568	121,703
61	1-2	-		-		1	1	5	4	11
	3 4			,	6	16 51	81 83	133 177	213 284	449 604
	5	-	-		11	31	37	59	135	273
	6			-	9	28	13	22	43	115
	7	-	-		-	1	I	3	3	8
TOTAL		-	-	1	34	128	216	399	682	1,460
71	1-2		•	•	•	2	-	-	1	3
1000	3 4		1	1	-	,	3 2	2 2	6	11
	5		-			i	-	1	2	4
	6	-	-	-					-	
	7	-	-			-		1	-	1
TOTAL				1	•	4	5	6	13	29
12 & 22	1-2	-	21	394	1,520	3,193	4,378	4,072	4,460	18,038
	3 4	2	185 62	1,048 311	2,586 575	5,687 1,205	8,295 1,714	9,820 2,247	12,711 2,975	40,334 9,090
	5	1	14	51	86	223	456	374	310	1,514
	6	-	1	-	8	15	61	24	20	129
	7		-	1	-	-	5	-	-	
TOTAL		3	283	1,804	4,775	10,323	14,909	16,537	20,476	69,110
32	1-2	-	2	21	158	501	1,055	1,053	964	3,754
	3 4	6 2	95 74	381 357	1,468 751	6,493 2,974	16,514 8,533	25,177	31,925	82,059
	5	-	41	164	323	582	1,247	15,467 1,800	22,426 2,511	50,584 6,668
	6		13	46	87	108	266	378	272	1,170
	7	-	7	5	17	35	57	56	25	202
TOTAL		8	232	974	2,804	10,693	27,672	43,931	58,123	144,437
42	1-2		2	7	26	121	288	296	248	988
	3 4		9	85	530	3,033	9,591	17,530	25,232	56,010
			21 23	152	834 376	3,623 1,137	13,837 3,528	28,629 6,773	48,892 12,590	95,988 24,536
	5			52	130	255	585	916	1,192	3,142
	5	-	12	34						784
		-	12	14	54	101	212	248	153	
TOTAL	6					101 8,270	212 28,041	248 54,392	88,307	
TOTAL 52	6 7		2	14 419	54 1,950	8,270	28,041			181,448
	6 7	- - - -	69	14 419 1 7	54 1,950	8,270 8 78	28,041 6 345	54,392 16 747	88,307 12 1,202	181,448 41 2,402
	1-2 3 4		69	14 419 1 7 17	54 1,950 23 58	8,270 8 78 218	28,041 6 345 1,016	54,392 16 747 2,227	88,307 12 1,202 3,784	181,448 43 2,402 7,323
	1-2 3 4 5	- - - - - 1	2 69 3 19	14 419 1 7 17 35	54 1,950 23 58 54	8,270 8 78 218 132	28,041 6 345 1,016 488	54,392 16 747 2,227 1,358	88,307 12 1,202 3,784 2,217	181,448 43 2,402 7,323 4,304
	1-2 3 4	- - - - 1 3	69	14 419 1 7 17	54 1,950 23 58	8,270 8 78 218	28,041 6 345 1,016	54,392 16 747 2,227	88,307 12 1,202 3,784	181,448 43 2,402 7,323 4,304 930 328

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through

QUALITY					2006 Crop					
QUALITY	LEAF					STAPLE				
COLOR	LEAF	26 & -	28	20						
COLOR		Bales	Bales	29	30	31	32	33	34	34 & -
62	1-2	Daies	Daies	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	3			•	-	1	2	1	1	
	4		•	•		2	7	17	29	
	5	·			-	2	10	25	75	1
	11	•	*	1		1	1	13	58	
	6		3	1			1	8	13	
TOTAL	7	3	3	2	-	7	5	1	2	
TOTAL		3	6	4		13	26	65	178	29
13 & 23	1-2		3	20	77	153	225	252	409	1,1.
	3	1	17	71	165	456	698	851	1,220	3,4
	4		8	17	56	149	182	184	213	
	5		1	2	16	48	72	49		8
	6	-		1	2	28	12		26	2
	7				-	20	5	8	5	
TOTAL		1	29	111	316	834	1,194	1,344	1,873	5,70
33	1-2	-	2	10	29	84	126	222	302	
	3	2	55	107	253	725	1,466	2,617		7
	4		48	128	147	398	766		4,519	9,74
	5	1	25	110	86	103	220	1,197	1,919	4,60
	6	1	13	53	43	31		302	323	1,1
	7		1	5	13		56	69	53	31
TOTAL		4	144	413	571	1,360	13	10	5	6
43	1-2			7			2,647	4,417	7,121	16,67
	3		9		6	21	37	82	131	28
	4			21	56	385	1,529	3,751	7,140	12,89
	H II	-	3	28	112	528	1,215	2,644	5,760	10,29
	5		36	70	70	154	324	572	816	2,04
	6	-	37	79	79	70	166	142	151	72
TOTAL	7	-	13	31	44	22	47	45	39	24
TOTAL	<u> </u>	-	98	236	367	1,180	3,318	7,236	14,037	26,47
53	1-2		-	-	-	3	2	1	5	1
	3	-	-	1	4	43	121	319	616	1,10
	4		-	2	6	59	217	488	1,180	1,95
	5	-	1	1	11	39	68	210	410	74
	6	-	1	1	2	11	27	62	107	21
	7	-	1	2	7	5	21	25	13	7
TOTAL		-	3	7	30	160	456	1,105	2,331	4,09
63	1-2	-	-	-				1,700		4,03
	3	-					3	7	1 7	
	4	_				1	3	10		1
	5	_					,	5	45	5
	6		1			1	-	3	16	2
	7					1	3	3	9	1
TOTAL			1			2	11	25	2	444
24-54	1-7		8	47	138	454			80	11!
25-35	1-7		0	4/	138		1,088	2,262	4,080	8,07
81-85 1/	1-7	1	11	,	-	2	1	-	4	
All Colors	8 2/	1		4	9	36	113	274	526	97.
TOTAL, AL		42	1,282	6,543	29 29,122	195 136,069	352 588,119	486	340 3,734,830	1,43
								1,764,167		6,260,174

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2006 Crop

QUALITY						STAPLE			
COLOR	LEAF	35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR	-	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	210,625	297,686	280,894	76,416	30,806	10,203	906,630	1,127,1
11 & 21	3	442,904	613,011	682,791	195,136	52,440	13,895	2,000,177	2,435,1
	4	37,375	56,687	62,605	20,000	6,057	981	183,705	215,2
		1,274	1,849	1,882	467	82	11	5,565	7,1
	5	35	56	50	6	1		148	2
	6	33	50	1	_			2	
TOTAL	7	692,214	969,289	1,028,223	292,025	89,386	25,090	3,096,227	3,784,9
TOTAL					28,430	22,683	10,077	288,601	436,5
31	1-2	77,676	79,975	69,760		78,316	35,313	3,312,659	5,419,8
	3	1,374,652	984,331	651,922	188,125		6,389	1,642,233	2,122,
	4	571,327	572,177	375,043	91,442	25,855	502	117,044	155,
	5	29,593	38,344	36,131	9,944	2,530	11	6,064	9,
	6	1,485	2,029	1,926	532	81	11	227	- 1
	7	51	77	83	13	3	52,292	5,366,828	8,144,
TOTAL		2,054,784	1,676,933	1,134,865	318,486	129,468			30,
41	1-2	6,088	3,791	1,415	456	265	142	12,157	
	3	842,018	489,661	165,185	16,359	5,591	2,461	1,521,275	2,711,
	4	1,082,342	1,003,041	491,875	63,823	8,946	1,392	2,651,419	3,505,
	5	130,362	152,695	110,276	22,985	3,866	674	420,858	539.
	6	9,923	12,036	11,233	2,892	623	48	36,755	50.
	7	859	1,012	1,046	275	159	13	3,364	4
TOTAL		2,071,592	1,662,236	781,030	106,790	19,450	4,730	4,645,828	6,842,
51	1-2	272	190	41	3			506	1
31	3	28,658	18,974	6,008	505	26	8	54,179	97
	4	62,987	62,567	31,898	3,893	102	641	162,088	217
		16,558	17,674	12,099	2,290	211	20	48,852	66
	5		3,073	2,044	395	54	9	8,467	11
	6 7	2,892	744	559	42	15	7	1,761	2
TOTAL	/	394	103,222	52,649	7,128	574	59	275,393	397,
TOTAL		111,761		2	7,720			9	
61	1-2	5	2		6	1	1	577	1
	3	303	212	51		4	,	1,339	1
	4	394	465	441	35	4	~	454	•
	5	153	120	165	15	1	_	79	
	6	31	33	12	2	l i	*	16	
	7	6	4	5	-	1		2,474	3,
TOTAL	_الال	892	836	676	58	11			3,
71	1-2		1	1		-	•	2	
	3	7	7	2					
	4	4	22	16	2	•	-	44 38	
	5	1	6	29	2	•	7		
	6			3	-	-		3	
	7	-	-		-	-		103	
TOTAL		12	36	51	4	•	-		
12 & 22	1-2	5,699	5,396	2,813	459	89	31	14,487	32
	3	18,127	17,149	10,701	1,927	381	138	48,423	88
	4	4,657	4,871	2,845	616	77	7	13,073	22
	5	479	392	290	37	5	1	1,204	2
	6	24	14	4				42	
	7			-	-	~	-	-	
TOTAL		28,986	27,822	16,653	3,039	552	177	77,229	146,
32	1-2	989	738	898	377	215	90	3,307	
	3	30,849	22,058	13,321	3,211	1,673	1.038	72,150	154
	4	27,407	20,996	12,102	2,600	809	383	64,297	114
	5	3,881	3,497	2,318	424	143	84	10,347	11
	6	382	363	272	51	3	2	1,073	3
	7	29	13	15	2	3	_	62	
TOTAL		63,537	47,665	28,926	6,665	2,846	1,597	151,236	295
42			121	101	64	46	17	517	
42	1-2	168		6,377	833	544	227	51,399	10
	3	25,889	17,529		2,898	666	248	144,661	24
	4	62,371	52,757	25,721	1,527	324	108	41,984	6
	5	15,839	14,736	9,450			14	4,831	
	6	1,689	1,569	1,297	230	32	2	642	
	7	237	199	168	35 5,587	1,613	616	244,034	425
TOTAL	السال	106,193	86,911	43,114	3,387	1,013	010		
52	1-2	10	5	8	1111	1	1	25	
32	3	1,755	1,520	642	61	8	1	3,987	
32	4	5,943	6,480	4,223	449	22	3	17,120	2
52		3,003	3,236	2,473	471	54	9	9,246	1.
52	5	2,003						1 7/7	
52		597	608	467	77	15	3	1,767	
32	5			467 187	77 17	15	-	568 32,713	48

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through

OLIALITY	H H				2006 Crop	- Tor apiana conc			
QUALITY	LEAF					STAPLE			
COLOR	LEM	35	36	37	38	20			
The state of the s		Bales	Bales	Bales	Bales	39 Bales	40 &+ Bales	35 to 40+	TOTAL
62	1-2	1		1	-	- Duics	Daies	Bales 2	Bales
	3	30	20	15	2	2		69	124
	4	258	496	503	82	3		1,342	1,454
	5	111	245	205	33			594	668
	7	26	15	4				40	66
TOTAL		447	780	730	118	5	-	33	56
13 & 23	1-2	540	552	455	56		•	2,080	2,375
	3	1,701	1,795	1,165	202	4 22	1	1,607	2,746
	4	317	301	143	55	10	'.	4,886 826	8,365
	5	42	26	16	2			86	1,635
	6	2	1					3	59
TOTAL	7	0.000		-	- 11		-		5
33	1-2	2,602	2,675	1,779	315	36	1	7,408	13,110
33	3	330	382	393	66	16	25	1,212	1,987
	4	6,358 3,059	6,418	4,976	965	238	82	19,037	28,781
rough	5	488	3,340 411	2,432 308	530	148	29	9,538	14,141
	6	60	45	35	60 11	12	2	1,281	2,451
	7	3	-	5	- 11	4	•	153	472
TOTAL		10,298	10,596	8,149	1,632	416	138	31,229	74 47,906
43	1-2	117	68	42	5	3	4	239	523
	3	7,601	5,687	2,882	448	142	48	16,808	29,699
	4	8,624	9,146	5,858	924	187	98	24,837	35,127
	5	1,145	1,358	941	171	33	59	3,707	5,749
	6 7	176	218	128	26	3	17	568	1,292
TOTAL		45 17,708	16,517	9,863	1,575	-	4	102	343
53	1-2	7	10,517	8	1,575	368	230	46,261	72,733
	3	731	617	265	23	5	2	16	27
340	4	1,946	1,985	1,116	173	27	2	1,643 5,248	2,747
	5	503	728	538	92	12		1,873	7,200 2,613
	6	106	113	102	3	3	1	328	539
TOTAL	7	11	33	26	3			73	147
TOTAL		3,304	3,477	2,055	294	47	4	9,181	13,273
63	1-2	1	2	2	-			5	6
	3 4	14 96	21	9	1	1	1	47	64
	5	36	131 59	203 112	52 11			482	541
	6	10	2	9	11	*		218	239
	7	1	Ī	9				22 11	39
TOTAL		158	216	344	65	1	1	785	904
24-54	1-7	4,405	3,809	2,388	440	70	47	11,159	19,236
25-35	1-7	19	21	1	1	-		42	49
81-85 1/	1-7	592	379	225	46	2	1	1,245	2,219
All Colors	8 2/	224	247	210	50	1	-	732	2,169
TOTAL, ALL		5,181,200	4,625,713	3,119,931	745,393	244,949	85,001	14,002,187	20,262,361
FXTRANI	EOUS MAT	TER					rage Staple		35.2
	- Level 1	ILK	1,182,307			Perce	ent Tenderable		70.4
	- Level 2		127						
	s - Level 1		98,345						
	s - Level 2		1,187						
Prep	- Level I		25,908						
	- Level 2		247						
Other	- Level I		8,709						
	- Level 2	H.	33						

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through

	1				2005 Crop	STAPLE				
QUALITY	LEAF							22	24	34 & -
COLOR		26 & -	28	29	30	31	32	33 Bales	34 Bales	Bales
		Bales	Bales	Bales	Bales	Bales 29,757	Bales 122,616	357,514	633,192	1,148,122
11 & 21	1-2	1	8	241 200	4,793 4,322	34,702	149,170	480,050	946,809	1,615,266
	3		13	18	702	6,684	24,190	50,292	100,622	182,509
	4 5	1		-	53	787	2,926	3,263	2,989	10,019
	6			-	-	34	213	173	71	491 12
	7		-	-	-	-	8	004 202	1,683,686	2,956,419
TOTAL		2	22	459	9,870	71,964	299,123	891,293	111,900	210,989
31	1-2	-	-	20	418	3,830	23,719	71,102 584,086	1,449,818	2,171,300
	3	-	2	62	1,387	15,764 7,437	120,181 46,787	208,649	676,235	939,811
	4	•	3	37	663 175	2,438	11,623	21,828	35,503	71,576
	5	-	-	9 2	18	633	3,244	4,879	2,811	11,587
	6 7			-	2	63	298	720	211	1,294
TOTAL		-	5	130	2,663	30,165	205,852	891,264	2,276,478	3,406,557
41	1-2	-	1	1	31	214	1,789	6,276	9,365	17,677
71	3		-	25	177	2,337	25,858	194,396	558,000	780,793 745,408
	4		1	12	203	2,144	17,273	137,037	588,738 44,906	63,855
	5	-	-	3	43	804	3,806	14,293 3,689	5,900	11,470
	6	-		3	43	365	1,470 465	1,269	722	2,563
	7			44	3 500	104 5,968	50,661	356,960	1,207,631	1,621,766
TOTAL		-	2	44	300	19	132	307	572	1,030
51	1-2			1	13	193	2,747	16,964	48,846	68,764
	3 4				3	79	1,670	17,951	75,759	95,462
	5			-	-	24	351	2,219	7,856	10,450
	6			-	-	10	106	524	1,833	2,473 744
	7	-	-	-	-	5	36	163 38,128	540 135,406	178,923
TOTAL		-		1	16	330	5,042	10	14	32
61	1-2	-		-	3	5	4 25	99	316	445
	3	-	-			3	23	120	397	543
	4	-				_	2	31	109	142
	5 6	-					4	7	15	26
	7				-	-	-	-	2	2
TOTAL		-	•		3	9	58	267	853	1,190
71	1-2	-	-	-				8	5 11	6 21
	3	-		•		1	1	8	45	56
	4	•	-	•	-		,	i	1	2
	5	•		-			_	1	-	1
	6 7				-		-	-		-
TOTAL					-	1	4	19	62	86
12 & 22	1-2	-	1	48	408	2,376	8,686	16,453	17,444	45,416
12 00 22	3			19	541	3,521	15,884	36,983	51,897	108,845
	4	-		5	130	843	2,869	6,952	12,179 516	22,978 1,738
	5	-	1	i	9	104	447	660 60	19	152
	6			-	-	10	63 5	3	-	8
70741	7	-	2	73	1,088	6,854	27,954	61,111	82,055	179,137
TOTAL				3	57	490	2,264	3,898	3,672	10,384
32	1-2			22	412	2,789	17,357	58,156	93,641	172,377
	4			15	293	2,116	10,515	34,869	79,618	127,426
	5			-	49	504	2,401	4,723	6,166	13,843
	6	-			9	61	610	1,013	578	2,271
	7	-		-	-	5	129	113	183,742	314 326,615
TOTAL		-	-	40	820	5,965	33,276	102,772	523	1,318
42	1-2	-			1	33 787	209 5,417	552 25,000	57,797	89,124
	3	-	100	16	107 104	829	6,278	33,009	114,880	155,105
	4	-		5 2	33	302	1,544	5,788	15,508	23,177
	5			-	20	125	464	1,283	1,967	3,859
	6 7			114	8	38	122	246	304	718
TOTAL		-		23	273	2,114	14,034	65,878	190,979	273,301
52	1-2			-	2	4	38	71	88	203
	3			3	23	127	1,281	8,898	22,916	33,248
	4			9	24	110	1,176	13,402	50,908	65,629
	5	-	-	1	2	18	197	1,933 277	7,715 927	9,866 1,250
	6	-		-	1	6	40 12	62	167	241
TOTAL	7	-	-	13	51	265	2,744	24,643	82,721	110,437
				13	01	200	-, ' ' '			

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2005 Crop

QUALITY	11 11				2005 Crop					
VEALITY	LEAF					STAPLE				
COLOR	LEAF	26 & -	20							
		Bales	28 Bales	29	30	31	32	33	34	34 & -
62	1-2	Daics	Dates	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	3		•	•		-	4	1	1	
	4		-		1	9	52	352	1,179	1,593
	5		•	-	•	6	52	651	2,874	3,583
	6	•	-	•	-	2	6	65	461	534
	7					-	3	12	49	64
TOTAL				-	<u> </u>	-	-	4	8	12
13 & 23	1-2				1	17	117	1,085	4,572	5,792
13 00 23	3	-	-	2	132	615	1,788	2,853	2,696	8,080
	4	-	*	5	110	592	2,373	5,602	8,467	17,149
	5	•	-	1	27	254	570	1,014	1,529	3,395
	11 11	*	-	-	4	22	88	149	71	334
	6	-	-		-		7	4	3	14
TOTAL	7	-	-	-					3	14
				8	273	1,483	4,826	9,622	12,766	28,978
33	1-2		-	1	17	96	278	535	600	1,527
	3			4	63	274	1,294	3,284	5,714	
	4		-	1	34	341	1,111	2,085	3,414	10,633
	5	-		3	12	120	422	859		6,986
	6		-		2	18	99		565	1,981
	7		_			2	33	262	78	459
TOTAL				9	128	851	3,237	7,055	15	80
43	1-2	-	-						10,386	21,666
	3			-	7	5	18	55	60	138
	4			2	7	55	414	1,817	3,704	5,997
	5		•	2		70	472	2,026	5,494	8,071
	6		-		3	64	156	468	801	1,492
	7		•	•	1	17	82	232	150	482
TOTAL	-		-	-	-	3	31	90	58	182
53	1-2			2	18	214	1,173	4,688	10,267	16,362
3.0	3		-			2	4	6	5	17
	4	•	-	-	3	10	107	665	1,309	2,094
	11	•	-		2	14	110	1,205	3,828	5,159
	5	-	•	•	-	11	38	192	537	778
	6	-		-		3	4	28	81	116
TOTAL	7		-		-			7	14	21
TOTAL			-		5	40	263	2,103	5,774	8,185
63	1-2		-	-		1	3	13	1	18
	3	-	-			1	7	40	159	
	4	-			5	11	25	82	438	207
	5	-	-		1		18	37		561
	6		-		_	1	10	2	81	137
	7		-		-				3	7
TOTAL		-			6	14	54	175	683	2
24-54	1-7	-		5	21	538	1,466			932
25-35	1-7				22	32		2,456	3,183	7,670
81-85 1/	1-7			1	53		75	116	42	287
All Colors	8 2/				33	28	61	104	142	389
TOTAL, ALI		2	32	808	15 010	19	169	569	259	1,017
,.,.,.			34	000	15,812	126,871	650,189	2,460,308	5,891,687	9,145,709

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2005 Crop

QUALITY						STAPLE			
COLOR	LEAF	35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	749,994	559,716	291,984	95,880	44,719	13,863	1,756,156	2,904,2
17 00 = 1	3	1,154,627	873,633	488,360	95,847	44,736	23,938	2,681,141	4,296,4
	4	128,348	100,562	57,388	7,915	1,205	1,603	297,021	479,5
	5	3,277	2,318	1,226	206	33	22	7,082	17,1
	6	74	53	22	5	•		154	0
	7	3	2	1	-	-	20.426	4,741,560	7,697,97
TOTAL		2,036,323	1,536,284	838,981	199,853	90,693	39,426	199,060	410,0
31	1-2	100,139	55,328	23,119	8,997	6,223	5,254	2,505,650	4,676,9
	3	1,522,557	681,554	221,128	40,774	25,570	14,067	1,802,583	2,742,3
	4	1,012,517	578,627	184,766	19,540	4,139 400	136	109,454	181,0
	5	50,842	37,231	18,165	2,680	8	130	5,563	17,1
	6	2,596	1,864	974 47	121			240	1,5
70741	7	100	4 254 604	448,199	72,118	36,340	22,451	4,622,550	8,029,1
TOTAL		2,688,751	1,354,691	914	124	24	22	10,087	27,7
41	1-2	6,500	2,503	43,148	3.783	440	130	803,347	1,584,1
	3	554,864	200,982		7,416	620	177	1,646,664	2,392,0
	4	987,982	529,788 70,307	120,681 22,868	1,873	186	47	194,378	258,2
		99,097 9,417	6,547	2,808	297	18	2	19,089	30,5
	0	875	616	361	19	1		1,872	4,4
TOTAL	-	1,658,735	810,743	190,780	13,512	1,289	378	2,675,437	4,297,2
		428	104	25	3	1	-	561	1,5
51	1-2	55,648	26,011	7,520	593	18	1	89,791	158,
	4	126,938	79,203	23,641	1,729	3	43	231,557	327,0
	5	15,114	12,565	4,710	437	41	1	32,868	43,3
	6	2,860	2,286	534	24	2	-	5,706	8,
	7	784	671	157	1			1,613	2,3
TOTAL		201,772	120,840	36,587	2,787	120	4	362,110	541,0
61	1-2	5	4	1	-	1		11	
	3	437	292	70	4			803	1,;
	1 4	923	775	237	22			1,957	2,:
	5	181	139	48	2		-	370	
	6	41	29	15	-	•		85	
	7	2	5		-		-	3,233	4,4
TOTAL		1,589	1,244	371	28	7		3,233	7,1
71	1-2	3	-		-	-	*	24	
	3	14	7	3	·	•	•	60	
	4	49	10	1	i i			4	
	5	4	•	-					
	6	•	-	·					
	7	70	17	4				91	1
TOTAL				2,145	563	141	199	22,652	68,
12 & 22	1-2	13,121	6,483 22,905	8,029	914	567	1,259	78,968	187,
		45,294	6,046	2,478	297	74	313	21,233	44,
	4	12,025	345	147	49	5	7	1,182	2.
		21	23	3	·			47	
	7	-1	1					1	
TOTAL		71,090	35,803	12,802	1,823	787	1,778	124,083	303,
32	1-2	2,203	997	392	185	121	187	4,085	14
.74	3	70,468	24,703	6,359	1,294	979	920	104,723	277
	4	90,411	38,947	9,049	819	363	667	140,256	267
	5	7,097	4,450	1,692	239	89	76	13,643	27
	0	514	427	174	24	3	2	1,144	3
	7	48	49	19	2	-	-	118	
TOTAL		170,741	69,573	17,685	2,563	1,555	1,852	263,969	590,
42	1-2	387	152	80	24	20	2	665	1
	3	59,580	22,031	4,469	456	124	34	86,694	175
	4	173,903	87,882	17,269	772	111	40	279,977	435
	5	28,028	19,643	4,946	215	57	4	52,893	76
	6	2,311	1,581	549	68	5		4,514	8
	7	336	195	103	2			636	000
TOTAL		264,545	131,484	27,416	1,537	317	80	425,379	698,
52	1-2	66	23	8	1			98	
	3	25,128	10,015	1,697	104	6	2	36,952	70
	+	74,732	38,963	8,177	309	14		122,196	187
		13,643	8,703	2,235	72	4	1	24,658	34
	5	10,040							- 4
	5 6	1.478	1,015	259	12	1		2,765	
	11 11			259 48 12,424	12 2 500	25	5	458 187,127	297,

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through

QUALITY	16.5				05 Crop	STAPLE			
COLOR	LEAF	7.5							
(02011		35 Bales	36 Bales	37 Bales	38	39	40 &+	35 to 40+	TOTA
62	1-2	2	Dales	Bules	Bales	Bales	Bales	Bales	Bales
	3	1,517	570	49	2	•		4	
	4	3,787	1,609	290	2 A	-	•	2,138	3,
	5	623	294	71	2	2		5,692	9.
	6	72	46	9	2		•	991	1.
TOTAL	7	1	1	1	- i		•	129	
TOTAL		6,002	2,521	421	10	3		8,957	14,:
13 & 23	1-2	2,178	736	149	14	7	14	3,098	
	3	7,079	3,340	857	68	40	33	11,417	11 28
	+	1,305	554	203	32	2	11	2,107	5
	5	71	38	0	1			116	J.
	6 7	2	3					5	
TOTAL	1	40.005	-		-	-			
33		10,635	4,671	1,215	115	49	58	16,743	45,7
7.0	1-2	562	246	67	17	8	3	903	2,
	4	5,682	3,279	1,397	275	126	143	10,902	21,
	5	3,906 589	2,384	1,153	151	60	173	7,827	14,
	6	04	451	257	37	9	38	1,381	3,
	7	10	65	26	2	-	-	157	
TOTAL		10,813	6,428	2,901	100	-	-	15	
43	1-2	54	23		483	203	357	21,185	42,8
	3	3,840	1,737	26	2	1	-	106	
	4	7,132	3,836	538	68	33	15	6,231	12,
	5	860	601	1,060 226	82	47	31	12,188	20,
	6	145	103	75	52	20	13	1,772	3,
	7	41	26	18	16 4	1		340	
TOTAL		12,072	6,326	1,943	224	102	59	89	
53	1-2	5		2		102	39	20,726	37,0
	3	1,336	444	98	5	1	-	8	
	4	5,404	2,299	298	7	4	2 3	1,886	3,5
	5	861	368	56	2	,	2	8,015 1,289	13,:
	6	106	49	23	1		-	1,289	2,0
	7	24	34	12	1	1		72	1
TOTAL	<u> </u>	7,736	3,194	489	17	6	7	11,449	19,6
63	1-2	2	-	-	-	-		2	
	3	283	47	2	1		-	333	5
	4	747	196	14	-	1	-	958	1,5
	5	124	34	•			-	158	2
	7	14	3		-	-	-	17	
TOTAL		1,171	221	-	-	-		2	
24-54	1-7		281	16	1	1		1,470	2,4
25-35	1-7	3,204	1,610	657	74	43	11	5,599	13,2
81-85 1/	1-7	11	15	2	-	*	*	28	3
Ail Colors	8 2/	241	153	58	- 11	1	2	416	8
OTAL, ALL		7,260,999	4,144,875	1,593,004	205.057	404.505	-	426	1,4
		1,200,000	4,144,073	1,393,004	295,657	131,535	66,468	13,492,538	22,638,24
EXTRAN	EOUS MATT	TER					age Staple	***********	34.8
	- Level I		915,506			Perce	nt Tenderable		71.1
	- Level 2		888						
	ss - Level 1		64,421						
	ss - Level 2		1,145						
	- Level I		17,755						
	- Level 2		76						
	r - Level I		20,551						
	r - Level 2		377						
	pales classed.		or. 2/ Below Grade L						

Table 3. – United States: Percent distribution of color, leaf and staple for upland cotton classed:

2006 Crop STAPLE QUALITY LEAF 3.8 39 40 & + TOTAL COLOR Pct. 1-2 5.6 0.1 0.3 0.6 1.5 1.4 0.4 0.2 1.2 2.2 3.0 3.4 1.0 0.3 0.1 12.0 0.1 0.2 0.6 0.3 0.3 0.1 0.1 0.2 11 & 21 6 1.4 0.4 0.1 5.1 TOTAL----0.9 1.9 3.4 4.8 0.1 0.4 2.2 0.1 0.2 3.1 6.2 6.8 4.9 3.2 0.9 0.4 0.2 26.7 1.0 0.2 0.6 1.5 2.8 1.9 0.5 0.1 10.5 0.1 0.1 0.1 0.2 0.2 0.8 0.3 8.2 10.1 5.6 1.6 0.6 40.2 TOTAL---0.2 1.3 4.0 8.3 0.2 13.4 0.1 0.5 1.7 3.7 4.2 2.4 0.8 0.1 17.3 0.3 1.0 2.9 5.3 5.0 2.4 0.3 41 0.2 0.3 0.6 0.8 0.5 0.1 2.7 0.1 0.1 0.1 0.2 6 33.8 TOTAL--7.0 10.2 8.2 3.9 0.5 0.1 0.1 0.8 2.9 0.5 0.1 0.1 0.1 0.1 1.1 51 0.1 0.2 0.3 0.3 0.2 0.3 0.1 0.1 0.1 0.1 6 2.0 TOTAL--0.2 0.4 0.6 0.5 0.3 61 4 TOTAL----1-2 0 TOTAL----0.1 0.1 0.1 0.4 12 & 22 0. l TOTAL----0.1 0.1 0.1 0.1 0.1 0.1 0.7 0.2 0.1 0.2 0.1 0.1 0.8 0.1 32 0.1 0.1 0.1 0.1 0.1 0.6 0.1 TOTAL---0.1 0.2 0.3 0.3 0.2 0.1 1.5 0.1 0.5 0.1 0.1 0.1 42 0.2 0.1 1.2 0.1 0.3 0.3 0.1 0.1 0.1 0.3 TOTAL----0.1 0.3 0.4 0.5 0.4 0.2 2.1 0.1 0.1 TOTAL. 0.1 0.1 0.2

^{*} Less than 0.05 percent

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	LEAF							6 Crop	STAPL	=						
COLOR	LEAF	26 & -	28	29	30	31	20	20	0.4							
		Pct.	Pct.	Pct.	Pct.	Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36	37	38	39	40 & +	TOT
	1-2	-	-	-		4	*	π	*	PCI.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct
	3	-	-	-	-	*	*	*	*				-	-	*	
62	4	-	-	-	-	*	*			*			*		-	
	5	-	-		-	*	*	*	*	*	*				•	
	6 7	-		*	-	-	*	*	*	*	*	*				
TOTAL		*	*	*	-	*	*	*	*	*	*	*				*
TOTAL	1-2				-	*	*	*	*	*	*	*	*	*		*
	3					*	*	*	*	*	*	*	*	*	-	
13 & 23	4		*						*	*	*	*	*	*	*	*
	5	-	*		*	*					*	*	*	*	-	*
	6	-	-			*	*	*				*	*	-	-	*
	7	-	-	-			*					-		-	-	*
TOTAL		W	*	*	*	*	*	*	*	*	*	*	- *	-	-	*
	1-2	-	*	*	*	*	*	*	*		*	*		-		0.1
0.0	3	*	W	*	*	*	*	*		*	*	*	*			0.4
33	4	-		*	*	*	*	te .	*	*	*	*	*			0.1
	5	*	•	*	*	*	*	*	*	*	*	*	*			v. 1
	6 7	· ·	*		*	*	*	*	*	*	*	*	*	*		*
TOTAL		*				*		*	*	*	-	*	-	-		*
TOTAL	1-2					*	*	*	*	*	*	*	*	*	*	0.2
	3		-				*	*	*	*	*	*	*	*	*	*
43	4		*	*		*			*		*	*	*	*	*	0.1
	5	-	*	*	*	*				*	*	*	*	*	*	0.2
	6		*		*		*	*	*					*	*	*
	7		*	*	*		*	*	*	*				*	*	*
TOTAL		-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*		0.4
	1-2	-	-	-	-	*	*	+		*	*	*				0.4
	3	-	-	*	*	*	*	*	*		*		*	*	*	*
53	4	-	-	*	*	*	*	*	*	*	*	*		*	*	
	5	-	*	*	*	*		*	*	*	*	*		*	-	
	6 7	-			*	*	*	*	*	*	*	*	*	*	*	w.
TOTAL			+	*		*	*	*	*	*	*	*	*		-	
	1-2									*	*	*	*	*	*	0.1
	3		_	-	-	-					*	*	-	-		*
63	4		-			*					*	*	*	*	*	*
	5	-		_				*		*				•	-	*
	6	-	*	-		*	*		*	*		*		-	-	
	7	-	-	-	_	-		-		*	×	*				*
TOTAL		-	*	-	-	*	*	*	*	*	*	*	*	w	*	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*		*	*	*	0.1
25-35	1-7	-	-	-	-	*	*	-	*	*		dr.	tr.	-	-	*
81-85 1/	1-7		•	*	*	*	*	W	*	*	*	*	*	*	*	*
All Colors OTAL, ALL	8 2/	*	*	*	*	*	*	*	*		*	*	R	*		*
RANEOUS MAT	TEP				0.1	0.7	2.9	8.7	18.4	25.6	22.8	15.4	3.7	1.2	0.4	100.0
U TALOGO IVIA I	TEIN												Ave	erage Stap	ole	35.2
Bark - Level	1	5.8											Perce	ent Tender	able	70.4
Bark - Level		*														
Grass - Level		0.5														
Grass - Level	2	*														
Prep - Level	1	0.1														
Prep - Level		*														
Other - Level Other - Level	1	*														
(Athor Lough	1 (

Table 4. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:

2006 Crop LEAF 28 Pct. 29 Pct. COLOR 40 & TOTAL 26 & 36 Pct. 0.3 1.0 0.1 0.2 0.3 0.1 0.7 0.2 3.1 0.1 0.4 0.6 0.9 11 & 21 0.2 4 0.1 5 TOTAL----0.2 0.6 0.9 1.3 0.9 0.3 0.1 4.3 0.4 0.2 7.8 0.7 1.0 0.6 2.4 0.5 35.6 0.1 0.9 8.4 11.7 31 0.2 0.7 1.6 2.7 2.6 1.1 0.3 9.3 0.3 0.1 0.1 0.1 TOTAL---47.2 10.7 0.1 1.2 4.8 10.8 15.1 3.6 0.8 0.1 0.1 5.7 0.3 0.1 7.3 1.3 4.4 0.2 22.0 0.1 0.6 11 4 2.8 4.3 3.6 1.5 0.5 14.3 0.1 0.4 1.1 5 0.2 1.5 0.1 0.2 0.3 0.3 0.3 0.1 0.2 TOTAL---38.3 0.2 1.0 3.7 8.9 12.1 8.4 3.1 0.8 0.1 1-2 0.1 0.2 0.1 0.1 0.6 51 0.1 0.2 0.1 0.7 0.2 0.1 TOTAL-0.2 01 04 04 02 01 1.4 TOTAL--71 4 TOTAL--0.1 0.1 0.1 0.3 12 & 22 4 TOTAL----0.1 0.2 0.1 0.5 1-2 0.1 0.4 0.7 0.1 0.6 0.4 0.2 2.4 4 0.2 0.4 0.4 0.2 0.1 1.4 0.1 TOTAL---0.1 0.6 1.2 1.0 0.6 0.3 0.1 4.0 0.1 0.3 0.4 0.3 0.1 1.4 42 0.2 0.3 0.4 0.1 0.4 0.2 1.7 0.1 0.1 0.3 6 0.7 TOTAL---0.1 0.4 0.9 0.7 0.4 0.1 3.3 0.1 TOTAL----0.1

Less than 0.05 percent

Table 4. – Alabama: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY		1					200	06 Crop								
QUALITI	LEAF								STAPL	E						
COLOR		26 & -	28	29	30	31	32	33	34	25	20	0.7	20			
		Pct.	Pct.	Pct.	Pct	Pct.	Pct.	Pct.	Pct.	35 Pct.	36 Pct.	97 Pct.	38 Pct.	39 Pct.	40 & + Pct.	Pct.
	1-2	-	-		-	-	-	-	-	-	-	-	-	-	-	PGI.
62	3 4	-	-	-	-	-		*	*	-	-	-				
02	5		-	-	-	-	-			*	-	-	-	-	-	•
	6		-		_	-	~		*	-	-	*	-	-	-	*
	7	-	-	-		_				-	•	-	-	-	-	*
TOTAL		-		-				*	*	*				-	-	
	1-2		-	*	*	*	*	*	-		-					
13 & 23	3	-	•	*	*	*	*	*	*	*	*	-				*
13 0: 23	5	1	-	-	*	*	*	*		*	*	-	-	-		*
	6				•	-	-	•	-	-	-	-	-	•	-	-
	7	_	_	_	_			-	-		-	-	-	-	-	
TOTAL		-	-	*	*	*	*	*	*	*	*			-		*
	1-2	-	-	*	*	*	*		*	*	-			-	-	
0.0	3	-	-	*	*	*	*	*	*	*	*	*	*		-	0.2
33	4	-	-	*	*	*	*	*	*	*	•	*	-		-	0.1
	5 6		-	-	•	-	*	*	*	*	*	*	-		-	*
	7	_	-			-	-	-	*	-	-	-	-	•	-	*
TOTAL			-	*	*	*	0.1	*	*	*	*	*	-	-		-
	1-2	-	-			*	*	*	*	*						0.3
	3	-	*		*	*	*	*	*	*		*		-		0.2
43	4	-	-	*	*	*	*	*	*	*	*	*	-	-	_	0.2
	5 6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-		-	-		•	*	*	*	*	-	-	→	-	*
TOTAL			*	w	*	*	0.1	0.1	0.1	0.1	*	*	-	-		*
	1-2	-	-	-	-	-	-	-	0.1	0.1				-	-	0.4
	3	-	-	-	*	*	*	•	*	*	*	*		-		
53	4	-	-	-	*	*	*	*	*	*	*	*		-	-	*
	5	-	-	•	*		*	*	*	*	*	*	-	-	-	*
	7			-				•	•	*		•	-	-	-	*
TOTAL					*	*	*	*	*	*	*	*			-	0.4
	1-2	-	-	-	-	-	-	-	-	-	-					0.1
	3	-	-	*	-	-	-	*	-	*	-	-				*
63	4	-	-	-	-	-		-	*	*	-	-	-	-		*
	5			1	-	-	-	-	-	-	-	-	-	-		
	7	_						-		-	-	-	-	-	-	•
TOTAL			-	-	-	-		*	*	*	<u>:</u>		-		-	*
24-54	1-7	-	-	-	*	*	4	*	*	*	*	*	*			0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-		-	-	-
81-85 1/	1-7	-	-	*	-	*	*	*	*	*	*	*	-	-	-	*
All Colors TOTAL, ALL	8 2/	-	*	0.1	0.6	3.8	11.6	23.2	30.4	*	*	*	-	-		*
EXTRANEOUS MAT	TER			0.1	0.0	3.0	11.0	23.2	30.4	21.1	7.4	1.8	0.1		t.	100.0
													Perce	erage Stap	able	33.8 61.6
Bark - Level		1.3											7 0100	, onder	2210	37.0
Bark - Level		*														
Grass - Level Grass - Level		0.7														
Prep - Level		0.2														
Prep - Level	2	*														
Other - Level	1															
Other - Level	1	-														
668,672	Bales cla	ssed. 1	Below (Grade Cold	or. 2/ Belo	ow Grade	Leaf. " Le	ss than 0.0	05 percent	1.						

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY								6 Crop	STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TC
COLOR		Pct.	Pct.	Pet.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		Pct.	
	1-2		-	-	-		*	0.2	1.8	6.5	11.6	11.5	2.7	0.6	0.1	3
	3		-	_				0.1	0.6	2.4	5.5	7.5	2.3	0.7	0.1	1
11 & 21	4		-		~		*			0.1	0.2	0.2	0.1			
	5	-	-	-	-			*		*				*	*	
	6	-	~	-	-	-	-	-	-	*	-	-	alt.	-	0.6 0.1 0.7 0.1	
	7	-	-	-	-		-	-		-		-	-	-	-	
TOTAL		-		-		*	*	0.3	2.5	9.0	17.3	19.3	5.2		and the second s	5
	1-2	-	-	-	-	*	*	0.1	0.7	2.9	4.7	4.0	0.9			
	3	-	-	•	-	*	*	0.1	0.7	3.0	6.3	7.0	2.3			-
31	4	-	-	-	*	*	*	0.1	0.4	0.6	0.8	0.9	0.4			
	5	-	-	-	-	•		*	*		0.1	0.1				
	6 7	-										*	*	*		
TOTAL	1	-	-			*	*	0.3	1.9	6.5	11.8	12.0	3.7	1.0	0.1	3
	1-2						*	*	*	0.1	0.1	*	*		*	
	3	_	_			*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	
41	4		_			*	*	0.1	0.4	0.5	0.3	0.2	*	*	*	
	5	-	-	-		*	*	*	0.1	0.1	0.1	*	*	*	*	
	0	-	-	-	-		*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	-	*	*	*	*	*	*	*	
TOTAL		-	•	-		*	*	0.2	0.7	0.9	0.7	0.4	0.2	*	*	
	1-2	-	-	-	-	-		-	*	Ν¢	*	*	-	-	-	
	3	-	-	-	-	-			*	*	*	*	*	*	-	
51	4	-	-	-	-	-	*	*	*	*				-	•	
	5	-	-	•	-	•	*	*	*	*	*			-	•	
	6 7	-	-	-	-	-	-		*	*	*	*		_		
TOTAL		-	-				*	*	*	*	*	*	*	*		
TOTAL	1-2											*		-		
	3											_	*	*	*	
61	4										_	_		-		
01	5	-							_		_	-		-		
	6	-	-	-	-		-		-			-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-		-	-	-	•	-	-	•	-	*	*	*	*	
	1-2	-	-	-	-	-		-	-	-	-	*	-	-		
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	
71	4	-	-	•	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	•	•	-	-	-	-	-	-	
	6 7	-	7	-		-	-			-	-	-	•	•	-	
TOTAL		-	-	-					-	-	-	*		-		
TOTAL	1-2						*	*	0.1	0.4	0.3	0.1	*			
	3						*	*	*	0.4	0.3	0.1	*	*		
12 & 22	4			_	_		*	*	*	0.1	0.1	*	*	*		
12 00 22	5	-				*	_	*	*	*	*	*				
	6	-	-	_			-		-	-	-	-	-	-	-	
	7	-	-	-	-	-	-		-			-	-	-	-	
TOTAL		-	-		-	*	*	*	0.2	0.7	0.7	0.2	*	*		
	1-2	-	-	-	-	-	+	*	ж	*	*	ək	N/c	*		
	3	-	-	-	-	-	*		*	0.1	0.1	0.1	*	*	-	
32	4	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	Ne		-	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
TOTAL	7				-	-	*	*	*	*	- 0.2	- 0.2	*	*	*	
TOTAL		-		-	•	*	*		0.2	0.3	0.3	0.2			*	
	1-2	-	-	-	-	-	-	-	*	*	*	*	-		-	
12	3	-	-	-	*	-	*	* 0.1			* 0.1		*			
42	5	-		-		*		0.1	0.2	0.2	0.1					
	0		-		-				0.1	0.1						
	7									*						
TOTAL		-			*		-	0.1	0.3	0.3	0.2	0.1	-		-	
	1-2										-					
	3	_						*			*		*		-	
							*		*		*	*				
52	1	-	-													
52	4 5	1					*		*			*	*		_	
52		-	-		-	-	*	:	*	:	:	*	*	-	-	

^{*} Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	1	1					200	6 Crop				ttorr ordo				
QUALITY	LEAF	-							STAPLE	E						
COLOR		26 & -	28	29	30	31	32	33	2.4	25	0.0					
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	35 Pct.	36 Pct.	97 Pct.	38	39	40 & +	TOTAL
	1-2	-	-	-		-	-	7	-	r Ct.	rci.	FGI.	Pct.	Pct.	Pct.	Pct.
	3	-		-	-	-		*	_	*				*	-	
62	4	-	-	-		-		-		*			_			
	5	-	-	-	-	-	-	w	-	*	-					
	6	-	-	-	-	-		-	*	*			_			
TOTAL	7		-	<u> </u>	-	-			-	-	-			-		
TOTAL		-	•	•			-	*	*	*	*	*	*	*		*
	1-2	-	-	-	-	-	-	-	Tr.	*	W	*	-	*	-	,
13 & 23	3	-	•	-	•	-	*	*	*	*	*	*	*	-		*
10 0 20	5	-	~	-	•	-	-	*	*	*	*	W	*	*	-	
	6		-	-	-	-	-	-	*	•	*	-	-	-	-	*
	7			•	•	-	-	-	*	-	-	-	-	-	-	*
TOTAL		-		-			*		-		-	-	-	-		-
	1-2					•						*	*	*		*
	3	-		_	-	•		-	-			*	*	-	-	*
33	4	_			-	-	v					*	*	-	-	•
	5	_	_	-		-	*	*	*			*		*		*
	6	-	-		-	-	_		*		*	-	*	•	•	*
	7	-	-	-	-	_	_			-		-		-	-	*
TOTAL			-		-		*	*	*	*	*	*	*	*		0.4
	1-2	-	-	-		-	-	*			*					0.1
	3	-		_	-	_	*	*	*	*		*	*	-	-	
43	4	-	-	-	~	-	*		*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*				-	U. I
	6	-	-	-	-		*	*	*	*	*	*	*	*	_	*
	7	-	-	-		-	-		*	*	*		-			*
TOTAL		-	-	-	-		*	*	*	*	*	*	*	*		0.1
	1-2	-	-	-	-	-	-	-	-	-	-	-	-		-	-
	3	-	~	-	-	-	-	*	*	*	*	*	_	-	_	
53	4	-	-	-	-	-	*	*	*	*	*	*	_	_		*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	~	-	-	*	-	*	*	*	*	-	-		*
TOTAL	7		-				*	*	*	*	*	*	*	-	-	*
TOTAL	4.0	-	-		•		*	*	*	*	*	*	*			*
	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
63	3	-	-		-	-	*	*	*	*	-	-	-	-	•	*
03	5	-	*	-	*	-	-	-	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	•			*	-	-	-	-		*
	7			•		•	-	-		-	*	•	-	•	-	*
TOTAL		-			•	-	*	*	*	*	*	-				
24-54	1-7			-						-			-	-	-	
25-35	1-7						-	-					-	-	-	
81-85 1/	1-7					-			*				-	-	-	
All Colors	8 2/		_				_		*		*			-	-	
TOTAL, ALL			-	-	*	*	0.2	1.1	5.9	17.8	31.1	32.2	9.1	2.4	0.3	100.0
EXTRANEOUS MAT	TER									77.0	91.1	52.2				
													Perce	erage Star ent Tender	rahlo	36.2 74.2
Bark - Level	1	4.6											1 6100	JIIL TENGE	abic	14.2
Bark - Level		*														
Grass - Level		0.2														
Grass - Level	2	*														
Prep - Level	1															
Prep - Level	2	-														
Other - Level	1	0.3														
Other - Level	1															
521,447	Bales cla	ssed. 1	/ Below G	rade Color	r. 2/ Below	Grade Le	af. Les	s than 0.05	percent.							

Table 6. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	-						200	6 Crop	STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	25	26	17	20	10	10.0	TOT
		Pc1.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pet.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTA Pct.
	1-2	-	-	-	-	*	*		0.1	0.1	0.1	*		-	-	0.4
11 & 21	3	-	-	-		44	*	1.0	0.3	0.6	0.4	0.2	*	*		1.6
11 00 21	4 5			-	-	-			*	:			•	-	-	0.1
	6	-	_	-									-	-	_	*
	7	-	-	-	-	-	-						-	-		
TOTAL		-		•	*	*	w	0.1	0.4	0.8	0.6	0.2	*	*		2.1
	1-2	-	-	-	-	*		0.1	0.3	0.3	0.1		*	-	-	0.8
31	3 4	-	-	-		*	0.1	0.8	4.6	9.7	7.6	2.7	0.1	*	*	25.7
	5	-	-				*	0.2	1.3	4.9 0.1	5.6 0.1	2.3 0.1	0.1	*	•	0.3
	6	-	-	-	-	-	*	38	*	*	*	*		-	Ĵ	*
TOTAL	7	-	-	-				-		-	*	*		-		*
TOTAL	1-2	-		-	*	*	0.2	1.1	6.2	15.0	13.5	5.0	0.2	*	*	41.3
	3	_	-	-	*	*	0.1	0.7	*	*	*	*	*	-	-	0.1
41	4		-		*	*	0.1	0.7	3.1 3.4	5.9 11.3	4.2 11.6	1.2 3.9	0.2		*	15.3
	5	-	-	-	-	*	*	0.1	0.4	1.0	1.4	0.7	0.1			31.3
	6	-	-	-	-		*	*	*	*	*	*	*	*		0.1
TOTAL	7	-			*	- *	-	*	*	*	*	*	*	-	-	*
TOTAL	1-2			-			0.2	1.5	7.0	18.3	17.3	5.8	0.3	*	*	50.5
	3		-		-	*	*	*	0.1	0.2	0.1	*	*		*	
51	4	-	-	-	-	*	*	*	0.1	0.5	0.6	0.2	*			0.4
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	w	*	0.4
	6 7	•	-	-	•	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL	1	-				*	*	0.1	0.3	0.8	*	*	*	-	*	*
	1-2	-	-	-	-			0.1	0.3	0.8	0.9	0.3				2.4
	3	-	-		-			*	*	*	*	*	-		_	
61	4	-	-	-	-		*	*	*	*	*	*			-	201
	5	-	•	-	+	-	-	*	*	*	*	*	aja .	-	-	*
	7	-		-	-	•	*	*	*	*	*	*	-	-		*
TOTAL		-	-	-		-	*	*	*	*	*	*	*	-		*
	1-2	-	-	-	-	-	-	-	-	-						
7.	3	-	-	-		-	-	-	-			-		_		-
71	5	-	-	-	-	-	*	-	-	-	-	-	-	-		-
	6		-			-	-	-	~	-	~	-	*	-	-	-
	7	-	-	-	-		-	-	~	-	-		-	-	•	-
TOTAL		-		-		-			-	-		-	-	-	-	
	1-2		-	-	-	-	*	*	Ne	*	*	*	-	-		*
2 & 22	3 4		-	-	*	ale.	*	*	*	ж	*	*	*	-		*
_ ((5		-		-	•	*	*	*	¥.	*	*	-	-	-	*
	6		-	-	-	-	-	_	-	-	_	-	-	-	-	*
7074	7	-	-	-	-			~	-	-	_	_		-	-	-
TOTAL		•	-		*	*	*	*	*	*	*	*	*	-	-	*
	1-2	~	-	-	-	*	*	*	*	Mr	*	*	-	-	-	*
32	4		-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	5		-	-		*	*	*	*	0.1	0.1	×	*	*	-	0.4
	6	-	-	-	-		-	*	*		9K	*		_	-	
TOTAL	7		-			-	-	-	-	-	-	-	-	-	-	_
TOTAL	1-2	*	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	ŵ	*		0.8
	3				*	*	*	*	*	*	**	*	-	-		*
42	4	-	-		*	*	0.1	0.1	0.1	0.2	0.1	*	*	*	-	0.5
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*		-	0.3
	6	-	-	-	-		*	*	*	*	*	*	*	*	*	*
TOTAL	7	-	-		-	*	-		*	*	*	*			-	*
, O / AL	1-2	-	•	-			0.1	0.2	0.5	0.7	0.5	0.2	*	*	*	2.3
	3	-				*	*	-	- *	*	-	-	-	-	-	*
52	4	-	-		-	MC .	*	*	*	*	*	*	*	-	-	*
	5		-	-	-	*	*	*	*	*	*	36	*	*	*	0.1
	0 7	-	-	-	-	-	*	*	*	*	*	*	*	*		0.1
TOTAL		-	-	-	-	-	-	-	*	*	*	*		-	-	*
					-		H	*	*	0.1	*	*	+			0.2

Table 6. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	1505							6 Crop	STAPL	E						
COLOR	LEAF	26 & -	28	29	20	0.1										
		Pct.	Pct.	Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35	36	37	38	39	40 & +	TOTA
	1-2	-	-		-	-	-	FCI.	PCI.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	-	-	-		_				*	*	-	-	•	-	-
62	4	-	-	-	-	-		*	*				*	•	•	
	5	-	-	-	-	-	-	*	*	*	*	_	-			
	6 7	-	-	-	-	-	-	*	*	,	v		_		-	
TOTAL	-							-	-	*					_	*
	1-2							*	*	*	*	*				*
	3	_		-	1	-	-	-		-	*				-	
13 & 23	4	-	-				•	-	•		*	*	-	-		*
	5	-	-	_					-		*	*	•	•	-	*
	6	-	-	-		-			_		_	-	-	-	-	*
	7	-		-		-	-		_				•	•	•	-
TOTAL		-			-		-		*	*	*	*	<u>:</u>	-	-	*
	1-2	-		-	-	-	-	-	*	*	*	*				-
33	3	-	-	-	-	*	*	*	*	*	*	*	*			
33	5	-	-	-	-	•	*	*	*	*	*	*	*			R
	6	-	_	-		-	-	-	*	*	*	*	-	-		*
	7	_	-		•	-	-	•	-	-	-		-	~	-	-
TOTAL				-	*	*	*	*	*	-		*	-	-		-
	1-2	-	-		-			*	*			•	#	-	•	0.1
	3	-	-	-	_	*	*		*		,		-	-	-	*
43	4	-	-	-	*	*	*		*	*	0.1				-	0.1
	5	~	-	-	-	*	*			*	*		*	-		0.2
	6	-	-	-	-	-	-	-	*	*	*	*				*
TOTAL	7	-		-	-	-	-	-	-	*	-	-		_		*
TOTAL	1-2				*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	3	_	-	-	-	-	-	-		*	-	-	-	-		*
53	4		_	_		*	*			*	*	*	-	-	-	*
	5	-	-			*		4	*			*		-		*
	6	-	-	-			*	*	*	*	*	w	•	-	-	
	7	-	-	-	-			-	_	_		*	_		-	
TOTAL		-		-		*	*	ŵ	*	*	*	*	*	*		*
	1-2	*	-	-	-	-	-	-	-			*	-			*
63	3	-	-	*	-	-	-	*	-	*	*	*	_	-		*
03	5		-	-	-	-	-	-	-	-	+		*		-	-
	6		-		-		-	-	-	-	-	-	-	-		-
	7	_	-		-	1	•	-	-	-	-	~	•		-	-
TOTAL		-				-		*	*	*	-	-	-			*
24-54	1-7	-	-	-		-		*	*	*	-		-		-	*
25-35	1-7	-		-			_		_					-	*	٠
81-85 1/	1-7	-	-	-	-				*	*		*	-	-	-	-
All Colors	8 2/	-	-	-	-	-	*	*	*	*		*				
TOTAL, ALL		-		-	*	0.1	0.6	3.2	14.7	36.0	33.1	11.7	0.6	*	R	100.0
XTRANEOUS MAT	TER													rage Stapl	e	35.4
Bark - Level	1	0.1											Perce	nt Tendera	ble	85.0
Bark - Level		0.1														
Grass - Level		0.2														
Grass - Level :	2	*														
Prep - Level		0.1														
Prep - Level :	2	-														
Other - Level		*														
Other - Level 2,417,026	1	-		rade Color.												

Table 7 — California: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY		1					200	6 Crop	2001.01.0							
QUALITI	LEAF	-							STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	*		0.3	0.8	2.2	4.2	5.9	4.0	3.0	1.2	21.7
11 & 21	1 7		-	-	-	-		0.1	0.3	0.8	2.7	6.1	3.0	1.8	1.2	15.9
	5		_	-							*	0.2	0.1	•		0.3
	6		-													
	7	-	-						-	_					-	_
TOTAL			-	-	-	*	*	0.3	1.1	3.0	6.9	12.2	7.0	4.8	2.5	37.9
	1-2	-	*	-			ale .	0.2	0.6	1.6	2.3	3.1	2.5	2.7	1.3	14.4
2.1	3	-	-	-	-	*		0.1	0.4	1.3	4.5	10.0	7.6	6.6	4.2	34.6
31	1 4	-	-	-	-	-		*	0.1	0.2	0.4	1.7	1.2	0.7	0.4	4.8
	5				•	•	-	•	*		*	0.1	0.1			0.3
	7				-	-	_								+	*
TOTAL		-		-		-	*	0.3	1.1	3.0	7.3	15.0	11.4	10.1	5.9	54.2
	1-2	-		-	-		8	*	*	0.1	0.1	1	*	*	*	0.4
	3	-	-	-					0.1	0.2	0.4	0.5	0.6	0.6	0.3	2.6
+1	4	-	-	-		*		166	0.1	0.2	0.3	0.5	0.3	0.3	0.1	1.9
	5	-	-	-	•	-	-	*	*	0.1	0.1	0.3	0.1	0.1	*	0.8
	6 7	_	-	-	-	-	-	-	*	*	*	0.1	*		*	0.2
TOTAL		-			-	*	*	- *	0.3	*	*	*	*	*	*	*
	1-2						alt	NI.	0.3	0.6	0.9	1.5	1.1	1.0	0.5	5.9
	3	-	-	-				*	*	*	*	*	*	*		*
51	4	-	-	-	-	-	-	*	nje	*	alt	*	*			0.1
	5	-	-	-		-	-	*	*	*	*	*	*	sje.	360	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL	7				-	-		-		*	*	Nr.	*	*	*	*
TOTAL		-		-			*	*	*	¥	*	*	*	*	*	0.2
	1-2		*	-	-	•	-	*	*	*	*	- *	-	-	-	*
61	4			-	1		-	*	*	•	*	*	-	*	-	*
	5		_									*	-	-	-	
	6	-	-	-			•		*	_	*	*	*			*
	7	-		-	-	-	-	-		*						*
TOTAL				-			•	*	W	*	*	*	*	*	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	3 4	-		-		-	-	-	-	-	-	•	-	-		-
7.1	5		-	~	-	-	-	-	-	•	-	-	-	-	~	•
	6		_	-					-	•	-	-	•	-	-	-
	7	-	-	-			_	-	-	_	-	-	-	-	-	-
TOTAL			•	-			-		•		-		- :	-		-
	1-2	-	-	-	-	-	-		*	*	*	*	*	*	*	*
	3	-	-	-		-		*	*	*	*	*	*	*	*	0.1
12 & 22	1	-	-	•	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	•	-	-	-	-	-	-	-	-	-	*	-	-	*
	6 7		•	-	-	-	-	-	-	-	-	~	-	-	-	-
TOTAL	1			-	-			*	*	*	*	*	*	*	-	
	1-2	~	-	-		_	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	~			-	*	*	*	0.1	0.1	0.2	0.1	0.1
32	4	-		-	-	-	÷	-	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	-		*	*	*	*	*	*	*
	6 7	-	-	-	-	-	-	-	-	-	-	-	*		-	*
TOTAL							-	-	-	-	-	-	-	-	-	
	1-2	-					•				0.1	0.2	0.2	0.2	0.2	0.9
	3		_			-		*	*	*	*	*	*	*	*	*
42	4	-	-	-	-			*	*	*	NC.	*	*	0.1	*	0.2
	5	-	-	-	-		-	*	*	*	*	*	*	*	*	0.2
	6	-	-	-		-	-	-	*	*	*	*	*	*	*	*
TOTAL	7	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
TOTAL	13		-		*	•	-	*	*	0.1	*	0.1	0.1	0.1	0.1	0.5
	1-2			1	-	-		-	-	-	*	*	-	*	*	*
52	4		-				-	*	*	*	*	*	*		*	*
	5	-						Ī	*	*	*	*	*	38	*	*
	6		-	-	-	_				*	*	*	*	*	*	*
	7		-	-	-	-		-		*	*	*	*	*		*
70																
TOTAL Less than 0.05 perce				-				*	*	*	*	*	*	*	*	0.1

Table 7. -- California: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							2000	6 Crop	STAPLE							
COLOR	LEAF	26 & -	20	00					STAPLE							
		Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33	34	35 Pct.	36	37	38	39	40 & +	TOTAL
	1-2	-	-	-	-	FCI.	PCI.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	-	-			_		1	-		-	-		-	-	-
62	4	-	-	-	-	-					•	•	•	-	-	*
	5	-	-	-	-	-				-		-	•	-	-	-
	6	-	-	-	-	-	-	_		*			•	-	-	*
TOTAL	7	-	-		-	-		_			*		-	-	*	
TOTAL		•		-	-	-		-	*	*	*	*	*			
	1-2	-	-	-	-	-		-	-	-		*				
13 & 23	3	-	•	-	-	-	-	-			*	_	*		-	
13 Q 23	4 5	-	-	-	-	-	-	-	-	*	*				-	
	5 6	•	-	-	-	-	-	-	-	-	-	-	_			
	7	-	-	-	-	-	-	-	-	-	_		_			
TOTAL				-		-	-	-	-	-				-		_
- 101712	1-2								*	*	W	*	*	*		ŵ
	3	-	-	•	-	-	-	-	*	*	*	*	*	*		
33	4	_	-	-	-	-	-	*	*	*	*	*	*	*		
	5		-	-	•	-	-	-	-	*	*	*	*	*		*
	6			-	-	•	-	-	-	-	-	-	-	*	*	*
	7			-	-	-	^	-	-	-	-	-	-	-	-	
TOTAL								-	-		-		-	-		-
	1-2	-							- "	*	*	*	*	*	*	0.1
	3			_	-	-	-	-	*	*	*	*	*	*	*	*
43	4		_		_	-	•	-	*		*	*	*	*	*	*
	5		_			•	-	•	*	*	*	*	*	*	*	*
	6			_				•	-	•	*	*	*	*	*	*
	7	-		_	_	ì	Ī	-	-	-		*	*	*	*	*
TOTAL		-			-				*	*	-	-	*	-	*	*
	1-2	-	-		-								*	*	*	0.1
	3		-					_		*	-		-	-	-	*
53	4		-		_	_		_						*	-	*
	5	-	-	-		_	_								•	
	6		-	-	-						*	*			-	*
	7	-		-	-	-	-		_	_			-	•	-	
TOTAL		-		-			-	-	*	*	*	*	*	*	*	*
	1-2	-	-	-	-	-		-				+				
	3	-	-	*	-	-		_	-	-		~		-	•	
63	4	-	-	-	-	-	-	-		_	_				-	-
	5	-	-		-	-	-	-	-	-	-	-	*			
	6	•	-	-	-	-	-	-	-		-	-	_		19	_
TOTAL	7			-	-	-	-	-	-	-	-	-	-	-		_
		-	•	•						-		*	*			*
24-54	1-7	-	-	-	-	-	-	-	-	*	*		*	*	*	*
25-35 81-85 1/	1-7	-	-	-		-	-	-	-	-			-	_	-	
All Colors	1-7	-	-	-	-	-	-		-	-	*	*	*	-	*	
TOTAL, ALL	8 2/				-	-	-	-	-	*	-	-	~	-	-	*
EXTRANEOUS MAT	TED		-	-			0.1	0.7	2.5	6.7	15.4	29.1		16.4	9.2	100.0
-XTRANLOUS MAT	IER												Ave	rage Stap	le	37.4
Bark - Level	1	0.9											Perce	nt Tendera	able	92.9
Bark - Level :		*														
Grass - Level		0.2														
Grass - Level :		*														
Prep - Level		*														
Prep - Level 2		_														
Other Lavel	1	*														
Other - Level																
Other - Level Other - Level 780,011	1	-														

Table 8. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:

2006 Crop QUALITY STAPLE LEAF 26 & 29 Pct. COLOR 28 TOTAL 33 38 39 40 & -Pct. P¢t. Pct. 0.1 0.1 0.1 0.3 0.2 0.7 0.4 0.1 2.1 11 & 21 4 0.1 0.1 TOTAL--0.1 0.3 0.8 0.9 0.5 0.1 2.6 0.3 0.8 0.3 3.0 12.7 17.4 5.9 1.2 40.4 0.2 1.5 3.2 2.1 0.6 7.6 0.1 TOTAL----0.3 3.4 14.6 20.8 8.0 1.8 48.9 0.1 0.2 3.0 11.7 12.9 3.1 0.5 31.5 0.7 3.5 6.9 2.7 0.5 14.4 0.1 0.2 0.1 0.4 6 TOTAL----0.3 3.8 15.4 19.9 5.9 1.1 46.4 0.1 0.1 51 0.1 TOTAL---0.1 0.1 0.3 1-2 6] 6 TOTAL---71 6 TOTAL-0.1 12 & 22 TOTAL---0.1 0.1 0.1 0.1 0.1 0.1 TOTAL---0.1 0.1 0.1 0.1 0.5 0.1 0.1 0.2 0.1 0.5 0.1 0.2 0.1 0.5 TOTAL---0.1 0.3 0.4 0.2 1.0 TOTAL----

^{*} Less than 0.05 percent.

Table 8. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	1	1					200	6 Crop	STAPL							
	LEAF								STAPL					 -		
COLOR	-	26 & - Pct.	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
	1-2	PCt.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3			-		•	-	-	-	~	-	-	-	-	-	-
62	4		-	_		_	-			-	-	-	-	-	-	*
	5	-	-	-	-	-	~			_	-	-		-	*	•
	6	-		•	-	-	-	-	-	-	-		Į.	-		
TOTAL	7	-		-	-	-	•	-	-	-	-	-	_	-		_
TOTAL			•	-	•			•	-					-		
	1-2	-	-	-	-	-	-	•	-	-	-	-	-	-		
13 & 23	4					•	-	~	W	-	-	-	-	-	•	*
	5	_		_	-		_			*	•	-	-	-	-	-
	6	-	-	-	-	-	-	_	-	_	-			-	-	-
	7	-	-	-		-	-		-	-	-	_				
TOTAL		-			•		-		*	-		-				*
	1-2	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-
33	3 4	-	-		-	-	*	*	*	*	*	*	-	-	-	*
00	5		-			-	-	-	-	*	*	*	•	-	-	*
	6	-	-	-	_	_	-	-	-			-	•	-	*	*
	7	-	-		-	-	-	-		-			-			
TOTAL		-		*			*	*	*	*	*	*	-			0.1
	1-2	-	-	-	-	-	-	-		-	-	-	-	-	-	-
43	3	-	-	-	~	-	-	*	*	*	*	*	-			0.1
43	4 5	-	-	-	-	-	*	*	•	*	*	*		-	~	0.1
	6		_	-	-			_	-		,	*	-	-	-	*
	7	-		-	-			_	_	_	-				*	-
TOTAL				-		-	w	*	*	0.1	*		*			0.2
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	3	-	-	*	-	-	-	*	*	-	-	•	-	-	-	
53	5	-	-	-	*	-	-	•	*	*		-	-	-	-	*
	6						~	-	-	-		•	•	-	•	*
	7	-	-		-	_	_		_	-	-	-		-	-	
TOTAL			-	-	-	-		*	*	*	*	-			-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-		
20	3	•	-	*	-	-	-	-	-	-	-	-	-	-	-	-
63	5	-	-	-	-	-	•	-	-	-	-	-	-	-		-
	6					-	-	-	-	•		-	-	-	-	-
	7		_	_	_	-	-	_	-			_		-	-	-
TOTAL					-				-	-		-	-	-	-	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*		-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7		-	-	-	-	-	-	-	4	*	-	-	-	-	*
All Colors TOTAL, ALL	8 2/	-	-	*	*	0.1	-	- 7 7	- 24.4	- 40.0	- 44.7	-	- 0.4		-	-
EXTRANEOUS MAT	TER	-				0.1	0.8	7.7	31.4	42.2	14.7	3.0	0.1	- 04	-	100.0
													Perce	erage Stap ent Tender	able	34.7 79.3
Bark - Level	1	0.9													02.0	7 0.0
Bark - Level		•														
Grass - Level		0.4														
Grass - Level Prep - Level		0.1														
Prep - Level	2	-														
Other - Level	1	*														
Other - Level	1	-														
148,120	Bales cla	issed. 1	/ Below G	rade Colo	r. 2/ Belov	v Grade L	eaf. * Les	s than 0.0	5 percent.							

Table 9. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:

2006 Crop STAPLE QUALITY LEAF 29 Pct. COLOR 26 & 39 40 & + TOTAL Pct. Pct. Pct Pct. 1-2 0.3 0.1 0.1 0.1 0.5 0.5 0.1 2.0 0.8 11 & 21 6 TOTAL---0.9 0.2 0.6 0.6 0.1 2.4 0.3 7.1 1-2 0.1 0.1 1.0 0.4 0.3 14.8 11.4 3.5 0.6 39.4 31 1.5 0.1 2.4 0.5 6.7 0.5 1.6 0.1 6 TOTAL----0.3 2.0 7.9 16.8 14.0 5.0 1.1 47.2 0.1 0.2 1.1 5.0 10.4 8.4 2.5 0.4 28.0 41 0.1 0.3 1.7 3.2 17.4 4.8 6.3 1.0 0.1 0.3 0.3 0.4 0.2 1.3 TOTAL----0.2 1.5 6.8 15.5 15.1 6.0 1.7 46.9 0.1 1-2 0.1 0.2 0.3 0.2 0.1 0.9 51 0.1 0.2 0.2 0.1 0.7 0.2 TOTAL---0.1 0.4 0.6 0.5 0.2 0.1 1.8 61 4 6 TOTAL-71 TOTAL--12 & 22 + TOTAL---1-2 0.1 0.1 0.1 0.1 0.4 32 0.1 6 TOTAL---0.1 0.1 0.1 0.1 0.5 1.0 0.1 0.1 0.3 42 0.1 0.1 0.1 0.1 0.4 0.1 TOTAL---0.1 0.2 0.2 0.2 0.1 0.8 TOTAL----0.1 * Less than 0.05 percent

Table 9. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	1545						200	6 Crop	STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTA
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-			-	-	-	-	-		1 01.	r Cl
	3	-	-	-	-	-		*		-		_				
62	4	-	-	-	-	-	*	*	*	*	*	*		_	_	*
	5	-	-	-	-	-		-	*	*		_		-		4
	6	-	-	-	-	-	-	-	-	-				-		-
TOTAL	7	-	-	-	-	-	-	-	-	-		-			-	-
TOTAL		-		-			*	*	*	*	*	*			-	*
	1-2	-	-	-	•	-		-	-	-	-	-	-	-	-	*
12 0 22	3	-		•	-	•	•	*	*	-	R	-	-	-	-	
13 & 23	4	-	-	-	-	-	•	*	•	-	*	-	-	•	-	
	5 6	-	-	~	-	-	-	-	-	-	-	-	-	•	-	-
	7	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*			*	*	-	-	-		-	-		-	-
	1-2				*	*			-			-	-		-	*
	3		*	*	*	*	*					-	-	-	-	*
33	4	_			*		я	*	*				•	•	•	•
	5	-	•		_			*	*	*	*		•	-	-	
	6	-	-									-	-	-	-	_
	7	-	-		_		_							-	-	•
TOTAL			*	*	*	*	*	×	*	*	*	*	*			*
	1-2	-	~	-	-	*	*	*		*	*	-				*
	3	-	*	-	*	*		*	*	*	*	*	*	_		0.1
43	4	-	-	-	*	*	*	*	*	*	*	*	*			*
	5	-	-	-	*	*	*	*	*	*	*	*	*			
	6	-	-	-	-	-	-	*	*	*	*	_	-	_		*
	7	-	-	-	-	-	-		-	-	-	-	-	-	-	-
TOTAL		-	*	-	*	*	*	*	*	*	*	*	ŧ	*		0.1
	1-2	-	-	-					w	-	-	-	-	-	-	*
50	3	-	-	-	*			*	*	*	*	*	-	-	-	*
53	4 5	-	-	-	-		*	*		*	•	*	-	-	-	*
	6	-	-	-	-		·	·		•	*	-	-	-	-	*
	7			-	-		-	•		•			-	-	~	*
TOTAL	1		-		*	*	*	*	*	*				-	-	-
	1-2								*					-		
	3	_	_	9				*			-	-	*	-	-	
63	4	_		-				_	*			-		•	-	
	5	-	_	-				_	_			_	-	-	-	
	6	-		-	-			-	-	_	_			_	-	
	7	-	-	-	-				-	-	-		-	_	-	
TOTAL			-			-		*	*	*	*					*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	~	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/		*	-		-	-	*	*	*	ž	*		~	-	*
OTAL, ALL		•	-	*	0.1	0.6	4.0	16.0	34.2	30.4	11.6	2.9	0.1	*	*	100.0
RANEOUS MAT	TER												Ave	erage Stap	ole	34.4
Bark - Level	1	0.7											Perce	ent Tender	able	73.3
Bark - Level		*														
Grass - Level		0.4														
Grass - Level		*														
Prep - Level		0.1														
Prep - Level	2	*														
Other - Level	1	*														
Other - Level	1	-														
	- 1	ssed. 1			r. 2/ Belov											

Table 10. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:

		,,					200	6 Crop			•	ottorr orac				
QUALITY	LEAF	ļ							STAPLI	E						
COLOR	LEAF	20 & -	28	29	30	31	32	33	2.4	25	2.6	27	20	20	10.0	TOTAL
		Pct.	Pct.	Pet.	Pct.	Pct.	Pct.	Pct.	Pct.	35 Pct.	36 Pct.	Pct.	38 Pct.	Pct	40 & + Pct.	TOTAL Pct.
	1-2	-	-	-	*	*	0.1	0.5	0.4	0.2	0.1	*	r Ct.	#	1 Ct.	1.4
	3	-	161	*		0.2	0.4	1.2	1.8	2.5	1.0	0.4	0.1		*	7.7
11 & 21	1	-	Ne		ak.	0.1	0.2	0.4	0.4	0.9	0.4	0.1		-		2.5
	5	-	n)c	-	-			0.1	*	0.1	*		*			0.2
	7	-	-	-	•	-	*		-	-	-		-	-	-	*
TOTAL		-	*	*	0.1	0.2	0.7	2.2	2.8	3.7	1.5	0.5	- 0.4	-	*	- 44.0
	1-2	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	0.1			11.8
	3	-		*	0.1	0.4	1.4	2.8	4.0	4.4	2.9	1.8	0.3	*		0.9
31	4	-	*	0.1	0.3	1.0	2.7	6.0	3.5	3.5	2.2	1.1	0.3			20.7
	5	-			*	0.4	1.5	5.5	3.2	1.4	0.9	0.3	0.1		_	13.5
	6	-	-			*	0.2	0.8	0.7	0.2	0.2	*	36			2.1
TOTAL	7		-	-	*	-	*	*	*	*	*	*	*	-	-	0.1
TOTAL		-		0.2	0.5	1.9	5.9	15.4	11.7	9.5	6.3	3.3	0.7	*	-	55.5
	1-2		-	*	*	*	-	*	*	ale .	*		-	-	-	W
41	1 4		*				0.1	0.4	0.4	0.3	0.2	0.1	*	-	•	1.7
-71	5		*	*	0.1	0.2	0.4	0.9	1.0	0.9	0.6	0.2		- *	-	4.5
	6		*	*	0.1	0.2	0.7	1.1	0.9	0.9	0.7	0.2	*		-	6.6
	7			*	*	*	0.2	0.3	0.2	*	*	*	*		-	3.7 0.9
TOTAL		-	*	*	0.4	0.9	2.4	4.5	4.0	2.6	1.9	0.6	0.1	*		17.4
	1-2	-	-	-	-		-	-	-	-				-		
	3	-	-	-	-	-		*	-	-		-				
51	+	-	-	-	-	-	-	W	*	*	16			*	0.2	*
	5	-	-		*	*	*	*	NK.	*	*	n)c		-	-	
	6 7	*	-	*	*	*	*	36	*	-	*	-	-	-		*
TOTAL		-	-	*	*	*	0.1	*	*	*	*	-	-	-	-	0.1
70772	1-2			-							*	*	-	-		0.2
	3				_	1	-	-	-	-	-	-	-	-	-	-
0.1	4	-		_						-	•		-	-	*	-
	5	-		_		_				_				1	•	•
	6	-	-		-		-	-	-	_						
	7	-	-	-	-	-		-	-	~	-	-	-			_
TOTAL		•	-	-	-					-	-	-		-	-	-
	1-2	-	-	-	-	-	-		-	-	-	-	-	-	-	-
71	3 4	-	-	-	-	-	-	-	-	-	-	-	-		-	-
7.1	5	-	•	-	-	-	•	~	-	-	-	-	-	*		-
	6	_			-	•	-	~	~	-	-	-	-	*	-	-
	7		_	_		-	-		-	-	-	-	-	*	-	-
TOTAL		-		-		-	-				-	-		-	-	-
	1-2	-	-	-	-	*	0.1	*	*	*	*	*	*	*	*	0.2
	3		-	-	*	*	0.1	0.3	0.2	0.1	*	0.1	0.1	*		1.0
12 & 22	4	-	-	*	*	*	*	0.1	*	0.1	*	*	*	*	_	0.3
	5	-	-	-	-	*	*	*	×	*	als:	*	-		*	*
	0	-		-	-		3K	¥x	-	366	36	-	-		-	*
TOTAL			-	*	-		-	-	-	-	-	-	-	-	-	-
707772	1-2					0.1	0.2	0.4	0.2	0.3	0.1	0.1	0.1	*	*	1.5
			_	*		*	0.1	*		0.1	*	*	*	-	-	0.2
						*	0.1	0.3	0.4	0.8	0.7	0.4	0.2	*		3.0
32	3 4			*			0.1		0.5	0.3	0.3	0.2	0.1	*	*	1.9
32		-	-	*		0.1	0.1	() 7				0.1			-	1.0
32	+	-	-	*	*	0.1 *	0.1	0.2	*	*	*	*	*	*		
	+ 5	-	- - -	*	*			0.2					*	*		
32 TOTAL	4 5 6 7	-	-	*	* - 0.1	*	0.1	0.2	*	*	*	*		0.1	-	*
	4 5 6 7	-	-	*	*	* -	0.1	0.2	*	*	*	*	0.4	0.1	*	
TOTAL	1-2 3		-	* * - *	* - 0.1	* -	0.1	0.2	*	* * 1.5	* * 1.2	*		0.1	*	* 6.5 *
	1-2 3 4		*	*	* - 0.1	0.1	0.1	0.2 * 1.0 * 0.1	* * * * * 0.8 * * * 0.1	* * * * * 0.1 0.1	* * 1.2	* * 0.8		* - 0.1 * *	*	6.5
TOTAL	1-2 3 4 5		- *	* * * * * * *	* - 0.1	* - O. 1 * * * *	0.1 * 0.4 * * * 0.1	0.2 * 1.0 * 0.1 0.1	* * * * 0.8 * * 0.1 0.1	* * * * 0.1 0.1 0.2	* * * 1.2 0.1 0.2 0.2	* * * * * * * * * * * * * * * * * * *		* - O. 1 * * * *	*	* 6.5 * 0.3
TOTAL	1-2 3 4		*	* * * * * * * * * * * * * * * * * * * *	* - 0.1	0.1	0.1 * 0.4 * * * 0.1 0.1	0.2 * 1.0 * 0.1 0.1 0.1	* * * 0.8 * * 0.1 0.1 0.1	* * * 1.5 * 0.1 0.1 0.2 0.1	* * * 1.2 - 0.1 0.2 0.2 *	* * * 0.8 - * 0.1 * *		0.1	*	* 0.3 0.6 0.8 0.6
<i>TOTAL</i>	1-2 3 4 5 6		*	* * * * * * * * * * * * * * * * * * * *	* - 0.1	* - O.1	0.1 * 0.4 	0.2 * 1.0 0.1 0.1 0.1 0.1	* * * 0.8 * 0.1 0.1 0.1 0.1 *	* * * 1.5 * 0.1 0.1 0.2 0.1 *	* * 1.2	* * * * * * * * * * * * * * * * * * *	0.4 * * *	0.1	*	* 0.3 0.6 0.8 0.6 0.3
TOTAL	1-2 3 4 5 6 7	-	- * -	*	* - 0.1	* - O.1 * * * * *	0.1 * 0.4 * * * 0.1 0.1	0.2 * 1.0 * 0.1 0.1 0.1	* * * 0.8 * * 0.1 0.1 0.1	* * 1.5 * 0.1 0.1 0.2 0.1 * 0.5	* * * 1.2 - 0.1 0.2 0.2 *	* * * 0.8 - * 0.1 * *		* - O.1 * * * * * * * * * * * * * * * * * * *	-	* 0.3 0.6 0.8 0.6
#2 TOTAL	1-2 3 4 5 6	-	- * -	*	* - 0.1	* - O.1	0.1 * 0.4 	0.2 * 1.0 0.1 0.1 0.1 0.1	* * * 0.8 * 0.1 0.1 0.1 0.1 *	* * * 1.5 * 0.1 0.1 0.2 0.1 *	* * 1.2	* * * * * * * * * * * * * * * * * * *	0.4 * * *	* *	-	* 0.3 0.6 0.8 0.6 0.3
<i>TOTAL</i>	1-2 3 4 5 6 7	-	- * -	*	* - 0.1	* - O.1	0.1 * 0.4 	0.2 * 1.0 0.1 0.1 0.1 0.1	* * * 0.8 * 0.1 0.1 0.1 0.1 *	* * 1.5 * 0.1 0.1 0.2 0.1 * 0.5	* * 1.2	* * * * * * * * * * * * * * * * * * *	0.4 * * * * * *	* - O.1 * * * * * * * * * * * * * * * * * * *	-	* 0.3 0.6 0.8 0.6 0.3
#2 TOTAL	1-2 3 4 5 6 7	-	- * -	*	* - 0.1	* - O.1	0.1 * 0.4 	0.2 * 1.0 0.1 0.1 0.1 0.1	* * * 0.8 * 0.1 0.1 0.1 0.1 *	* * 1.5 * 0.1 0.1 0.2 0.1 * 0.5	* * 1.2	* * * * * * * * * * * * * * * * * * *	0.4 * * * * * *	* - O.1 * * * * * * * * * * * * * * * * * * *	-	* 0.3 0.6 0.8 0.6 0.3
#2 TOTAL	1-2 3 4 5 6 7	-	- * -	*	* - 0.1	* - O.1	0.1 * 0.4 	0.2 * 1.0 0.1 0.1 0.1 0.1	* * * 0.8 * 0.1 0.1 0.1 0.1 *	* * 1.5 * 0.1 0.1 0.2 0.1 * 0.5	* * 1.2	* * * * * * * * * * * * * * * * * * *	0.4 * * * * * *		-	* 0.3 0.6 0.8 0.6 0.3
#2 TOTAL	1-2 3 4 5 6 7	-	- * -	*	* - 0.1	* - O.1	0.1 * 0.4 	0.2 * 1.0 0.1 0.1 0.1 0.1	* * * 0.8 * 0.1 0.1 0.1 0.1 *	* * 1.5 * 0.1 0.1 0.2 0.1 * 0.5	* * 1.2	* * * * * * * * * * * * * * * * * * *	0.4 * * * * * *	*	-	* 0.3 0.6 0.8 0.6 0.3

Table 10. – Kansas: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY		11					200	6 Crop								
GOALITI	LEAF								STAPLE	Ē						
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	20	20	40.8	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	38 Pct.	39 Pct.	40 & + Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-			-	-		-
62	3 4	-	-	-	-	•	-		*	-	-	-	-	-		*
02	5		-	•	-	•	-	-	-	-		-	-	-	-	-
	6	_		_			-	-	-	•	-	-	-	-	-	-
	7	_	-	_	-	-		-	-	-		-	-	-		-
TOTAL		_	-	-	-				-		*		-	-	-	
	1-2	-	-		-	-	*	*	*	*		*		-		-
40.0.00	3	-	-	-		*	*	*	*	*			*			0.1
13 & 23	4		•	-	-	*	•	*	*	*	*	-	*	*	_	
	5 6	-	-	~	-	*	- 1	*	*		-	-	-	-	-	*
	7			-	•	-	*	-	-	-	-	-	-	-		*
TOTAL		-	-			*	*	*	*	*	*	-	-	-	-	-
	1-2	_	-	-		*	*	*		*						0.1
	3	-	-		_	*	0.1	0.1	0.1	0.2	0.2	0.1	0.1		*	0.1
33	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	v. 1	*			1.0 0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*		0.2
	6	-	-	-	*	-	*	*	*		*		-	-		*
TOTAL	7	-			-	-	*	*	-	-	-	-	-		-	*
101AL	1-2	-	•			0.1	0.2	0.3	0.3	0.3	0.3	0.2	0.1	*	-	1.8
	3	1	-	-	-		-	-	-	*	*	*	-	-		*
43	4				-	*	*		*	0.1 0.1	0.1	*		-	~	0.3
	5	-	-		*	4	*	*	*	V. I	0.1	0.1			-	0.4
	6	-	-	-	*	*	0.1		*	*	*	*	_	_		0.2 0.2
	7	-	-	-	*	*	*		*	*		*	*	_	_	0.1
TOTAL		-	•		*	*	0.1	0.2	0.2	0.2	0.2	0.2	*	*		1.1
	1-2	-	-	-	-	•	-	-	-	-	-	-	-	-	-	
53	3 4	-	-	-	-	•	-	-	-		٠	-	-	-	-	-
00	5			-		*					-		-	•	-	*
	6	-	_				*	*	*		*		-	•	•	
	7		-	-	-	-	*	*	_	*	*	-	-	-	-	
TOTAL		-				*	*	*	*	w	*	*		-	-	0.1
	1-2	-	-		-	-	-	-	-	-	-	-	-	-	-	-
60	3	-	~	-	-	-	-	-	-	-	-	~	-	-	-	-
63	5	-	•	*	-	-	-	-	-	*	-	-	-	-	-	*
	6			-	-	-	-	-	-		-	-	~	-	-	*
	7	-		_	_	-	-	-	_	-	1			~	•	-
TOTAL					-	-	-		-	*						*
24-54	1-7	-	-	-	-	*	0.1	0.2	0.1	*	0.1	0.1	+	*		0.5
25-35	1-7	-	-	-		-	-	-			-	*	-	-	-	-
81-85 1/	1-7	-	-	-		-	-	*	*	*	*	*	-	-	-	*
All Colors TOTAL, ALL	8 2/	-	- 0.4	-	*	0.1	0.2	0.2	0.1	*	*	*	*	-		0.7
EXTRANEOUS MAT	TEO	-	0.1	0.2	1.2	3.5	10.6	25.0	20.6	18.8	12.0	6.0	1.6	0.2	*	100.0
-ATRANLOUS MAT	IEN												Ave	erage Stap	ole	34.1
Bark - Level	1	15.8											Perce	ent render	able	44.7
Bark - Level		-														
Grass - Level	1	0.1														
Grass - Level		-														
Prep - Level																
Prep - Level	2	0.4														
Other - Level Other - Level		0.1														
	Bales clas		I / Dalaw C	rada Cala	z 2/ Dolo	. Crada I	and #1 an	s than 0.05								

116,547 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent

Table 11. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:

2006 Crop STAPLE LEAF COLOR 30 38 39 40 & + TOTAL Pct. Pct. Pct. Pct. Pct. Pct. Pet. Pct. Pct. Pct. Pct. Pct. Pct. Pct. Pct. 1-2 0.3 0.7 0.3 0.6 0.1 2.0 0.1 0.5 1.4 1.8 1.0 0.4 0.1 5.4 11 & 21 0.1 () TOTAL-0.1 0.8 2.2 2.5 1.3 0.5 0.1 7.5 0.3 0.9 ().8 0.3 0.1 0.1 2.4 0.4 0.7 11.2 15.2 9.2 3.3 43.6 3.1 0.3 1.2 2.5 2.7 1.5 0.5 8.8 0.1 0.1 0.1 0.1 0.4 6 TOTAL-0.6 4.1 13.3 18.6 12.3 5.0 1.3 0.1 55.2 0.1 0.1 0.8 3.4 5.4 3.4 1.1 0.2 14.3 41 0.3 1.5 3.6 4.1 2.2 0.7 0.1 12.5 0.1 0.1 0.3 0.5 0.4 0.2 0.1 0.2 TOTAL--0.2 12 5.1 9.4 8.0 3.7 1.2 0.1 28.8 0.1 0.3 0.2 0.7 51 0.1 0.4 0.5 0.2 0.1 1.3 0.2 TOTAL--0.7 0.2 0.7 0.2 0.3 2.2 1-2 61 1 TOTAL----71 TOTAL---12 & 22 6 TOTAL----0.1 0.1 0.2 0.3 0.3 0.1 0.9 0.1 0.2 0.2 0.1 0.5 () TOTAL----0.1 0.3 0.5 0.4 0.2 1.5 0.1 0.3 0.2 0.1 0.8 42 4 0.1 0.2 0.4 0.4 0.2 0.1 1.4 0.1 0.2 TOTAL---0.1 0.4 0.7 0.7 0.4 0.1 2.4 0.1 4 0.2 0.1 TOTAL--0.1 0.1 0.1 * Less than 0.05 percent 0.3

Table 11. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY		11					20	06 Crop	our arra c	stapic ioi	upianu c	Ottori Cia	isseu:			
QUALITY	LEAF								STAPL	E						
COLOR		26 & -	28	29	30	24	20									
		Pct.	Pct.	Pct.	Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35	36	37	38	39	40 & +	TOTAL
	1-2	-	-	-		-	-	1 01.	FCI.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
60	3	-		-		-	*	*	*	*		*	-	-	-	-
62	5	-	-	-	-	-	*	*	*	*	_	*				
	6		-	-	•	-	-	*	*	*	*	-				
	7			-	-	-	•	-	-	*	*	-	-		-	
TOTAL		-		-	-		*	*	*	- +	*	*		-	-	*
	1-2	-	-	-	-	-		*		-		*	*			*
40.0.00	3	-		-	-	-			*	*	*	-	-	-	-	*
13 & 23	4	-	-	-		-	-	*	*			*		1	•	*
	5	*	-	-	-	-	-	-	-			-	-			
	7				-	-	-		-	-		-	-			
TOTAL			-		-			- *	-	- *	-	-	-	-		-
	1-2	-	-	-			*	-			*	*		-	-	*
	3	-	-	-	*	*	*		0.1	0.1	*	*	-	-	-	*
33	4	-	-	-	-	*	*		*	v. 1	*	*		•	-	0.2
	5	-	-	-	-	-	-	*	*		*	_		1	-	
	6 7	-	-	-	-	-	-	~	-			-	_			
TOTAL		-	-		*	-	-	-	-		-	-	_			-
	1-2							*	0.1	0.1	*	*	*	-	-	0.3
	3	-					*	0.1		*	*	*	-	-	-	*
43	4	-	-	-			*	U. I	0.2	0.2	0.1 0.1		*	-	-	0.6
	5	-	-	-	*	*	-		*	*	U. I				-	0.4
	6	-	-	-	-	-	-	-	-			*				
TOTAL	7	-	-		-	-	-	-	-	-	-	-	_	-		
	1-2				·		*	0.1	0.3	0.3	0.1	*	*	*		1.0
	3		-	-	-	*	*	-	:	*	-	-	-	-	-	*
53	4	-	-	-		*			*		*	*	- 1	-	-	*
	5	-	-	-	-	-	-	*		*		*			-	0.1
	6	-	-	-	-	-	-		*	*	*					*
TOTAL	7	-		-	-	-		-	-	-	-	-		-		_
TOTAL	1-2		-				*	*	*	*	*	w	W	*		0.1
	3	-	_	*	•	-	•	-	-	-	-	-	-	-	-	-
63	4	-	-	_		-	-	-	*	-	-	-	-	-		*
	5	-	-			-	_			_			-	-	•	*
	6	-	-	-	-	-	-	-	-	-		-		-		-
TOTAL	7	-		-		-	-	-	-	-			-			
24-54	1-7	•		-	-	-			*	•	*	*		-	-	*
25-35	1-7			-			*	0.1	0.2	0.1	*	*	*	*	-	0.4
81-85 1/	1-7		_	-	*			*	-		-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	_	_	_						-	-	0.1
TOTAL, ALL		-	-	-	*	0.9	6.4	21.8	33.1	24.1	10.4	3.0	0.3	*	*	100.0
EXTRANEOUS MAT	TER													age Stapl	e	34.2
Bark - Level		0.1											Percer	t Tendera	ble	69.5
Bark - Level 2		0.1														
Grass - Level		0.5														
Grass - Level 2	2	*														
Prep - Level		0.1														
Prep - Level 2																
Other - Level 1																
1,256,997	Bales clas	ssed 1/	Below Gr	ade Colos	2/ Role	Grada L	of III a	s than 0.05								
,,		17	DOIOAA OI	OUIUI.	A/ DEIOW	Olade Fe	al. Les	culu libili c	percent.							

Table 12. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:

2006 Crop QUALITY LEAF TOTAL 40 & + 37 38 39 28 Pct 29 Pct. 35 34 COLOR 30 32 26 & Pct. 1.4 0.1 0.3 0.5 0.4 0.2 1-2 0.3 4.6 1.5 1.0 0.5 1.1 0.1 0.3 0.1 0.1 11 & 21 6 6.3 TOTAL----0.1 0.8 1.7 2.0 1.2 0.4 0.3 2.5 0.4 0.2 1.6 0.5 1-2 0.1 9.0 6.5 2.2 0.4 27.3 6.3 1.8 0.4 11.9 3.8 0.1 0.5 1.7 3.5 0.1 0.5 0.1 0.1 0.2 0.9 41.4 8.5 13.1 10.7 0.5 3.4 4.2 TOTAL----0.2 0.1 1-2 13.8 0.2 3,5 4.7 2.9 0.8 0.2 1.4 7.2 3.1 0.7 0.1 23.0 7.1 0.1 1.1 3.6 41 4 0.8 0.3 4.8 0.7 1.2 1.4 0.3 5 0.1 0.4 0.1 0.1 0.1 1.2 42.3 13.3 11.6 4.8 0.1 TOTAL---0.4 2.8 8.0 * * 0.3 0.1 0.1 0.2 0.2 0.1 0.8 0.1 0.2 51 4 0.1 0.1 0.1 0.1 0.5 0.1 6 1.7 0.5 0.4 0.4 0.2 TOTAL---0.2 4 61 6 7 TOTAL-71 TOTAL--0.1 12 & 22 4 0.2 TOTAL-0.1 0.1 0.4 0.3 1.3 0.1 0.3 0.1 4 0.1 0.3 0.3 0.2 1.0 5 0.1 6 0.5 TOTAL----0.1 0.7 0.7 0.4 0.1 2.5 0.1 0.2 0.3 0.3 0.1 1.0 42 4 0.1 0.3 0.7 0.8 0.6 0.2 2.6 0.3 0.9 0.2 0.2 0.1 0.1 0.1 () 1.4 TOTAL----0.1 0.6 1.1 0.9 0.3 4.6 0.2 0.1 () 0.1 0.1 TOTAL-0.1 0.4

* Less than 0.05 percent

Table 12. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							200	6 Crop	STAPLE							
COLOR	LEAF	26.0	00	20												
COLOR	-	26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32	33	34	35	36	37	38	39	40 & +	TOT
	1-2		-		-	PC1.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct
	3	-	_								-	-	-	-	-	*
62	4	_	-				4	*			-	-	-	-	-	*
	5	_		*		-			-		-	-	•	-		*
	6		_								-	-	•	*		*
	7	_					*	-			-	-	•	-	-	*
TOTAL	-			*		*		*	- +	-		-	-	-	-	
	1-2												•		-	*
	3	_	_				~	-	-	-	-	-	-	-	-	-
13 & 23	4		_					-	-		•	-	-	-	-	
	5		_	_				1	-		-	-	-	•	•	*
	6	-	-					•	*	-	•	-	-	-		~
	7	-	_				-	-	•	-	-	~	-	•	-	-
TOTAL		-	-	- :		*	*	-	*	-		-	-	-	-	-
	1-2					*								-		*
	3	_			*	*						-	~	-		*
33	4	_			*							*	-	-	*	0.1
	5		_				*				Ĭ.		-	-	*	*
	6	-	_			-				•	•	*	*	-	-	*
	7	_	_			-	1		-		-	-	-	-	-	*
TOTAL		-	-	-	*	*	*	*	*	-	-	-	-	-	-	-
	1-2					*							*	*	*	0.2
	3			*	*						*	-	-	-	-	*
43	4				*			0.1	0.1		*	*	-	-	-	0.2
	5								0.1		•	*	*	-	-	0.2
	6			-								*	*	•	-	*
	7				-						•	*	-	-	•	
TOTAL		-	-	*	*	*	*	0.4	0.2	- 0.4	-	*	-	-	-	*
	1-2							0.1	0.2	0.1		*	*	-	-	0.5
	3			-	*			-	-	-	-	-	-		-	*
53	4	_		*	*	*				*		*	•	-	*	*
	5	_					,						-	•	-	*
	6	_	_			*						*	•	-	-	*
	7	-										-	-	-	-	*
TOTAL		-		*	*	*	*	*	*		-	-		-	-	*
	1-2												-			0.1
	3				•	•	-	-	-	•	~	-	-	-	-	-
63	4				•	•		•	-	-	-	-	-		-	-
	5		_	-	~	•		-	•	•	-	-	-	-	-	*
	6	_			•	-	-		-	•	-	-	-	-	*	*
	7	_				-			•	-	-	-	-	-	-	*
TOTAL							*	*					-	-		
24-54	1-7					-					-			•	-	*
25-35	1-7		-	-	-					•	*	*	-	-	-	0.1
81-85 1/	1-7		-	-	-	*		-		-	-	-	-	-	-	-
All Colors	8 2/			-	-								•	-	-	*
TOTAL, ALL				*	0.1	1.4	8.5	20.8	24.4	05.5	40.0		-	-	-	*
RANEOUS MAT	TER				0.1	1.4	0.0	20.8	31.4	25.5	10.0	2.3	0.1		*	100.0
1000010111	121													rage Staple		34.1
Bark - Level	1	0.2											Perce	nt Tendera	ble	63.2
Bark - Level		-														
Grass - Level		0.5														
Grass - Level		*														
Prep - Level		*														
Prep - Level	2															
Other - Level																
Other - Level																

Table 13. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:

2006 Crop STAPLE QUALITY LEAF 39 40 & -TOTAL 29 Pct. 33 Pct. 38 30 34 COLOR 26 & Pct. Pct. Pcı. Pct. Pct. Pct. Pct. Pct. Pct. Pct. Pct. Pct Pet 0.1 0.4 0.2 0.1 11 & 21 6 0.5 TOTAL----0.1 0.2 0.1 0.1 0.1 0.2 1-2 3.9 0.3 14.2 0.4 6.5 3.5 0.2 9.4 31 0.1 1.3 4.3 0.1 0.2 0.1 6 24.0 11.0 7.5 0.5 0.6 4.4 TOTAL----0.9 5.2 9.5 5.0 0.3 21.0 1.7 0.2 37.5 14.4 0.5 4.7 16.0 0.3 3.4 0.2 1.1 1.8 0.1 0.1 0 0.2 62.1 26.6 21.3 2.3 TOTAL----0.1 1.4 10.2 1-2 * 1.4 0.1 0.4 0.6 0.3 1.1 0.1 3.4 0.1 0.5 1.6 51 4 0.2 0.5 0.2 0.1 1.6 0.2 5.3 0.2 TOTAL---1.0 2.4 61 TOTAL----71 TOTAL--12 & 22 TOTAL----0.1 0.1 0.4 0.2 0.1 0.2 0.2 0.4 () 0.9 TOTAL--0.2 0.3 0.3 0.1 0.5 0.2 1.5 0.6 0.1 0.1 3.0 42 0.6 1.4 0.8 4 0.1 0.3 0.1 0.2 4.9 TOTAL--1.2 2.1 1.2 0.1 0.1 0.1 0.2 0.1 0.5 4 0.1 0.2 0.1 TOTAL--0.2 0.4 0.2 0.8

* Less than 0 05 percent.

Table 13. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							200	6 Crop	STAPLE							
COLOR	LEAF	20.0							STAPLE							
COLOIT	-	26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31	32	33	34	35	36	37	38	39	40 & +	TOTA
	1-2		-	1-01.	PCI.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	-			-	-	-	-	*		-	*	-			*
62	4	-	-		-		-	·	•	*	*	*	-	-	-	
	5	-	-		_		~	-	•	*	*	*	-		-	
	6	-	-	-	_	_		-		-	-	*	-		-	*
	7			-				_		•	-	-	•			*
TOTAL		-						*	*	*	*	*	-	-	-	
	1-2	-	-	-	-	-	-							-		*
40.0.00	3	-	-	-	-	-	-			*	*	-		-		-
13 & 23	4	-	-	-		-		-	-	*			,	-	•	*
	5	-	-		-	-	-	-	_	_					•	*
	6 7	-	-	-	-	-	-	-	_	_				•	-	-
TOTAL		-	-	-	-	-	-	_		-		-	_	•	-	-
TOTAL	1-2		-			-	-	-	-	*	*	*	*			*
	3	-	-	-	-	-	-	-	*	*	*	+	*			
33	4	-	-	~	-	-	*	*	*	*		*	*			0.1
30	5	_	-	-	-	-	-	-	*	*	*	*	*	*		0.1
	6			-	•	-	-	-	-	*	*	*	*	_	-	*
	7	_			-	*	-	-	-	-	-	-	-		-	_
TOTAL		-				-	-	-	-		-	-	-	-	_	
	1-2	-						*	*	*	0.1	*	ŵ	*		0.2
	3	_	_			*	-	-	*	*	*	*	-	-	-	
43	4	~	_	_		*			Ĭ	0.1	0.2	0.1	*	-		0.4
	5	~	_	_	_					0.1	0.2	0.2	*	*	*	0.5
	6	-	-		-		_	-				*	*	*	-	*
	7	-	-	-	-		_				·	•	*	-	-	*
TOTAL		-					Ħ	*	*	0.2	0.4	0.3	*	-	-	-
	1-2		-	-	-	_	-		*		0.4	0.3			-	0.9
50	3	-	-	-	-	-	-	*	*	*		*	*	-	•	*
53	4	-	-	-	-	-	-	*	*	*	0.1	*	*		-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*		0.2
	6 7	-	-	-		-	-	-	-	*	*	*			_	
TOTAL		-	-		-	-	-	-	-	-	-	_				_
701712	1-2		-	-			-	*	*	0.1	0.1	0.1	*	×	-	0.2
	3			*	-	-	-	-	-	-	-	-	-		-	-
63	4	_			•	-	-	-	-	*	*	*	-	-	-	w
	5	-				-	-	-	-	*	*	*	*	-	-	*
	6	-				_	-	-	-	-	-	-	-	-	-	-
	7	-	-	_					-	-	-		•	-	•	-
TOTAL			-			-	-			*	*	*	-	-	-	-
24-54	1-7	-	-	-	-		-	*	*	*				-		*
25-35	1-7	-		-	_		_						•	-	*	0.1
81-85 1/	1-7	-		-	-	-	-		*	*	*	*		-	-	-
All Colors	8 2/	-	-	-		-	-		-	_				•	-	
OTAL, ALL			•					0.1	2.6	17.6	43.7	32.5	3.2	0.3	*	100.0
RANEOUS MAT	TER													erage Staple		36.2
Bark - Level		0.0											Perce	ent Tendera	ble	36.2 85.4
Bark - Level :		0.2											. 0.00	, , , ondord	DIC .	00.4
Grass - Level																
Grass - Level																
Prep - Level		0.6														
Prep - Level 2		"														
Other - Level		*														
Other - Level																

Table 14. - New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:

2006 Crop STAPLE QUALITY LEAF 40 & + TOTAL 34 38 COLOR 26 & -28 29 30 Pct. Pct. Pct. Pct. Pct. Pct Pct. Pct. Pct. Pct. Pct Pct. Pct. Pct. Pct. 0.2 13.3 0.2 5.8 1.4 4.6 1-2 1.1 2.8 7.5 1.0 0.1 15.9 3.6 0.2 0.8 0.1 1.4 0.1 0.3 0.4 0.3 0.1 11 & 21 0.2 30.6 0.5 7.5 13.5 5.4 1.6 TOTAL----2.0 3.4 7.2 1.0 5.9 1-2 0.1 185 9.1 2.6 0.3 40.3 0.6 2.7 1.7 0.6 10.0 0.5 1.1 3.1 31 0.3 0.1 0.1 1.0 0.3 0.1 0.2 0.2 63.5 27.8 13.5 4.6 1.0 1.0 3.6 12.0 TOTAL-0.3 0.1 0.5 0.7 0.4 0.2 1.9 0.2 0.8 0.6 0.6 0.4 0.1 2.7 41 0.2 0.2 0.2 0.1 0.1 0.8 0.1 TOTAL-0.4 1.5 1.6 0.3 0.1 1-2 3 51 4 6 TOTAL--61 TOTAL---1-2 71 4 6 TOTAL---1-2 12 & 22 TOTAL---1-2 32 4 TOTAL--1-2 42 4 6 TOTAL-52 TOTAL----

Less than 0.05 percent.

Table 14. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY		11					200	6 Crop				COLLOTT				
- GOALITI	LEAF								STAPL	E						
COLOR		26 & -	28	29	30	24	0.0									
		Pct.	Pct.	Pct.	Pct.	31 Pct.	32 Pct.	33	34	35	36	37	38	39	40 & +	TOTAL
	1-2	-	-	, 01.		FCI.	PGI.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	-					1	-	•	-			-		-	-
62	4	~	_			-	•	•	-	•	-	-	•	-	-	
	5		_				-	-		•	-	-	-	-	-	•
	6	-							•	•	-	•		•	-	-
	7	-	-					•	-	-	•	-	-		-	-
TOTAL	-			-					-					-	-	-
	1-2	-									-	•	-		•	•
	3	-	-	_				-	-	-	•	-	-	•		-
13 & 23	4	-	-		_	_				-	-	-	-	•		
	5	-	-	-	_	_				•	*	•	~	-	*	-
	6	-	-	-	_					-	•	•	-	-	-	-
	7			-	-							-	-	-	-	•
TOTAL	-		-			-	-	-		-		-			-	-
	1-2	-	-	-	-									•	•	-
	3	-	-	-	-							-	-	-	-	
33	4	-	-	-	-	-						-	-	•	-	-
	5	-	-	-	-	-	_	_				_	•	•	-	•
	6	-	-	-	-	-	-	-		_			_	-	•	-
	7	-	-	-		-	-						-	-	-	-
TOTAL		-	-	-	-											
	1-2	-	-	-	-			-	-	-	-					
	3		-	-	-	-	-	-							-	•
43	4	-	-	-	-	-	-	-		_	_				-	-
	5	-	-	-	-	-	-	-				_	_			•
	6	-	-	-	-	-	-	-			-		-			
TOTAL	7	-	-	-	-	-	-	-		-	-					-
TOTAL		-		-	-		•	-						-	-	-
	1-2	-	-	-	-	-			-	-	-	-	-	-		-
50	3	-	-	-	-	-	-	~	-	-	-	_	_	_		
53	4	-	-	-	-	-	•	-	-	-	-	-	-			
	5	-	-	-	-	-	-	-	-		-	-		-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL	7	-		-	-		-	-	-	-		-	-	-	-	
TOTAL	10	•	-	-		-	•	-	•	•	-		-			
	1-2	•	-	-	-	-	-	-	-	-		-	-	-	-	-
63	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	
05	5	-	-	-	-	-	-	•	-	-	-	-	-		-	
	6	•		•	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	.				-		-	-		-	-	-	-	-
24-54	1-7					-		•	-		•				•	
25-35	1-7	-	•	-	-	-	~	-	-	-	-	-	-	-	-	-
81-85 1/	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/			_	-	-	-	-	•	-	-	*	-	-	-	*
TOTAL, ALL	0 21		-	-			*	0.1	1.6	-	- 01.0	- 10.0	-		-	
EXTRANEOUS MAT	TER							0.1	1.0	6.0	21.0	43.0	20.2	6.8	1.5	100.0
													Ave	erage Stap	le	37.0
Bark - Level	1	2.1											Perce	ent Tender	able	75.8
Bark - Level																
Grass - Level		0.6														
Grass - Level		*														
Prep - Level	1	*														
Prep - Level		-														
Other - Level	1	0.1														
Other - Level	1	-														
39,338	Bales clas	ssed. 1/	Below G	rade Color	2/ Below	Grade Le	af. * Less	than 0.05	percent.							

Table 15. – North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

2006 Crop STAPLE QUALITY LEAF 39 40 & + TOTAL COLOR Pct. Pct. Pct. Pct. Pet. Pct. 1-2 0.2 0.1 11 & 21 6 0.2 TOTAL---0.1 0.1 0.1 10.7 0.1 0.6 2.5 4.2 2.6 0.7 0.1 0.1 0.9 2.2 1.9 0.7 0.1 6.0 0.1 0.2 0.1 0.4 6 TOTAL-3.5 6.5 4.7 1.5 0.2 0.1 0.8 0.1 1.3 0.1 27.2 0.2 1.6 6.8 11.2 6.1 41 0.1 1.0 5.7 14.3 12.7 4.3 0.5 38.5 0.1 2.0 2.4 1.3 0.3 6.8 0.1 0.2 0.2 0.1 0.6 73.3 0.1 TOTAL--0.3 2.7 7.0 0.9 1.0 0.1 0.3 0.4 0.2 51 4 0.1 0.5 1.1 0.8 0.2 2.8 0.2 0.4 0.3 0.2 1.1 0.1 0.1 0.3 TOTAL-0.3 1.1 1.9 1.4 0.5 0.1 61 6 TOTAL-71 6 TOTAL---12 & 22 6 TOTAL--1-2 0.1 0.1 0.1 0.3 4 0.1 0.1 0.2 6 TOTAL---0.2 0.1 0.1 0.1 0.6 0.1 0.2 0.2 0.1 0.6 42 0.1 0.1 0.3 0.4 1.4 0.1 0.2 0.2 0.1 0.5 6 0.1 TOTAL--0.2 0.5 0.9 0.7 0.3 0.1 0.1 TOTAL ---0.1 0.1 0.3

^{*} Less than 0.05 percent

Table 15. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

OLIALITY/	11						2006	6 Crop								
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	•	-	-		-	-	-		-	-	-	-	-
00	3	-	~	-		-	-	-	•	*	*	*	-	-	-	*
62	4	-	-	-	-	-	-	-	*			-	-	-	-	*
	5 6	-		*	-		-	-	-				-		1	
	7	_		_				_	_		*					
TOTAL		-	-						*	*	*	*				*
	1-2	-	-	-	-	-	-	-	-		-	-				-
	3	-		-	-	-		-	*	*	*	*		-	-	*
13 & 23	4	-	•	-	-		-	-	*	*		*	-	•	-	•
	5	-	-	•	-		-	-	*	•	-	*	~	-	-	*
	6 7	-	-	•	-	-	-	-	-	•	*	-	•	•	-	*
TOTAL	-	-		-	-	-		-	*	*	*	*		-	-	*
	1-2	_	-						*							*
	3	-	-					*	*	*		*	*		-	
33	4	-	-		_	-	-	*	*	*	*		*	-	-	
	5	-	-	+	-		*	*	*	*	*	*	*	-		*
	6	-	~	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL	7			-	-	-	-		-	-		•	-	-	-	-
TOTAL		-	•	-		-	*	*	*	*	*	*	*	-	-	*
	1-2	-	-	-	-	-					*		-	-	-	*
43	4	-					*	*	*		0.1	*			-	0.1 0.2
40	5	-	_				_	*	*		v. 1	*	*	_	-	*
	6	-	-		-	-		*	*	*	*	*	*		-	
	7	~	-	-		-	-	-			-	-		-	-	-
TOTAL		-	-		•	*	*	*	*	0.1	0.1	*	*	W	*	0.3
	1-2	-	-	-	-	*		-	*	-	-		-	-	-	*
50	3	-	-	•	-	•		*	*		*	*	*	-	-	*
53	5	-	-	-	-	•								-	-	
	6	_	-		-					*		*		-	-	
	7				_		-		_	_	*	_	_	_		*
TOTAL		-		-		*	*	*	*	*	*	*	*		-	
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-		-
	3	-	-	*	-	-	-	-	-	-	*	-	-	-	-	*
63	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	•	•	-	-	-	-	*	-	•	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	•	-	-	-
TOTAL	7	-	-					-	-	*	*	-				*
24-54	1-7								*	*			+			*
25-35	1-7	-					_			_	_		~			
81-85 1/	1-7	-		-		-	-	*	*	*	*	*	*			*
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*		-	-	*
TOTAL, ALL		-	-	*	*	*	0.5	4.1	18.6	37.5	28.6	9.4	1.2	0.1	*	100.0
EXTRANEOUS MAT	TER												Av	erage Stap	le	35.2
		0.0											Perc	ent Tendera	able	84.1
Bark - Level		0.6														
Bark - Level Grass - Level		0.9														
Grass - Level		0.9														
Prep - Level		0.3														
Prep - Level	2															
Other - Leve	11															
Other - Leve	11	-														
1,257,498	Bales cla	assed.	1/ Below (Grade Cold	or. 2/ Belo	w Grade L	.eaf. * Les	s than 0.0	5 percent.							

Table 16. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2006 Crop

LEAF	(21 21 172)	11	TF					2000	6 Crop	CTADLE							
CUE_OR	QUALITY'	LEAF								STAPLE							
1.1	COLOR																TOTAL
1			Pct.	Pct.	Pet.	Pct.											
		13	-		-												
TOTAL— TOTAL—	11.8-21		-	-													
TOTAL— TOTAL—	11 00 21	11	_			_									_		
FOTAL		6	-	-	-	-	-		-		-	-	-	~	-	-	*
152			-			-			-	-	-			-	-	-	-
3	TOTAL		-	-	*	*											
31		II.	-	*	*	*											
S	3.1	II .	-	*	*												
## TOTAL		H	_	*	*	*											
FOTAL		6		-	-	*	265	*	*	*	*	*	166	*	391	-	
12			-	-	-	-		-	-					-	-	-	
1	TOTAL			*	*	0.2	0.6	1.4							0.7		
41		11	-	-	~	-		*							*		
S	.11	11	-	*	*										*	*	
TOTAL	71	II I		*	*										*	*	
TOTAL		6	-	*	*	*									*	*	
122			~	-											*	-	
S1	TOTAL		-	*	*	0.1	0.4	0.9	1.4	1.9	2.2		1.8	0.3	0.1	*	
51		II I	-	-	-	-	-	-	-		*	*		-		*	
S	5.1	II i	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
O	21	II I	_	-	-	*	*	*	*	*	36	*	*	*	*	-	
TOTAL— 1-2 1-3 1-4 1-7 1-7 TOTAL— 1-2 1-2 1-2 1-2 1-3 1-2 1-2 1-3 1-3		11	_		3K	*	*	*	*	*	*	*	*	*	*		
112 1 1 1 1 1 1 1 1 1			-	-	*	*	**	*								-	
101 3	TOTAL				*	*	*	*	*	0.1	0.1	0.1	*	*	*		0.4
01		11	-	-	-	-	-	-	-	-	-					-	
TOTAL	6.1		-	-	-	-	*	- ak	-	-		-	-			-	*
TOTAL	91	H	_			-			*		_					-	*
TOTAL		li l	-	-	_	-	-	-		-	_	*		-	-		wk.
71		7	-	-	-	-	-		-	-			-		-	-	
71	TOTAL		-		-		*	*	*	-	-	*	-	•	-		*
71		ii i	-	-	-	-	-	-		-	-	-	-	-	-	-	-
TOTAL TOTAL TOTAL TOTAL 1-2	71		-	-	-	•	*	-	-	•	-	-	-	-	-	-	*
TOTAL TOTAL 1-2 1-2 1-2 1-2 1-2 1-3 1-2 1-3 1-2 1-3 1-3	/1	11	-			-				-							
1-2		II I	-	-	-			-	-	-	-	-	-	-	-	-	
1-2		7	-	-	-	-	-	-	-	-		-	-		-	•	-
12 & 22	TOTAL		-	-		•	*										*
12 & 22 4			-	-	-	*	*							*	*	*	
S	12 6 22	11	-	*	*	*	*							*	*	-	
TOTAL TOTAL 1-2	12 00 22	11 1	-	*	_	*		_	*	*		_	*	*			*
1-2		11	-	-	-				-	*	-	-	*				*
1-2		7	-	-	-	-					-	-	-	-	-	-	-
3 - * * * * 0.1 0.2 0.3 0.4 0.4 0.2 * * * * 1.8 32	TOTAL		-	*	¥	*	0.1	0.1			0.4			*	*		
32		!! !	-	-	-	*	*	*			*				-	-	
S	37	11	-		*									*	*	*	
TOTAL	.'-	1		*	*	*								*	*	-	
TOTAL 7 - * * * * 0.1 0.3 0.4 0.6 0.8 0.7 0.4 0.1 * 3.5 - * * * * 0.1 0.3 0.4 0.6 0.8 0.7 0.4 0.1 * 3.5 - * * * * * * * * * * * * * * * * * *			-	-	-	*	*	*					*	*	-		
1-2		7	-	-	-	-	-						-	_	-	-	
42	TOTAL		•	*	*	*	0.1	0.3						0.1	*	*	
42			-	-	-	-	*							-	1		
5 - * * * * * * * * * * * * * * * * * *		11 3		*	*	*	*								*	*	
6 -	12			*	*	*	*							*			
7	42	4					*							*	*	*	
TOTAL	42	4 5	-	*	-	-			-	ak .	*	*	*				
52		4 5 6	-	*	*												
52		4 5 6 7	-	*	*							0.4	0.2	*	*	*	2.4
5 * * * * * * * * * * * * * * * * *		4 5 6 7	-	*	*					0.4	0.5	-	-	-	*	*	2.4
0	TOTAL	1 -2 3	-	*	*					0.4	0.5	-	-	-	-	*	2.4
7 - * * * * * * * * *	TOTAL	1-2 3 4	- - - - - -	*	*					0.4	0.5	-	-	-	*	- - -	* *
	TOTAL	1-2 3 4 5		*	**					0.4	0.5	- * *	*	-	- *	*	* * * * * * * * * * * * * * * * * * * *
	**************************************	1-2 3 4 5 6		* * * *	- * *					0.4	0.5	- * *	*	-	*	-	* * 0.1 0.1

Table 16. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:

							200	6 Crop	out und	J.ap.10 101	apiana	JULION CIA	133EU.			
QUALITY									STAPLI	Ē						
COLOR	LEAF	26 & -	20	00												
COLOR	1	Pct.	Pct.	29 Pct.	30 Pct.	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
	1-2	-	-	FCI.	PCI.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	_				•	•	-	-	-	-	-	-		-	-
62	4					-	-	-	•	-	*	-	-	-	•	×
	5	-				-	-	-	-		-	-	-	-	-	*
	6	1				•	-	-	•	•	-	-	-	-	-	-
	7	_					-	-	-	-	-	-	-	-	-	
TOTAL	-	-	-				-		-		-		-	-		-
	1-2												-	-	-	*
	3	_			*	*							*	-	-	0.1
13 & 23	4	_				*								*	-	0.2
	5	_	_		*								*	-	-	*
	6		_			-				•	,	*	-	-	-	*
	7	-	-			_	-	1	-	-	-	•	-	-	-	-
TOTAL		-	*		*	*	*	*	*	-	*	- 0.1	*	-	-	-
	1-2											0.1	*	*		0.3
	3			*		*			*	*	*	*	-	*		0.1
33	4			*					0.1	0.1	0.1	0.1	*	*	*	0.5
33	5								0.1	0.1	*	*	*	*	*	0.3
	6			-								*	*	-	-	0.1
	7			-	-						*	*	-	-	-	*
TOTAL		-	*	*	*	*	- 0.4	- 0.4	*	*	-		-	-	-	*
	1-2			-			0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	1.1
	3	_	•			-	-	· ·	*	*	*	*	-	-	-	
43	4	_	_	-		_			*	0.1	0.1	*	*	*	*	0.3
40	5	*	-	-	-			*	*	0.1	*	*	W	*	*	0.3
	6		_							0.1	*	*	*	*	*	0.3
	7	-	•	-			,			*	*	*	*	-	*	0.1
TOTAL		-		*	*	*	- 0.4	- 0.4	*	*	*	*	-	-	-	*
	1-2						0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	0.9
	3	-	-	-	•	-	-		•	-	*	-	-	-	-	*
53	4		-	-	-		-		-			*	-	-		*
00	5			-			-					*	*	-	-	*
	6			-	*								-	-	-	*
	7	-	*		*								-	-	-	*
TOTAL			*	*	*	*	*		-	-		*	-	-	-	*
	1-2												*	-	•	0.1
	3		-	-	-	•	-	-	~	-	-	-	-	-	-	-
63	4			-	-	-	-	-	-	-	-	•	-	-	-	*
00	5			-	•	-	-	-	-	-		-	-	•	-	*
	6				~	*		-	-	•	-	-	-	-		-
	7		-	•	_			-	-	-	-	*	-	-	-	*
TOTAL						*	×			-	*	-		-	•	*
24-54	1-7			*	*	*	*		•					-	-	
25-35	1-7										0.1	*		*	*	0.2
81-85 1/	1-7					*	-	-	-		*	-		-	-	*
All Colors	8 2/	-	*		*		*						*	-	-	*
TOTAL, ALL	- 21		w	0.1	0.5	1.6	3.5	6.6	11.4	17.5	22.4	07.4	0.0	-	-	0.1
XTRANEOUS MAT	TED			0.7	0.3	7.0	3.3	0.0	11.4	17.5	22.4	27.1	8.0	1.1	0.1	100.0
-XTRANLOGS WAT	- ILIX												Ave	erage Stap	le	35.6
Bark - Level	1	9.1											Perce	ent Tender	able	62.0
Bark - Level		*														
Grass - Level		0.1														
Grass - Level		*														
Prep - Level																
Prep - Level																
Other - Level																
Other - Level																
183,704		ccod di	Polow O	rada Cal-	r 2/0-1	Candal	nof 21 -	- th 0.00								
183,704	Dales Cla	55eu. 1/	below G	rade Colo	r. 2/ Belov	v Grade Le	eat. Les	s (nan 0.05	percent.							

Table 17. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

2006 Crop STAPLE QUALITY LEAF 39 40 & + TOTAL 36 29 Pct. 28 26 & COLOR Pct. 0.1 0.6 0.1 0.1 0.2 0.2 101 11 & 21 () 0.7 0.1 0.2 0.2 0.1 TOTAL ---0.3 0.1 7.3 0.9 18.8 4.6 4.1 0.4 1.5 5.7 0.1 0.7 0.1 0.3 0.8 1.8 1.9 0.3 0.1 0.1 5 6 0.2 25.1 1.6 6.6 1.9 5.0 9.2 0.5 TOTAL----0.1 32.5 0.1 7.2 1.5 0.1 7.5 1.8 14.1 0.3 3.5 0.7 0.1 28.8 8.5 0.2 1.2 4.5 10.2 41 4 4.4 0.3 1.1 0.8 0.1 0.2 0.6 1.2 0.4 0.1 0.1 0.1 0.1 1.0 0.1 66.2 5.9 16.9 12.8 25.7 0.1 0.6 TOTAL----1.1 0.2 0.4 0.1 0.4 0.3 2.8 0.2 0.7 1.0 0.6 51 0.1 1.0 0.2 0.2 0.3 0.1 5 0.2 6 5.1 1.3 0.5 0.1 1.7 1.0 0.1 0.5 TOTAL----61 6 TOTAL--71 TOTAL---3 12 & 22 6 TOTAL-0.3 0.1 0.1 0.1 0.2 0.1 4 0.5 0.1 0.1 0.1 TOTAL----0.5 0.2 0.1 0.1 1.0 0.1 0.4 0.3 0.1 0.2 42 0.2 0.1 0.1 1.7 0.1 0.4 0.6 0.4 0.1 TOTAL---1-2 0.1 0.1 0.2 0.1 0.1 TOTAL----

^{*} Less than 0.05 percent

Table 17. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY		11					200	6 Crop				_				
GOALITI	LEAF	ļ							STAPLI	E						
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40.0	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	40 & + Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-	-	-		-	-	-
62	3 4	-	-	•	•	•	-		•	-	-	-				
02	5		-	-	-	-	-	*	*	-	*	*		-	-	
	6		*			-	-	-	-	-	*	-	-		-	*
	7	_	_			•	-	-	-	-	-	-	-	-	-	-
TOTAL			-					*	+	-	-	-	-	-	-	
	1-2	-	-	-		-								-	-	
	3	-	~	-		-			*				-	-		
13 & 23	4	-	-	-	-	-		¥	_		*					
	5	-	-	-	-	-	-	-	-		-		-			
	6	-	-	-	-	-	-		-	-	-	-	-			-
TOTAL	7	-			•			-	-	-	-			-	-	
TOTAL						-	•	*	*	*	*			•		*
	1-2	-	-		1	-	-	-	-	-	-	-	-		-	-
33	4				-	1	*					*	*	-	-	*
	5	_						-	-	· ·			•	-	-	*
	6	-	-	_				-		*	*	*	•	-	-	
	7	-	-	_	-	-	-			_	_	*	-		-	
TOTAL			-			-	*	*	w	*	*	*	*			*
	1-2	-	-	-	-	-	-		-	-	-		-			
10	3	-	-	-	-	-	*	*	*	*	*	*		-		0.1
43	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	5 6	-	*	-	-	-	*	*	*	*	*	*	*	-	-	*
	7			-	-	-	-	*	*	*	*	-	*	-	-	•
TOTAL						*	*	*	*	0.1	- 0.4	- W	*	*	-	-
	1-2	-		-	-		-			0.7	0.1					0.2
	3	-	-	-	-	-	-		*	*			-	•	•	
53	4		-	-	-		-	*	*	*	*	*	*			*
	5	-	-	-	-		-	*	*	*	*	*				
	6	-	-	-	•	-	*	*	*	-	*	-				*
TOTAL	7	-			-		-	-	-	-	-	-	-	-	-	-
TOTAL	1-2								*	*	*	*	*	-	•	*
	3		-	*		-	-	-	-	-	-	-	-	-	-	-
63	4	-		_			1	-	-		-	-	-	•	-	-
	5	-	-	-	_		_		-		_	_			•	·
	6		-	-	-	-	-	-	-	-	_	_				
	7	-	-	-	-	-		-		-	-	-	-	-		
TOTAL			-	-		-	•			*	-		W	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
25-35 81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-		-
All Colors	1-7 8 2/	-	-	-	-	- 1	-	•	-	*	*	-	-	-	*	*
TOTAL, ALL	0 21	-		*	*	0.1	1.2	5.8	20.0	37.7	25.3	8.3	1.3	-	-	*
EXTRANEOUS MAT	TER					0.7	1.2	5.0	20.0	37.7	23.3	0.3		0.1	la.	100.0
													Perce	erage Stap ent Tender	able	35.1 78.5
Bark - Level		0.4											, 0100	Torider	4010	70.5
Bark - Level																
Grass - Level		0.7														
Grass - Level		*														
Prep - Level Prep - Level	2	0.1														
Other - Level																
Other - Level		_														
100 105	Bales clas	200d 1/	Polow G	rade Color	21 Bolow	(Grada Lo	of "Loo	than 0 0	E porcent							

Table 18. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:

2006 Crop STAPLE QUALITY TOTAL LEAF 39 40 & + 36 32 30 29 COLOR 26 & Pct. 0.5 0.2 0.2 0.1 1-2 2.8 0.1 1.0 0.6 0.3 0.8 3 0.2 0.1 0.1 11 & 21 4 3.6 1.0 1.3 0.7 0.1 0.4 TOTAL--0.7 0.1 0.3 0.2 29.6 1.5 2.7 8.1 10.7 6.0 0.5 18.2 6.4 6.0 2.1 0.1 0.6 2.8 0.1 31 4 0.1 0.2 0.1 5 6 48.9 3.7 0.2 11.3 17.5 12.3 0.5 3.4 TOTAL---0.1 1-2 13.6 1.1 1.1 3.3 4.6 3.3 0.2 23.6 0.3 2.8 7.1 8.5 4.1 0.7 0.1 4 41 2.8 0.1 0.2 0.6 1.2 0.8 5 0.1 0 40.2 6.3 12.4 13.0 5.9 0.4 1.9 0.3 TOTAL--0.5 0.1 0.1 0.1 0.2 1.4 0.2 0.1 0.2 0.4 0.5 51 0.4 0.1 0.1 0.1 5 6 2.3 0.3 0.2 0.4 0.7 0.7 TOTAL--4 61 TOTAL-3 71 4 TOTAL----1-2 0.1 12 & 22 0.1 TOTAL----1-2 0.7 0.1 0.2 0.2 0.1 0.1 0.6 0.1 0.2 0.1 32 () 1.4 0.4 0.3 0.1 0.4 0.2 0.1 TOTAL---0.5 0.1 0.1 0.2 0.1 1.5 0.1 0.2 0.3 0.5 0.4 42 0.4 0.1 0.1 0.1 2.4 0.3 0.8 0.6 0.6 TOTAL----0.1 0.1 0.1 0.2 0.1 0.1 TOTAL----

* Less than 0.05 percent

Table 18. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY		1					200	6 Crop								
QUALITY	LEAF	-							STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	TOTAL Pct.
	1-2	-	-	-	-	-	~	-		-	-	-		-	-	-
20	3	-	-	-	-	-	-	*	*		*	-	_	-	-	
62	4	-	-	-	-		-	-	*	*	*	*		-	-	
	5	-	•		-	•	~	•	*	*	*	-	-	-	-	*
	6 7	-	*	-	-	-	~	-	*	*	*	*		-		*
TOTAL		-			-	-		- *	*	*	-	*	-	-	-	*
	1-2	-						-						-	•	
	3	_					*	*						-	-	
13 & 23	4	-		-		_		*	*	*	*					,
	5	-	-	-	-	-	-	-		_						
	6	-	-	-	-	-	-	-	-				-			
70711	7		-	-	-	-	-	-	~		-	-	-	-		
TOTAL		-	-	-		*	*	*	*	*	*	*	*			*
	1-2	-	-	+	-	-	*	*	*	*	*	*	-	-	-	*
33	3 4	-	-	-	•	*		*	*	*	*	*	w	-	-	0.1
33	5	_		-	•	-		•	*				*	-	-	0.1
	6					•		-	-			ì	•	-	-	*
	7	_								_		•	•	-	•	
TOTAL		-				*	*	*	*	*	*	*	*		-	0.2
	1-2	-	-	-	-	-		*	*	*	*					*
	3	-	-	٠	-	*	*	*	*	*	*	*		*	-	0.1
43	4	-	-			*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	•	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL	7	-			•	-	*	*	*	*		*	•	-	-	*
TOTAL	1-2	-	-	<u>-</u> -	•				*	0.1	0.2	0.1	*	*	W	0.5
	3	_	-	-	-	•	-	-	-	-	-	-	-	-	-	-
53	4	_		-		*	*	*	*		*	*	-	-	-	
	5	-	_	-		_	*	*	*	*		*		-	_	
	6	-	-	-	-	-	-	-	*	*	*	*	*			*
	7	-		-			-	-	-	*	*	*	*	-	-	*
TOTAL			-	•		*	*	*	*	*	*	*	*			0.1
	1-2	-	-	-	-	-	•	-	-	-	-	-	-		-	-
62	3	-	-	*	•	•		•	*	*	*	-	-	-	-	*
63	5	•	-	-	-	-	-	•	*	-	*	-	*	-	-	*
	6		-		-	-	_	*	-	-	-		*	-	•	-
	7					_								•	-	-
TOTAL		-				-		*	*	*	W	-	*			*
24-54	1-7	-	-	-	-	*	*	*	*		*		*	*	-	0.1
25-35	1-7	-	-	-	-	-	-		-		-	-	-		_	~
81-85 1/	1-7	-	-	-	-	-	*	*	*	•		*	*		-	*
All Colors	8 2/	-	-		-	-	-	-	*	*	R	*	*	*	-	*
TOTAL, ALL	750		-	*	*	0.1	1.0	6.2	19.8	33.0	28.1	11.0	0.7	*	*	100.0
EXTRANEOUS MAT	IER												Ave	erage Star	ole	35.2
Bark - Level	1	0.3											Perce	nt Tender	rable	76.2
Bark - Level		-														
Grass - Level		0.1														
Grass - Level	2	-														
Prep - Level		0.5														
Prep - Level	2															
Other - Level	1	*														
Other - Level	Poles		/ Bolow O	rada Cal	2/0-1	Canada		- th 0.01								
1,310,895	daies cla	ssed. 1	/ Below G	rade Color	r. 2/ Belov	v Grade Le	ear. Les	s than 0.05	percent.							

Table 19. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							2006	Crop	STAPLE							
	LEAF							10	2.	25	26	27	38	39	40 & +	TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	Pct.	Pct.	Pct.	Pct.	Pct.
		Pc1.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		0.5	0.1	i Ct.	11.5
	1-2	*	*	*		0.1	0.3	0.6	1.3	2.5	3.4	2.9		0.6	0.1	32.5
	3	-		*	0.1	0.2	0.4	0.9	2.5	5.9	9.1	10.1	2.7		*	3.3
11 & 21	4	-	*	*		*		0.1	0.2	0.5	0.9	1.0	0.3	0.1		0.1
	5	-	*	*		*	N/K	*			-		_	*		ak
	6	-	-	-	364	sk.	*	*	*			Ţ			-	4
	7	-		-	-	-	-	-	-	*	-	44.0	3.6	0.8	0.1	47.5
TOTAL		*	*	*	0.1	0.3	0.7	1.6	4.1	8.9	13.3	14.0		*	0.1	1.8
	1-2	*	*	ηk	*	Nr.	0.1	0.2	0.3	0.4	0.5	0.3	*			
	3	*	*	*	*	0.1	0.4	1.1	2.7	4.5	5.7	5.9	1.7	0.4		22.4
31	4	-	*	*	*	*	0.1	0.4	1.0	2.1	2.9	3.4	1.2	0.3		11.5
	5	-	*	*	*	*	*	0.1	0.1	0.3	0.4	0.5	0.1			1.5
	6	-	-	36	**	*	*	*	*	*	*	*	*	-		0.1
	7	-	-	-	*	-	*	*	*	*	*	*	*	- 0.7	- 0.4	37.3
TOTAL		*	*	*	*	0.2	0.6	1.7	4.1	7.3	9.4	10.0	3.1	0.7	0.1	
	1-2	*	*	*	ıļt.	*	*	*	- it	*	*	*	*	*	-	0.1
	3		*	*	*	*	*	0.2	0.4	0.5	0.5	0.4	0.1	*	*	2.1
41	4	_	*	*	*	16	*	0.2	0.4	0.8	0.9	1.2	0.4	0.1	*	4.0
, , , , , , , , , , , , , , , , , , ,	5	_	*	*	*	*	*	0.1	0.1	0.2	0.4	0.5	0.2	*	*	1.5
	6		*	*	*	*	*	*	*	No.	0.1	0.1	*	*	*	0.2
	7	_	-	*	*	*	*	264	*	*	*	*	*	*	*	3jt
TOTAL			*	*	*	*	0.1	0.4	1.0	1.7	1.9	2.1	0.6	0.1	*	8.0
	1-2				W	*	*	*	*	*	**	*	*	-		*
	3			*	*	NR.	*	*	*	nja .	*	*	*	*	*	0.2
51	4			*	*	*	*	*	*	0.1	0.1	0.1	Nr.	*	*	0.4
21	5	_	_	36	*	*	*	*	skr	*	*	*	*	*	*	0.2
	6			*	*	*	*	*	*	*	*	*	*	*	-	**
	7				*	*	*	*	zár.	164	*	*	*		-	*
TOTAL				*	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	0.8
TOTAL	1.2					*		ak.		x)s	_	-		-	-	ale .
	1-2	-	-		*	*	*	*	*	*	*	*	*			*
	3	-	1	-		*	*	*	uk.	*	*	aje.	*	*		*
61	4	-	-	-	-		*	36.	w	*	*	*	*		_	36
	5	-	•	-	•	•	*		*	*	*	*	~		-	*
	6 7	-	-	-	•			-				_			_	-
TOTAL		-		-	*	*	*	*	*	*	*	*	*	*		*
TOTAL		-		-		-			*		*					*
	1-2	-	-		-			-	*	*	*	aje			-	*
'	3	-	-	-	•	•	•	-	*	*	*	*	*			*
71	4	-	-	-	•	•	-	*	*	*	*	als.	*			*
	5	-	-	-	-	-	-					*				*
	6	-	-	-	•	-	-	•	•	•						_
	7	-	-			*	-	*	*	*	*	*	*	-		*
TOTAL								0.1	0.1	0.1	0.1	*	*	*	*	0.4
	1-2	-	*	*	*	*	0.1	0.1	0.1	0.1			*	*	*	1.3
	3	*	*	*	*	0.1	0.1	0.1	0.2	0.3	0.3	0.2	*			0.3
12 & 22	4	*	*	*	*	*	*	*		0.1	0.1					*
	5	-	*	*	*	*	*	*				_	7		•	
	6		16	-	*	*	*	*		•		_	-	-	-	36
	7	-				-	*	-	-	0.4	- 0.4	0.3	· ·	*	*	2.1
TOTAL		*	*	*	0.1	0.2	0.2	0.2	0.3	0.4	0.4					*
101712	1 2	-	*	*	×	*	a)¢	*	*	*	*	**	*			
TOTAL	1-2				the same	*	*	0.1	0.1	0.2	0.2	0.1	ж	*	*	0.9
TOTAL	3	*	*	*	•						0.2	0.1	36	*	36	
32	II .	*	w	*	*	*	*	*	0.1	0.2						0.7
	3	*	*	3K 3K	*		*	*	0.1	*	*	*	*	*	*	0.2
	3 4	*	16 16 16	* * *	*		36 36 36		*	*	*	*	*	2K 2F	*	0.2
	3 4 5	*	164 164 264 264	*	* *		*	*	* * *	* *	* *	*	* *	*	*	0.2 * *
	3 4 5 6 7	* * *	**	* * *	* * * *		* * * * * * * * * * * * * * * * * * * *	*	*	*	*	*	* * * 0.1	* - *	*	0.2
32	3 4 5 6 7	*	**	* * *	ojs ole ojs	* *		* *	* * *	* *	* *	*		* *	* - *	0.2 * * * 1.8
32	3 4 5 6 7	*	***************************************	* * * * * * * * *	ojs ole ojs	* *		* * * 0.1	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	*	0.1	* - *	*	0.2 * * 1.8
32 TOTAL	3 4 5 6 7	**************************************	* * *	* * * * * * * * * * * *	ojs ole ojs	* *		* * * 0.1	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * 0.4	* * * 0.3	0.1	* * *	*	0.2 * * * 0.2 0.6
32	3 4 5 6 7	*	* * * *	* * * * * * * * * * * * * * * * * * * *	ojs ole ojs	* *		* * * 0.1	* * 0.3 * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * 0.3 *	0.1	- *	*	0.2 * * * 0.2 0.6 0.3
32 TOTAL	3 4 5 6 7 7	*	***	* * * * * * * * * *	ojs ole ojs	* *		* * * 0.1	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	0.1	- *	*	0.2 * * * 0.2 0.6
32 TOTAL	3 4 5 6 7	-	***	* * * * * * * * * * * * * * * * * * * *	ojs ole ojs	* *		* * * 0.1	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	0.1	- *	*	0.2 * * * 0.2 0.6 0.3
32 TOTAL	3 4 5 6 7	*	***************************************	* * * * * * * * * * * * * * * * * * * *	ojs ole ojs	* *		* * * 0.1	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	0.1 * * * *	* *	*	0.2 * * * 0.2 0.6 0.3 *
32 TOTAL	3 4 5 6 7 7 5 6 7 7	-	*	***************************************	* * * * * * * * * * * * * * * * * * * *	* *	0.1 * * * * * *	* * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	0.1 * * * * *	* *	*	0.2 * * * 0.2 0.6 0.3 *
32 TOTAL	3 4 5 6 7	-	***************************************	***************************************	* * * * * * * * * * * * * * * * * * * *	* *	0.1 * * * * * *	* * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	0.1 * * * * *	* *	*	0.2 * * 1.8 * 0.2 0.6 0.3 * *
32 TOTAL	3 4 5 6 7 1-2 3 1-2 3	-	* * * * * * * * * * * * * * * * * * * *		* * * * * * * * * * * * * * * * * * * *	* *	0.1 * * * * * *	* * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	0.1 * * * * * * *	* *	*	0.2 * * * * * * * * * * * * * * * * * * *
32 TOTAL	3 4 5 6 7 7 1-2 3 4 5 6 7 7 1-2 3 4	-	***************************************	*	* * * * * * * * * * * * * * * * * * * *	* *	0.1 * * * * * *	* * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	0.1 * * * * * * *	* *	*	0.2 * * * 0.2 0.6 0.3 * * * * 0.1 1.7
32 TOTAL	3 4 5 6 7 7 1-2 3 4 5 6 7 7 1-2 3 4 5 5	-	***************************************		* * * * * * * * * * * * * * * * * * * *	* *	0.1 * * * * * *	* * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	0.1 * * * * * * *	* *	# # # # # # # # # # # # # # # # # # #	0.2 * 1.8 * 0.2 0.6 0.3 * * *
32 TOTAL	3 4 5 6 7 7 1-2 3 4 5 6 7 7 1-2 3 4	-			***************************************	* *	0.1 * * * * * *	* * * * * * * * * * * * * * *	0.3	0.4 0.4 0.2 * 0.3	* * * 0.4 * 0.1 0.1 * * 0.2	* * * * * * * * * * * * * * * * * * *	0.1 * * * * * * *	* *	# # # # # # # # # # # # # # # # # # #	0.2 * * * 0.2 0.6 0.3 * * * 0.1 0.1

^{*} Less than 0.05 percent.

Table 19. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:

2006 Crop STAPLE QUALITY LEAF COLOR 32 35 36 38 40 & + TOTAL 26 & 28 33 34 Pct. 1-2 3 62 4 5 6 TOTAL-1-2 0.1 13 & 23 4 5 6 0.2 TOTAL---1-2 0.3 0.1 0.1 0.1 3 33 4 0.1 5 6 0.5 0.1 0.1 0.1 TOTAL----1-2 0.1 3 0.1 43 5 6 0.2 TOTAL---1-2 53 4 5 6 0.1 TOTAL-1-2 3 63 4 5 6 TOTAL--1-7 25-35 81-85 1/ 1-7 All Colors 8 2/ 100.0 4.3 10.2 19.5 26.2 27.3 1.6 0.3 0.8 1.9 TOTAL, ALL----0.1 Average Staple Percent Tenderable 35.8 EXTRANEOUS MATTER 56.1 18.7 Bark - Level 1 Bark - Level 2 Grass - Level 1 0.7 Grass - Level 2 Prep - Level 1 0.1 Prep - Level 2 0.1 Other - Level 1 Other - Level 1

5,710,359 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. – Virginia: Percent distribution of color, leaf and staple for upland cotton classed:

2006 Crop STAPLE LEAF COLOR 26 & 29 30 39 40 & + TOTAL Pct. 0.1 11 & 21 4 6 TOTAL---0.1 1-2 0.9 1.2 7.1 0.1 2.4 2.4 0.1 4 0.1 0.5 1.8 2.2 1.3 0.2 6.0 0.1 0.1 0.1 0.3 TOTAL---13.4 0.2 1.4 4.3 4.6 2.5 0.3 1-2 1.0 7.2 0.1 4.9 9.8 3.0 0.3 26.4 41 4 5 0.6 4.1 14.7 16.2 7.1 1.0 43.8 0.1 0.4 2.6 1.3 0.1 6.2 6 0.1 0.1 0.3 TOTAL-1.7 0.1 9.5 26.4 26.0 11.6 1.5 76.8 1-2 0.2 0.4 0.5 0.2 0.1 1.4 51 0.1 0.6 1.3 0.8 0.2 3.0 0.2 0.2 0.1 0.5 6 0.1 0.1 0.3 1.0 2.1 1.2 5.0 0.3 61 71 4 6 12 & 22 5 6 7 TOTAL-0.1 0.1 0.1 0.4 32 0.1 0.1 0.1 0.4 U 0.1 0.2 0.3 0.1 0.8 0.1 0.3 0.3 0.2 0.1 1.0 42 0.1 0.4 0.8 0.7 0.2 2.2 0.1 0.1 0.3 0.2 0.6 1.2 1.1 0.3 3.5 4 0.1 0.1 0.2

* Less than 0.05 percent

Table 20. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							2000	6 Crop	STAPLE							
COLOR	LEAF	26 & -	20	20	30	24	22	22		25	20	27	20	20	40.0.4	TOTAL
COLOR		Pct.	28 Pct.	29 Pct	30 Pct.	Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	Pct.
	1-2		1 01.	1 01.	-	1 01.		rot.	FCI.	FCI.	FUI.	FCI.	F C1.	FCI.	r CL.	FCI.
	3								Ī	_		_	-			
62	4	-	•	-	•	•	-	-	•	-	_	-	-	•	-	-
02	5		-	•	•	•	•	•	-	-		•	-	•	-	-
	[(-	•	-	•	-	-	•	-	-		-	-	-	-	
	6	-	•	-	•	-	-	-	-	-	-	-	•	•		-
TOTAL	7	*		-	-	-			-	-		-	-		•	
TOTAL		-	-	•		-	-		-	-		-	-	•		
	1-2	-	-	-		-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	•	-	-		•	•			-		-	*
13 & 23	4	-	-	-	-	•	*	•	-	•			•	~	-	
	5	-	-	-	-	-	-		-	-	-	-	-	-	-	-
	6	-	-	-		-			-	-			-	-	-	-
	7	-		-		-	-		-	-			-	-	-	-
TOTAL					-	-	*			-	*	*	-		-	
	1-2															
	3							*								
23	()	-	-	-		-	-	*			ŵ		-			
33	4	-	-	-	Ī	-	•					-	-	7	-	
	5	-	-	-	-	•	•	•	•	-	-	-	-	-	-	-
	6	-	-	-	•	-	-	-	•	-	- 1	-	-	-	-	-
	7	-	•	-	•	-	•	-	-	-	-	-		-	-	
TOTAL		-	-		-	•	•	*	*	*	*			-	•	
	1-2	-	-	-	-	-	-		-	-	-		-	-	-	-
	3	-	-	-	-			*	*	*	*	*	-	-	-	0.1
43	4	-			-		*	*	*	*	*	*	*	-	-	0.1
	5	_	-		-	_		_	-		*	*	-	-	-	*
	6	-		_		-	-	-	-	_	-	-		-	-	-
	7		_	_	_	_	_		_	_			_			_
TOTAL	<u> </u>				-		*	*	w	0.1	0.1	*	*	-		0.2
	1-2	-														
	3							*		*	*	*				*
53	4		-	_		_	*		*		*					*
33	1					-		-			*					*
	5	-	-	Ī	•	-	•	-	-	•		-	_	_	_	
	6	-			-	-	- 1	- 1	•	_	-	_	-	_	-	-
	7			•	-	-			-	-	+	-				*
TOTAL		•				-					-			**	•	
	1-2	-		-	-	-	-	-	-	-	-	-	-	-	•	
	3	-	-		-	-	-	-	-	*	-	-	-	-		*
63	4	-		-	-	-		-	-	-	-		-	-	-	-
	5	-	-	-	-	-		-	-	-	-	-		-	-	-
	6	-	-		-	-		-	-	-	-	-		-	-	-
	7	-			-	_	-	-		-	-	-	-	-	-	-
TOTAL		-					-		-	*			-	-		*
24-54	1-7								*		4	*				
25-35	1-7	-	-	-												
		-	-	_	•	•	-					*				
81-85 1/	1-7	-	-	-		_	-	•	-	•	•					
All Colors	8 2/				-	-	0.2	2.4	12.8	34.3	33.4	15.0	1.9	*		100.0
TOTAL, ALL			•				0.2	2.4	12.0	34.3	33.4	15.0				700.0
TRANEOUS MAT	TER												Av	erage Sta	apie	35.5
													Perc	ent Tend	erable	86.6
Bark - Level		0.3														
Bark - Level	2	-														
Grass - Level		1.2														
Grass - Level		*														
Prep - Level		0.2														
Prep - Level	2	-														
	-															
Other - Level	1	-														

Table 21. - Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2006 crop.

								Extraneous matter	matter							
State	Preparation	ation	Bark		Giass	SS	Seed	-	DIO.		Spindle Twist	Fwist	Other	er	Total	
	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2
	Bales	se	Bales		Bales		Bales	S	Bales	S	Bales	S	Bales	Si	Bales	
Alabama	1,125	٣	8,897	\$	4,975	21	9	0	0	0	50	0	00	0	15,016	29
Arizona	12	0	23,810	61	1,232	75	1,397	2	9	0	0	0	418	rotes	15,016	97
Atkansas	1,976	0	2,555	0	3,936	6	210	0	∞	0	∞	0	28	0	8,721	G.
California	44	0	7,197	7	1,718	٣	103	0	61	0	09	0	14	0	9,138	10
Florida	145	0	1,321	0	592	-	0	0	0	0	-	0	0	0	2,059	-
Georgia	1,396	5	16,300	7	9,340	25	29	0	Ξ	0	20	0	ж	0	27,099	37
Kansas	2	0	18,403	0	134	0	84	0	-	0	0	0	0	0	18,624	0
Louisiana	1,038	m	1,816	0	6,777	7	363	0	5	0	44	0	7	0	10,050	10
Mississippi	681	0	3,308	0	9,630	48	167	0	27	0	-	0	17	0	13,955	48
Missouri	5,828	92	1,564	0	227	0	178	0	25	0	8	\$	œ	0	7,900	26
New Mexico	2	0	834	0	235	-	34	0	2	0	0	0	7	0	1,114	-
North Carolina	3,146	4	8,113	10	11,352	4	0	0	2	0	0	0	-	0	22,614	18
Oklahoma	m	0	16,787	-	102	_	16	0	0	0	0	0	-	0	16,909	2
South Carolina	302	0	1,531	1	2,994	-	0	0	-	0	0	0	-	0	4,829	7
Tennessee	6,201	80	3,330	0	842	0	96	0	ν,	0	190	61	9	0	10,670	66
Texas	3,724	09	1,066,107	77	42,623	786	4,631	5	61	-	99	0	130	0	1,117,342	1,130
Virginia	283	0	429	0	1,636	8	0	0	0	0	0	0	0	0	2,348	ro
United States	25,908	247	1,182,298	127	98,345	1,188	7,435	7	136	1	485	24	9/9	1	1,315,283	1,595

Table 22. -- Tenderability of upland cotton classed, by states, 2006 crop

State	Tenderable	1/	Untenderal	ole
	Bales	Pct.	Bales	Pct.
Alabama	411,885	61.6	256,787	38.4
Arizona	386,838	74.2	134,609	25.8
Arkansas	2,053,764	85.0	363,262	15.0
California	724,293	92.9	55,718	7.1
Florida	117,475	99.5	645	0.5
Georgia	1,674,307	73.3	609,976	26.7
Kansas	52,070	44.7	64,477	55.3
Louisiana	873,943	69.5	383,054	30.5
Mississippi	1,281,576	63.2	747,814	36.8
Missouri	849,064	85.4	145,049	14.6
New Mexico	29,747	75.8	9,522	24.2
North Carolina	1,057,350	84.1	200,148	15.9
Oklahoma	113,904	62.0	69,800	38.0
South Carolina	316,127	78.5	86,368	21.5
Гennessee	998,975	76.2	311,920	23.8
Texas	3,206,256	56.1	2,504,103	43.9
Virginia	122,445	86.6	19,021	13.4
Jnited States	14,270,019	70.5	5,962,273	29.5

^{1/} Tenderable with respect to color, leaf, staple and mike in settlement of New York No. 2 futures contracts.

Table 23. -- Tenderability of upland cotton classed, in the United States, 1987-2005 crops.

Year	Tenderable	е	Untenderal	ole
	Bales	Pct.	Bales	Pct.
1987	8,588,694	61.0	5,494,696	39.0
1988	8,743,021	60.5	5,719,472	39.5
1989	6,889,963	62.9	4,067,843	37.1
1990	8,034,460	55.5	6,443,058	44.5
1991	9,576,743	58.2	6,867,923	41.8
1992	10,082,486	67.4	4,881,090	32.6
1993	9,262,901	61.7	5,747,395	38.3
1994	11,968,375	64.7	6,541,523	35.3
1995	10,492,168	62.6	6,259,089	37.4
1996	11,469,168	64.9	6,199,753	35.1
1997	12,042,873	68.5	5,532,967	31.5
1998	7,351,983	56.5	5,659,801	43.5
1999	9,631,731	61.1	6,141,513	38.9
2000	10,462,481	64.0	5,885,322	36.0
2001	12,167,594	63.9	6,871,481	36.1
2002	8,350,453	52.0	7,702,475	48.0
2003	12,891,375	74.6	4,398,580	25.4
2004	13,925,489	63.8	7,906,411	36.2
2005	16,098,519	71.1	6,539,728	28.9
2006	14,270,019	70.5	5,962,273	29.5

Table 24. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2006 crop.

			ABIL	ENE		В	IRMINGHA	M	CORPUS		DUMAS	
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
11 & 21	1-2	1.4	12.7	15.2	13.3	1.0	0.4	0.9	7.7	0.6	1.6	1.3
	3	7.7	13.1	19.8	17.3	3.1	3.0	3.1	10.7	1.8	4.9 0.3	3.9 0.2
	4 5	2.5 0.2	0.8	2.1 0.2	1.9 0.2	0.2	0.2	0.2	0.9	0.1	*	*
	6	*	*	*	*	-	-	-	*	-	*	*
	7	-	-	-	-	-	-	-	-		-	
Total 31	1-2	11.8 0.9	26.7 6.2	37.3 2.9	32.7 3.2	4.3 1.9	3.6 0.8	4.2 1.8	19.4	2.5 1.7	6.8 1.7	5.4 1.7
31	3	18.2	32.7	22.5	23.8	35.6	47.0	37.0	20.2	28.6	27.5	27.9
	4	20.7	10.0	10.0	11.1	9.3	9.5	9.4	11.9	12.7	12.2	12.3
	5	13.5	1.6	2.2	3.3	0.3	0.1	0.3	0.8	0.4	0.6	0.5
	6 7	2.1 0.1	0.1	0.2	0.4	,	_	*	.	-	*	*
Total		55.5	50.7	37.7	41.9	47.2	57.4	48.5	35.5	43.4	42.0	42.4
41	1-2	*_	0.1	0.1	0.1	0.3	0.1	0.3	0.7	0.3	0.2	0.2 14.0
	3 4	1.7 4.5	3.0 4.9	2.8 4.6	2.7 4.6	22.0 14.3	23.7 12.2	22.2 14.0	8.6 16.2	15.9 29.0	13.1 22.5	24.6
	5	6.6	2.9	2.5	3.0	1.5	0.3	1.3	3.8	4.4	5.1	4.9
	6	3.7	0.6	0.6	0.9	0.2	*	0.1	0.3	0.3	0.4	0.4
Total	7	0.9	0.1 11.5	0.1 10.7	0.2 11.6	38.3	36.3	38.0	29.7	49.9	41.4	44.1
Total 51	1-2	17.4	*	*	*	*	*	*	0.1	*	*	*
	3	*	*	0.2	0.1	0.6	0.2	0.5	1.1	0.2	0.2	0.2
	4	*	0.1	0.1	0.1	0.7	0.1	0.6	0.9	0.8 0.5	0.7 0.5	0.7 0.5
	5 6	*	0.1 0.1	0.1	0.1	0.1	*	0.1	0.9	0.5	0.5	0.5
	7	0.1	0.1	*	*	*	-	*	*	*	*	*
Total		0.2	0.4	0.4	0.4	1.4	0.3	1.3	4.7	1.7	1.4	1.5
61	1-2	-	-	*	*		-	*			*	
	4	-	*	*	*	*	*	*	0.1	•	*	*
	5	-	*	*	*	*	-	*	*	*	*	*
	6 7	-	*	•	*		-	*				
Total		-	*	*	*		*	*	0.2	*	*	*
71	1-2	-	-	*	*	-	-	-		-	-	•
	3 4	-	-	*	*		*	*	*	-		
	5	-	-	_	-	-	_		*		-	
	6	-	-	-	-	-	-	-		-	-	•
7-4-1	7	-	*	*	-		*	-	*	-	-	•
Total 12 & 22	1-2	0.2	0.6	2.0	1.6	0.1	*	0.1	0.4			*
	3	1.0	1.1	3.2	2.6	0.3	0.1	0.3	1.0	*	0.1	0.1
	4	0.3	0.2	0.9	0.7	0.1	-	*	0.2	*	*	*
	5 6	*		0.2	0.1		-					
	7	-	-	*	*	-	-	-		-		
Total		1.5	1.8	6.2	5.0	0.5	0.1	0.4	1.5	*	0.2	0.1
32	1-2	0.2 3.0	0.1 1.8	0.1 1.3	0.1 1.6	0.1 2.4	0.5	0.1 2.2	0.9	0.2	0.1 1.3	1.0
	4	1.9	1.2	1.2	1.3	1.4	0.1	1.2	1.2	0.3	1.1	0.8
	5	1.0	0.4	0.5	0.5	0.1	*	0.1	0.1	*	0.1	0.1
	6 7	0.3	*	0.1	0.1	*	-	*	*	*	*	
Total		6.5	3.5	3.2	3.6	4.0	0.6	3.6	2.3	0.5	2.6	1.9
42	1-2	*		•	*	*	*	*	*	*	*	*
	3	0.3	0.4	0.3	0.3	1.4	0.6	1.3	0.5	0.2	0.9	0.7
	4 5	0.6 0.8	1.0 0.7	0.7 0.5	0.7	1.7 0.3	0.6	1.5 0.2	2.6 0.9	0.3	2.6 0.9	2.1 0.7
	6	0.6	0.2	0.2	0.2	*	-	*	0.1	•	0.1	0.1
T-4	7	03	0.1	0.1	0.1	*	- 4.0	*	*	*		*
Total 52	1-2	2.6	2.4	1.7	1.9	3.3	1.3	3.1	4.1	1.6	4.5	3.6
	3			*	*	*	*	*	0.1		*	*
	4	*	*	*	*	0.1	*	0.1	0.6	0.1	0.1	0.1
	5 6		0.1		*			*	0.4	0.1	0.1	0.1
	7	0.1	*	*	*	•	-	*	*	*	*	*
Total		0.1	0.2	0.1	0.2	0.1	*	0.1	1.2	0.2	0.3	0.3

Table 24. -- Continued.

				ABILENE			BIRMINGH	IAM	CORPUS		DUMAS	5
Color 62	Leaf	Kansas	Oklahoma	Texas	Classing Office Total 1/	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classin Office Total
02	3	-	*	*	*		-		-	-	*	*
	4	_			*		-	*	*	-	*	*
	5	-	_		*		-	*	0.2	-		*
	6	-	-	*	*		-	*	0.1	1		*
	7	*		*		*		*	*	-	*	*
Total		*	*	*	*	*	-	*		11 :	*	*
13 & 23	1-2		0.1	0.2	0.1			w	0.2		•	*
	3	0.1	0.2	0.3	0.3	*	*	*	*		*	-
	4	*	*	0.1	0.1	*	-	*	*		*	*
	5		*	*		-	-	-	-	-	~	_
	6 7	1	-	*		-	-		-	-	-	
Total		0.1	- 0.0		*	-	-	-	-	-	-	
33	1-2	0.1	0.3 0.1	0.6	0.5	*	*	*	*	-	*	*
	3	1.0	0.1	0.1 0.4	0.1	*	-	*	*	*	*	*
	4	0.5	0.3	0.4	0.5	0.2	0.1	0.1	*	1	0.1	0.1
	5	0.2	0.1	0.3	0.3	0.1	*	0.1	*	*	*	*
	6	*	*	U. I	*	*		*		11 *	*	*
	7		*	*	*	_		•		-	*	*
Total		1.8	1.1	0.9	1.0	0.3	0.1	0.2	0.1		-	
43	1-2		*		*	*	-	*	*		0.2	0.1
	3	0.3	0.3	0.1	0.2	0.2	0.1	0.2	0.1		0.2	
	4	0.4	0.3	0.2	0.2	0.2	0.1	0.2	0.3	0.1	0.2	0.2 0.2
	5	0.2	0.3	0.1	0.1	*	*	*	0.1	*	*	*
	6 7	0.2 0.1	0.1	0.1	0.1	*	-	*	*	*	*	w
Total		1.1	0.9		*	*		*	*	-	*	*
53	1-2	-	*	0.5	0.6	0.4	0.3	0.4	0.4	0.1	0.4	0.3
	3	_	*	*	*	*	*	*	*	-	*	*
	4		*	*	*	*	*	*	*	*	*	*
	5		-		*	*		*	0.2			*
	6	*		*		*	_	*	0.1		-	*
	7	*	*		*	*	-	*	*		*	
Total		0.1	0.1	*	*	0.1	*	0.1	0.3	*	0.1	0.1
63	1-2	-	-	-	-	-	~			-	-	0.1
	3	-	*	*	*	*	-	*	*	_	_	
	4		*	-	*	*	-	*	0.1	-	*	*
	5	,	-		*	-	-	-	*	-	W	*
	7	•			*	-	-	-	*	-	*	*
Total		*	*	*	*	*	-	-	*	-	~	-
24 - 54	1-7	0.5	0.2	0.3	11		-	*	0.1	-	*	*
25 - 35	1-7	-	*	m	0.3	0.1		0.1	0.1	*	0.1	0.1
81 - 85 1/	1-7	*	*	*	*	*	*	*	*		-	•
All Colors	8 2/	0.7	0.1	0.1	0.1	*		*	*		*	*
STAPLE												
28 & shorte	er	0.1	*	0.1	0.1	*	_	*	-	_		
29		0.2	0.1	0.6	0.5	0.1	*	*	*	_	*	*
30		1.2	0.5	1.9	1.6	0.6	*	0.5	*	*	0.1	*
31		3.5	1.6	4.5	3.9	3.8	0.1	3.3	0.2	0.1	1.1	0.7
32 33		10.6	3.5	7.8	7.4	11.6	0.9	10.2	1.0	0.9	8.2	5.8
33		25.0	6.6	11.7	12.3	23.2	7.3	21.2	4.3	5.1	20.7	15.7
35		20.6 18.8	11.4 17.5	15.9	15.6	30.4	29.6	30.3	14.3	22.5	31.5	28.6
36		12.0	22.4	17.8 18.4	17.9	21.1	40.8	23.6	25.5	41.8	25.9	31.0
37		6.0	27.1	16.8	18.4 17.4	7.4 1.8	17.6	8.7	26.7	23.8	10.2	14.6
38 & longer		1.9	9.2	4.3	4.9	0.1	3.6 0.1	0.1	23.0	5.6	2.3	3.4
All Staples		100.0		100.0	100.0	100.0	100.0	99.9	4.9	0.2	0.1	0.2
Average stap		34.1	35.6	34.7	34.8	33.8	34.8	33.9	100.0	100.0	100.0	100.0
Total Classe								766,948	35.6 865,197	35.0 851,260	34.1 1,798,766	34.4 2,650,026
Total Classe												

Table 25. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2006 crop.

MACON FLORENCE LAMESA LUBBOCK Classing Classing Office Florida 1/ Georgia Texas Color Leaf North South Virginia Office Texas Total Carolina Total Carolina 0.3 0.3 19.1 9.7 11 & 21 0.1 1-2 2.0 0.1 0.3 40.5 39.5 2.0 0.2 0.6 3 4.0 0.1 0.1 4.0 4 0.1 0.2 5 6 7 2.4 2.4 53.3 Total 0.2 0.7 0.1 0.3 63.8 1.0 1.0 1-2 0.1 0.3 0.1 1.6 1.3 31 39.2 10.7 18.8 7.1 12.3 16.3 24.5 39.4 3 6.6 5.9 10.5 12.0 6.7 5.7 6.0 4 6.0 1.6 0.1 0.1 0.3 0.4 1.6 5 0.4 0.3 0.1 0.1 6 7 47.2 46.9 30.1 39.5 25.1 18.7 17.2 13.4 Total 0.1 0.1 41 1-2 0.1 0.1 0.1 28.4 28.0 0.3 0.6 27.2 32.5 26.4 28.3 17.4 17.4 4 38.5 28.8 43.8 36.8 0.8 1.5 1.3 1.3 0.9 6.8 4.4 6.2 6.2 0.6 0.1 0.1 6 0.6 0.4 0.3 0.6 0.1 0.2 7 47.3 76.8 72.0 1.8 3.2 46.9 73.3 66.2 Total 1-2 51 0.9 0.9 1.0 1.1 1.4 1.1 3 0.7 0.7 2.8 3.0 2.8 2.8 4 0.2 0.2 1.0 5 1.1 1.0 0.5 6 0.3 0.2 0.1 0.2 7 0.1 1.8 1.8 Total 5.3 5.1 5.0 5.2 61 1-2 3 5 6 7 Total 1-2 71 3 4 5 6 7 Total 12 & 22 1-2 0.3 0.1 1.2 0.9 3 0.3 0.2 4 5 6 7 1.3 Total 1.8 32 1-2 0.4 0.4 3 0.3 0.3 0.4 0.3 0.6 8.0 4 0.2 0.2 0.4 0.2 0.6 0.5 0.1 0.1 0.2 0.1 6 7 0.6 0.5 0.8 0.6 1.5 1.5 0.5 0.5 Total 1-2 42 1.0 0.1 0.3 0.3 0.5 0.6 0.6 3 0.1 0.1 0.4 4 14 1.0 2.2 1.4 0.4 5 0.5 0.2 0.4 0.1 0.1 0.1 6 0.1 0.1 2.6 1.7 3.5 2.5 0.2 0.3 0.8 0.8 Total 52 1-2 3 0.1 0.1 0.1 0.1 4 5 0.1 0.1 0.1 6 0.1 0.1

Total ---- 0.3 0.2 0.2 0.3 *

1/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

			FLOF	RENCE		LAMESA	LUBBOCK	MACON	
Color	Leaf	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida 3/ Georgia	Classing Office Total
62	1-2		-	•		-	*	-	
	3 4		-	-		•		*	*
	5	*	*	*	*			*	
	6	*		_	*				_
	7	*	-	_	*		*	_	
Total		*	*	*	*	-	*	*	*
13 & 23	1-2	-	-	-		*	*	w	*
	3	*	*	*	*	0.2	0.1	*	*
	4	1	*	*	*	*	*	*	*
	5 6		-	-	*			-	-
	7		-	_				-	-
Total	*****	*	*	*	*	0.2	0.1	*	*
33	1-2	*	-	_	*	*	*		*
	3	*	w	*	*	0.3	0.3	*	*
	4	*	*	*	*	0.1	0.2	*	*
	5	*	*	-	*	*	*	*	*
	6 7			-	*	*	*	-	•
Total		*	*	*	*	0.4	0.5	*	-
43	1-2	*	-		*	0.4	*	*	*
	3	0.1	0.1	0.1	0.1	*	0.1	0.1	0.1
	4	0.2	0.2	0.1	0.2	*	0.1	*	*
	5	*	*	*	*	*	*	*	*
	6	*	*	-	*	*	*	*	*
Total	7	0.3	0.2	0.2		*	*	-	-
53	1-2	0.3 *	0.2	0.2	0.3	0.1	0.2	0.1	0.1
00	3	*	*	*	*	*		*	
	4	*	*	*		*	*		*
	5	*	*	*	*	-	*	*	*
	6	*	*	•	*	-	*	*	*
T-4-1	7		-	-	*				:
Total 63	1-2		•	-					*
03	3	*	-	*	*		*	*	*
	4	*	w	_	*		*	*	*
	5	-	-	-	-		-	-	-
	6	-	-	-		-	-	-	-
	7	-		-	-	-	-	-	•
Total	4.7	*	*	*	*	-	*	*	*
24 - 54 25 - 35	1-7						0.1		_
81 - 85 1/	1-7	*	*	*	*	*		*	
All Colors	8 2/	*	*		*		*	*	*
STAPL	E								
28 & shor		-	-	-	-	-	*	*	*
29		*	*	-		*	*	*	*
30 31			0.1	,	0.1	1	0.1	0.1	0.1
32		0.5	1.2	0.2	0.1 0.6	0.1 0.5	0.3	4.0	0.6 3.9
33		4.1	5.8	2.4	4.3	2.4	3.1	16.0	15.8
34		18.6	20.0	12.8	18.5	8.5	8.1	34.2	34.2
35		37.5	37.7	34.3	37.3	21.0	17.8	30.4	30.8
36		28.6	25.3	33.4	28.2	31.5	26.6	11.6	11.6
37		9.4	8.3	15.0	9.6	29.4	30.5	2.9	2.9
38 & long		1.3	1.5	1.9	1.4	6.7	12.4	0.2	0.1
All Staple		100.0	100.0	100.0	100.0 35.2	100.0 36.0	100.0	100.0	100.0
Average st		35.2 1,257,498	35.1 402,495	35.5 141,466	1,801,459	842,810	36.1	34.4	34.4 2,334,127
Total Class	sea	1,257,498	402,495	141,400	1,001,409	042,010	3,213,030	2,284,283	2,334,727

Total Classed 1,257,498 402,495 141,466 1,801,459 | 842,810 | 3,215,030 | 2,284,283 2,334,127 |

1/ Below Grade Color. 2/ Below Grade Leaf. " Less than 0.05 percent.

3/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 26. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2006 crop.

MEMPHIS

PHOENIX

				MEMPHIS							
Color	Leaf	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas 1/	Classing Office Total
11 & 21	1-2	0.3	*	0.4	0.5	0.3	34.9	36.0	13.3		33.7
	3	1.5	0.4	1.5	2.8	1.6	19.3	11.7	16.0		17.9
	4	0.1	*	0.1	0.2	0.1	0.8	*	1.4		0.7
	5	*	*	•			*	-			*
	6	_		-		-	_	_	-		
Total		1.9	0.5	2.0	3.6	2.1	55.0	47.7	30.7		52.3
31	1-2	0.4	0.2	1.0	0.7	0.4	13.6	29.5	12.2		16.0
	3	24.1	14.2	21.4	29.6	23.3	20.1	14.0	40.4		20.5
	4	15.4	9.4	8.7	18.2	14.6	3.5	1.5 0.1	10.0 1.0		3.6 0.3
	5	0.3	0.2	0.2	0.5	0.3	0.3	*	*		*
	6	*	_			*		-	w		*
Total		40.3	24.0	31.3	48.9	38.7	37.5	45.1	63.6		40.4
41	1-2	*	0.1	0.3	0.1	0.1	0.3	1.2	0.3		0.5
	3	15.1	21.0	17.7	13.6	16.2	0.8	1.4	1.9		1.0
	4	32.6	37.5	30.4	23.6	30.8	1.6	2.8	2.7		1.8
	5	3.1	3.4	3.5	2.8	3.1	0.4	0.7	0.7		0.4 0.1
	6	0.1	0.1	0.2	0.1	0.1	0.1		0.1		*
Total	7	50.0	62.1	52.1	40.2	50.2	3.2	6.1	5.6		3.7
Total 51	1-2	50.9	62.1	52.1	40.2	5U.∠ *		*	*		*
31	3	0.5	1.4	0.7	0.5	0.7		*	*		*
	4	1.9	3.4	2.1	1.4	2.1	*	0.2	*		*
	5	0.4	0.5	1.1	0.4	0.4	*	*	*		*
	6	*	*	0.2	0.1	*	*	*	*		*
	7	*	*	*	*	*	*	-	-		
Total		2.8	5.3	4.1	2.3	3.3		0.2	•		0.1
61	1-2	-		-	-	*	*				*
	3 4		*		*	*	_	-			
	5			*		*	-	-			
	6	*	*	*	*	*	-	-	-		-
	7	*	*	*	*	*	-	-	-		-
Total	*****	*	*	*	*	*		-	-		
71	1-2	-	-	-	-	-		-	•		*
	3	-	-	-	-	-		_	_		
	4 5			_	Į.	*					
	6		_	_	_		-	-	-		
	7	-	-	-	-	-	-	-	-		-
Total		-	-	-	*	*	*	•	•		*
12 & 22	1-2	*	*	*	*	*	1.0	*	*		0.8
	3	*	*	0.1	0.1	*	0.6		•		0.5 0.2
	4 5	*				*	0.2	_	_		*
	6		Ī	-				-	_		
	7	_	-	-			-	-	-		
Total		*	*	0.2	0.1	0.1	1.8	0.1	*		1.5
32	1-2	*	*	*	*	w	0.1	*	-		0.1
	3	0.5	0.4	1.5	0.7	0.6	0.3	0.1	*		0.3
	4	0.4	0.4	0.9	0.6	0.5	0.5	0.2			0.4
	5	*	*	*	*	*	0.1	*			0.1
	6 7			-	*	*		-	-		*
Total		0.9	0.9	2.4	1.4	1.1	1.0	0.3	*		0.9
42	1-2	9	*	*	*	*	*	*	-		*
	3	0.7	1.5	1.8	0.5	0.9	0.1	0.1	*		0.1
	4	1.6	3.0	4.0	1.5	2.0	0.6	0.4	*		0.5
	5	0.3	0.3	0.7	0.4	0.3	0.2	0.1	*		0.2
	6	*	*	0.1	*	*	*	*	,		*
Tot-I	7	2.6						0.5	*		0.8
Total 52	1-2	2.6	4.9	6.5	2.4	3.2	1.0	0.5			v.8
JZ	3		0.2	0.1	*	0.1		*			*
	4	0.1	0.5	0.3	0.1	0.2		*			*
	5	*	0.1	0.2	0.1	0.1	*	A.	*		*
	6	*	*	0.1	*		*		-		*
	7	*	*	*	*	*	*	-	-		*
Total		0.2	0.8	0.6	0.2	0.4	0.1			-	0.1

^{1/} Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 26. -- Continued.

MEMPHIS

PHOENIX

62 1.2	Color	Leaf	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas 3/	Classing Office Total
Total 13.6.23 Total 14.6.25 Total 15.6.25 Total 15.7 Total 15.8 Total 16.8 Tot	62			*	-			-	-	-		-
Total 13 & 23 1-2 1-2 1-3 1-3 1-2 1-3 1-3 1-2 1-3 1-3 1-2 1-3 1-2 1-3 1-3 1-2 1-3 1-3 1-2 1-3 1-3 1-2 1-3 1-3 1-2 1-3 1-3 1-2 1-3 1-3 1-2 1-3 1-3 1-3 1-2 1-3 1-3 1-3 1-3 1-3 1-3 1-3 1-3 1-3 1-4 1-5 1-5 1-5 1-7 1-7 1-7 1-7 1-7 1-7 1-7 1-7 1-7 1-7						*	*	*	-	•		*
Total 13.8.23 1.2 1.3 1.2 1.3 1.2 1.4 1.5 1.6 1.7 1.7 Total 33 1.2 1.2 1.3 1.2 1.3 1.4 1.5 1.5 1.5 1.6 1.7 1.7 Total 1.8 1.8 1.8 1.8 1.9 1.9 1.9 1.9		1	*				Ĭ		-	-		
Total 13 8.23 1.2 1.2 1.3 1.3 1.2 1.2 1.3 1.3 1.2 1.2 1.3 1.2 1.3 1.2 1.2 1.3 1.2 1.2 1.3 1.2 1.2 1.3 1.2 1.2 1.3 1.2 1.2 1.3 1.3 1.2 1.2 1.3 1.2 1.2 1.3 1.2 1.2 1.3 1.2 1.2 1.3 1.2 1.2 1.3 1.3 1.2 1.2 1.3 1.3 1.2 1.2 1.3 1.3 1.2 1.2 1.3 1.3 1.2 1.3 1.3 1.4 1.4 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5		l l	*		*	*	*		-	-		*
13 & 23		}	*	-	_	*	W	-	_			
Total 33	Total		*	*	*	*	*	*				*
Total 33	13 & 23	1-2	*	-	-	*	*	*	-	-		w
Total 33 1-2			*	*	*	*	*	*	*	-		*
Total 33			*	*	*	*	*	*	-	-		*
Total 33			*	-	•	-	*	*	-	-		*
Total 33			-	~	•	•	•		-	-		*
33	Total	1	*	*	*	*	*	0.1	*	-		*
3		1	*	*			*	*	*			*
A			*	0.1	*	0.1	0.1		*			*
Total 43 1-2 1-2 1-3 3 0.1 0.4 0.1 0.1 0.2 0.1 0.2 0.1 0.1 0.2 0.1 0.1 0.1 0.1 0.1 0.2 0.1 0.1 0.1 0.2 0.1 0.1 0.2 0.1 0.1 0.2 0.1 0.1 0.1 0.2 0.1 0.1 0.1 0.2 0.1 0.1 0.1 0.2 0.1 0.1 0.2 0.1 0.1 0.1 0.2 0.1 0.1 0.1 0.2 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1			*		*			*	*			*
Total 43		5	*	*	*			*	- 1	-		*
Total 43			-	-	-	×	rk	*	-	-		*
43		7	-				-	-	-	-		-
3		1							*	•		0.1
A	43		1						-	_		*
Total To									*	•		0.1
Total 7			l .					0.1	*	-		*
Total 53 1-2 3 0.3 0.9 0.5 0.5 0.5 0.5 0.1		1	*	*	*	*	*	*	_	_		*
1-2		1	_	-	-	*	*	*	_			*
3	Total	*****	0.3	0.9	0.5	0.5	0.5	0.1	*			0.1
A	53	1-2	*	*	-	-	*	-	-	-		-
Total			*		*	*		w	-	-		*
Total 63 1-2 63 1-2 1 1 1 1 1 1			*		*	*	1	*	-	-		*
Total 63			*		*	*		*	*	•		
Total 63 1-2 1-2 1-2 1-2 1-3 3 1-2 1-2 1-3 3 1-2 1-3 3 1-2 1-3 3 1-2 1-3 3 1-2 1-3 3 1-2 1-3 3 1-2 1-3 3 1-2 1-3 3 1-2 1-3 3 1-3 1-4 1-5 1-5 1-7 1-7 1-7 1-7 1-7 1-7 1-7 1-7 1-7 1-7		1	*	·	*	*		*	•	-		*
63	Total		*	0.2	0.1	0.1	0.1	*	*			*
3				-	-	0.1		*	_			*
4			*	*	_	*	*	*				*
Total		1	-	*	_	*	*	*	-			*
Total 24 - 54		5	-	-	-	-		*	-	-		*
Total ************************************		1	-	-	-	-	-	*	-	-		*
24 - 54		7	*	-	-	-	*	-	-	-		•
25 - 35					•	*		*	•	•		*
81 - 85 1/ Ail Colors 1-7 82/ * * * * * * * * * * * * * * * * * * *					0.1	0.1		*	-	•		*
8 2/ * * * * * * * -			*	*	*	*	*	*		*		*
STAPLE 28 & shorter -			*	*		*	*	*	_			*
28 & shorter - <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>												
29 0.1 * *			_	-		-		-	-	-		
30	29		-			*	*	-				
32 0.4 * 14.2 1.0 1.0 0.2 0.9 * 33 2.1 0.1 24.9 6.2 3.8 1.1 4.3 0.1 34 10.3 2.6 29.0 19.8 12.2 5.9 12.0 1.6 35 32.8 17.6 18.1 33.0 28.5 17.8 29.3 6.0 36 38.4 43.7 5.9 28.1 35.1 31.1 33.6 21.0 37 15.1 32.5 1.2 11.0 17.6 32.2 17.6 43.0 38 & longer 0.8 3.4 0.1 0.7 1.4 11.7 2.3 28.3	30		•	*	1.2			*	-	-		*
33 2.1 0.1 24.9 6.2 3.8 1.1 4.3 0.1 34 10.3 2.6 29.0 19.8 12.2 5.9 12.0 1.6 35 32.8 17.6 18.1 33.0 28.5 17.8 29.3 6.0 36 38.4 43.7 5.9 28.1 35.1 31.1 33.6 21.0 37 15.1 32.5 1.2 11.0 17.6 32.2 17.6 43.0 38 & longer 0.8 3.4 0.1 0.7 1.4 11.7 2.3 28.3			*	*				*	*	-		*
34 10.3 2.6 29.0 19.8 12.2 5.9 12.0 1.6 35 32.8 17.6 18.1 33.0 28.5 17.8 29.3 6.0 36 38.4 43.7 5.9 28.1 35.1 31.1 33.6 21.0 37 15.1 32.5 1.2 11.0 17.6 32.2 17.6 43.0 38 & longer 0.8 3.4 0.1 0.7 1.4 11.7 2.3 28.3	32			*		1.0				*		0.3
35 32.8 17.6 18.1 33.0 28.5 17.8 29.3 6.0 36 38.4 43.7 5.9 28.1 35.1 31.1 33.6 21.0 37 15.1 32.5 1.2 11.0 17.6 32.2 17.6 43.0 38 & longer 0.8 3.4 0.1 0.7 1.4 11.7 2.3 28.3						6.2						1.5
36 38.4 43.7 5.9 28.1 35.1 31.1 33.6 21.0 37 15.1 32.5 1.2 11.0 17.6 32.2 17.6 43.0 38 & longer 0.8 3.4 0.1 0.7 1.4 11.7 2.3 28.3												6.4
37 15.1 32.5 1.2 11.0 17.6 32.2 17.6 43.0 38 & longer 0.8 3.4 0.1 0.7 1.4 11.7 2.3 28.3												18.7 30.9
38 & longer 0.8 3.4 0.1 0.7 1.4 11.7 2.3 28.3												30.9
		er				0.7			2.3			11.3
DI D												100.0
Average staple 35.6 36.2 33.6 35.2 35.5 36.2 35.5 36.9												36.2
Total Classed 1,555,733 994,113 154,320 1,310,895 4,015,061 521,447 88,465 39,269												658,166

^{1/} Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

^{3/} Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 27. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2006 crop.

RAYVILLE

VISALIA

Color	Leaf	Arkansas /1	Louisiana	Mississippi	Classing Office	California	UNITED
COIOI	Leai	randiisas ri			Total		STATES
11 & 21	1-2		2.0	0.3	1.9	19.8	5.6
11021	3		5.4	2.3	5.2	16.5	12.0
	4		0.1	0.1	0.1	0.3	1.1
	5		*		*	*	*
	6		4			-	*
	7		-				*
Total			7.5	2.7	7.2	36.7	18.7
Total			2.4	0.4	2.3	12.5	2.2
31	1-2		43.6	34.6	42.8	37.2	26.7
	3		8.8	11.2	8.9	5.2	10.5
	4			0.3	0.4	0.4	0.8
	5		0.4	0.5	*	*	*
	6					*	*
	7			-	54.5	55.3	40.2
Total	*****		55.2	46.5		0.3	0.2
41	1-2		0.1		0.1	2.7	13.4
	3		14.3	20.7	14.6		17.3
	4		12.5	19.8	13.0	1.7	2.7
	5		1.7	1.8	1.7	0.8	
	6		0.2	0.2	0.2	0.3	0.2
	7		*	-		* 1	
Total			28.8	42.6	29.7	5.8	33.8
51	1-2		*		*	*	*
51	3		0.7	1.3	0.7	0.1	0.5
	4		1.3	0.9	1.3	il * 1	1.1
	5		0.2	0.3	0.2	*	0.3
	1		*	*		*	0.1
	6 7		*		*	*	*
			2.2	2.6	2.2	0.2	2.0
Total	4.0					*	*
61	1-2		*			*	*
	3		*			*	*
	4				*	*	*
	5				*	*	*
	6		_			*	*
	7				*	*	*
Total	*****		•				*
71	1-2		-	•	·		1
	3		-	•	•		*
	4		-	•	•		*
	5		-	•	•		*
	6		•	-	•	•	
	7		-	-	•	1	*
Total			-	•	•	*	0.2
12 & 22	1-2		*	*	*	11	
	3				*	0.1	0.4
	4		*	*		*	0.1
	5			•			
	6			-	•	-	1
	7			-	•	•	*
Total			0.1		0.1	0.2	0.7
32	1-2				*	0.2	*
52	3		0.9	0.6	0.9	0.6	0.8
	4		0.5	0.6	0.5	0.2	0.6
	5		*		*	*	0.1
	6		*	-	*	*	*
						-	*
	7		1.5	1.2	1.5	1.0	1.5
Total	1.0		1.5	1.4	*	*	*
42	1-2			0.5	0.8	0.2	0.5
	3		0.8		1.5	0.2	1.2
	4		1.4	1.9		0.1	0.3
	5		0.2	0.5	0.3	0.1 *	*
	6		*		:	1	
	7			-			2.1
Total			2.4	3.0	2.6	0.5	2.1
52	1-2			-	*		
	3		0.1	*	0.1		1
	4		0.2	0.3	0.2	*	0.1
	5		0.1	0.2	0.1	*	0.1
	6			*	*	*	*
			*	-		*	*
	7				0.4	0.1	0.2

^{/1} Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 27. -- Continued.

RAYVILLE

VISALIA

Color	Leaf	Arkansas /3	Louisiana	Mississippi	Classing Office Total	California	UNITED
62	1-2		•	-	•	-	
	3		*	•	*	*	*
	5		*	-	*		*
	6			*	*		*
	7			•		*	*
Total			*	*			
13 & 23	1-2		*		*		
	3		*	*	*	*	
	4		*		*	*	*
	5		-	_			*
	6						*
	7		-	-			*
Total			*	*	*	*	0.1
33	1-2		*		*	*	*
	3		0.2	w	0.2	0.1	0.1
	4		*	*	*	*	0.1
	5		*	-	*	*	*
	6 7		-	-	•	-	*
Total			0.3	-			*
43	1-2		0.3	0.1	0.3	0.1	0.2
40	3		0.6			*	*
	4		0.4	0.3 0.2	0.6	0.1	0.1
	5		*	U.Z	0.4		0.2
	6		*		*	*	*
	7				*	*	*
Total			1.0	0.5	1.0	0.1	0.4
53	1-2		*	-	*	*	0.4
	3		*	*	*	*	*
	4		0.1	*	0.1	*	*
	5		*	*	*	*	*
	6		*	*	*	*	*
	7			-	•	*	*
Total			0.1	0.1	0.1	*	0.1
63	1-2		-	-	•	*	*
	3		*	•	*	•	*
	4		*	*	*	•	*
	5		*	•	•	*	*
	6 7				•	•	*
Total			*	*			*
24 - 54	1-7		0.4	0.1	0.4	*	
25 - 35	1-7		-	0.1	0.4		0.1
81 - 85 1/	1-7		0.1	*	0.1	*	
All Colors	8 2/				-	*	
STAPLE							
28 & shorte							*
29			-				*
30			0.1	*			0.1
31			0.9	0.4	0.9		0.7
32			6.4	3.4	6.2	*	2.9
33			21.8	15.0	21.3	0.2	8.7
34			33.1	33.9	33.2	1.3	18.4
35			24.1	29.6	24.5	3.8	25.6
36			10.4	13.4	10.5	13.1	22.8
37			3.0	3.7	3.0	30.6	15.4
38 & longe			0.3	0.6	0.3	51.0	4.9
All Staples			100.0	100.0	100.0	100.0	99.5
Average stap			34.2	34.5	34.2	37.3	35.2
Total Classe			1,256,997	76,304	1,343,334	691,546	20,262,361

^{1/} Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

^{/3} Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 28. - Percentage distribution of mike and strength for upland cotton classed, by classing office, 2006 crop.

CORPUS

CHRISTI **DUMAS** BIRMINGHAM **ABILENE** Classing Classing Classing Office Texas Arkansas Mississippi Office Alabama Florida Office Oklahoma Texas Mike and Kansas Total Total Total Fiber Strength MIKE 0.5 0.1 0.3 0.3 24 & below 0.1 25 0.6 0.1 0.2 0.2 0.9 0.4 0.4 0.1 26 0.1 0.6 27 1.3 0.2 0.6 0.1 28 1.5 0.4 0.9 0.8 29 1.8 0.3 1.2 1.1 0.1 1.5 0.1 0.1 2.5 0.4 1.6 0.1 0.2 0.1 2.0 0.1 31 3.1 0.5 1.8 0.1 0.2 0.1 0.2 32 4.0 0.7 2.1 0.3 0.1 0.1 2.5 0.1 0.5 0.2 33 4.3 0.8 2.6 0.1 0.2 0.2 0.7 0.3 0.5 1.0 2.8 3.9 34 0.8 0.1 0.3 0.3 3.5 32 0.3 1.0 0.4 12 42 0.5 0.4 0.3 1.5 4.0 3.6 0.5 1.3 0.6 1.4 36 4.4 0.7 1.6 0.9 2.3 0.5 0.7 0.6 45 4.0 37 4.5 1.8 1.0 0.91.0 3.6 38 4.8 2.1 4.7 4.3 1.0 1.9 1.2 5.2 1.6 1.4 1.5 1.6 2.4 1.7 2.5 5.1 4.6 39 4.3 2.6 2.1 2.3 40 4.2 3.1 5.5 4.9 2.3 3.1 2.4 7.3 3.3 9.6 3.9 3.0 3.3 5.3 3.2 3.9 5.7 4.3 3.9 41 5.6 4.2 4.7 11.2 42 4.8 4.7 6.3 5.8 4.4 5.0 4.5 5.8 12.0 7.7 5.6 6.3 5.5 6.7 6.3 5.8 6.2 43 5.3 9.1 6.9 7.6 11.5 44 5.9 6.4 6.7 6.6 7.5 7.7 7.5 8.8 8.8 10.5 10.0 8.2 8.8 7.6 6.4 6.5 8.8 45 5.2 8.8 10.1 9.4 9.6 97 9.6 46 5.5 8.5 6.1 6.4 9.6 10.6 10.4 10.2 10.4 6.5 10.5 10.6 47 4.2 9.3 5.4 5.9 10.0 10.3 4.2 10.1 11.2 10.8 10.3 48 3.8 9.4 4.5 5.2 10.7 10.2 8.9 9.5 2.1 9.0 49 2.8 8.5 3.5 4.3 9.6 8.2 7.0 1.0 7.3 9.0 8.4 8.0 2.1 26 3 3 6.0 51 1.9 5.1 1.8 2.4 6.4 4.2 6.1 0.4 5.0 6.5 0.2 3.0 3.8 24 4.0 43 52 1.5 1.0 1.5 1.7 2.5 22 0.6 0.8 24 1.3 2.3 0.1 1.0 0.7 1.0 1.1 0.6 1.1 1.0 1.1 54 0.5 0.3 0.4 0.3 0.5 0.1 0.2 0.5 0.3 0.5 0.1 0.3 0.3 55 0.1 0.1 0.1 0.2 0.1 0.2 56 0.1 0.3 0.1 0.1 57 0.1 0.1 0.1 0.1 0.1 58 59 60 & above 46 43 46 47 47 47 45 45 41 40 42 Average mike Fiber Strength 1/ 17 & below 18 19 0.1 0.1 20 0.1 0 1 21 0.5 0.4 22 0.1 0.1 1.3 0.9 0.2 2.7 2.0 0.1 0.1 0.1 0.1 0.1 0.1 23 0.1 0.2 0.6 0.4 0.6 0.6 0.8 0.6 4.7 24 0.6 0.6 3.6 2.6 2.8 2.1 0.7 3.0 2.3 1.8 6.9 5.4 2.8 5.8 2.5 8.2 6.4 7.9 9.0 9.9 9.1 26 5.0 3.4 9.4 7.6 11.7 11.3 19.1 21.8 19.5 11.5 16.1 13.4 27 16.3 6.3 17.6 21.9 13.2 25.1 28.9 25.6 16.5 21.6 20.3 10 4 13.6 28 13.0 13.8 21.1 21.4 21.2 18.0 24.6 21.3 22.3 17.8 13.4 12.8 12.6 9.9 12.2 16.4 23.3 15.9 18.3 15.2 13.8 12.2 12.9 9.9 10.9 5.9 3.4 5.6 14.8 14.8 8.4 10.5 31 13.7 9.6 6.4 3.4 4.3 123 7.7 24 11 2.2 5.7 6.9 32 1.8 9.9 3.9 4.7 0.9 0.3 0.8 3.6 1.5 0.7 1.0 0.8 0.6 0.3 2.6 0.3 0.3 0.4 7.2 19 0.134 0.5 4.3 0.8 1.3 0.1 0.1 0.1 0.2 0.1 0.2 35 0.1 0.1 0.1 0.4 0.8 29.4 28.9 30.6 28.4 28.8 28.3 28.1 28.3 29.2 28.5 28.8 Average Strength

^{1/} Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 29. – Percentage distribution of mike and strength for upland cotton classed, by classing office, 2006 crop.

Piles Strength			FLOR	RENCE		LAMESA	LUBBOCK		MACON	
MKE 25				Virginia	Office	Texas	Texas	Florida 2/	Georgia	l .
28										Total
26	24 & below	*	*	_	*	0.5	23			*
27	25	*	*	-	*		11	[]	*	*
27		*	*	-	*	14	11			*
289	27	*	*	-	*	+			*	*
29	28	*	*	-	*	11	11		*	*
30		*	*	*	*	1 1	11]	*	*
31		*	0.1	*	*				*	*
333 1		*	0.1	*	*	11	11		0.1	0.1
334 0.1 0.3 0.1 0.1 4.1 4.4 0.3 0.3 0.3 3.5 0.2 0.2 0.2 0.2 0.5 0.2 0.2 0.2 4.6 4.4 0.3 0.3 0.3 0.5 0.2 0.2 0.2 4.6 4.8 4.4 0.6 0.6 0.8 0.3 0.7 0.4 0.4 4.8 4.4 0.6 0.6 0.8 0.3 0.7 0.5 1.1 0.8 0.7 5.0 4.5 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8			0.2	*	0.1	3.1				
34		*	0.2	*	0.1	3.7				
36			0.3	0.1	0.1	4.1	11			
36 0.3 0.7 0.4 0.4 4.8 4.4 0.6 0.6 0.6 337 0.5 1.1 0.8 0.7 5.0 4.5 0.8 0.8 0.8 38 1.0 1.5 1.2 1.2 1.2 5.2 4.6 1.1 1.1 1.1 3.9 3.0 3.2 3.4 3.5 5.8 4.6 2.1 2.1 2.1 4.1 5.9 4.4 5.5 5.5 5.8 4.6 2.8 2.8 4.2 4.2 8.5 5.9 7.7 7.8 5.7 4.5 3.8 3.8 3.8 4.4 1.1 1.1 6.9 4.4 1.1 1.1 6.9 4.4 1.1 1.1 6.9 4.4 1.1 1.1 6.9 4.4 1.1 1.1 6.9 4.4 1.1 1.1 6.9 4.4 1.1 1.1 6.9 4.4 1.1 1.1 6.9 4.4 1.1 1.1 6.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1			0.5	0.2	0.2	4.6	+			
37		0.3	0.7	0.4	0.4	4.8				
38			1.1	0.8	0.7					
39			1.5	1.2	1.2					
40				2.2						
41			3.2	3.4	3.5					
42		5.9	4.4	5.5	5.5	5.8				
43		8.5	5.9	7.7	7.8	5.7				
44		10.4	7.3	10.0	9.7	5.6				
46		11.1	8.6	12.2	10.7	5.3	1			
46		11.3	9.5	13.0	11.0	4.9	3.8			
47 9.6 10.2 10.1 9.8 4.2 3.1 11.5 11.5 11.5 48 8.1 9.4 8.1 8.4 3.7 2.6 12.0 12.0 12.0 14.9 9.8 8.1 8.4 3.7 2.6 12.0 12.0 12.0 12.0 12.0 12.0 12.0 12.0		10.7	10.2	11.8	10.7	4.6	1			
48 8.1 9.4 8.1 8.4 3.7 2.6 12.0 12.0 49 6.3 8.1 5.8 6.7 3.3 2.1 11.1 11.1 11.1 11.1 11.1 50 6.2 3.5 4.8 2.4 1.5 8.8 8.8 8.8 6.5 1 2.9 4.6 2.0 3.2 1.5 1.0 6.3 6.3 6.3 52 1.6 3.0 1.2 1.9 0.9 0.7 3.9 3.9 3.9 53 0.7 1.5 0.6 0.9 0.4 0.4 0.4 1.8 1.8 1.8 54 0.3 0.6 0.3 0.4 0.1 0.2 0.6 0.6 0.6 55 0.1 0.1 1 0.1 1 0.2 0.2 0.6 0.6 0.6 55 0.1 0.1 1 0.1 1 0.2 0.2 0.2 0.6 0.6 0.6 0.5 59 0.1 0.1 1 0.1 1 0.2 0.2 0.2 0.6 0.8 800ve		9.6	10.2	10.1	9.8	4.2				
49		8.1	9.4	8.1	8.4	3.7	1			
50		6.3	8.1	5.8	6.7	1	1 1			
51 2.9 4.6 2.0 3.2 1.5 1.0 6.3 6.3 3.9 3.0 4 3.6 3.6 3.8 4.7 4.7 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2		4.5	6.2	3.5	4.8	2.4		_		
52 1.6 3.0 1.2 1.9 0.9 0.7 3.9 3.9 53 0.7 1.5 0.6 0.9 0.4 0.4 1.8 1.0 0.6 0.2	51	2.9	4.6	2.0	3.2	1.5	1			
53		1.6	3.0	1.2	1.9	0.9	1			
54 0.3 0.6 0.3 0.4 0.1 0.2 0.6 0.6 55 0.1 0.1 0.1 · 0.1 · 0.1 · 0.1 0.2 0.2 0.2 0.2 0.2 0.5 66 · · · · · · · · · · · · · · · · · ·		1	1.5	0.6	0.9	0.4	0.4			
55		0.3	0.6	0.3	0.4	0.1	0.2			
56		0.1	0.1	*	0.1	*	1			
58 *		*	*	*	*	*	*		*	*
Solution		*	*	*	*	*	*		w	*
Average mike 45 46 45 45 40 38 47 47 Fiber Strength 1/ 17 & below -		*	*	-	*	-	*		*	*
Average mike 45 46 45 45 40 38 47 47 Fiber Strength 1/ 17 & below -	59	-	-	-		-	-			
Fiber Strength 1/ 17 & below	60 & above	-	-	_	-	-	-			
17 & below 18		45	46	45	45	40	38		47	47
18 -	Fiber Strength 1/									
19 -	17 & below	-	-	-	-	- 1	-		_	
20		-	-	-	-	-	*		-	
21 -		-	-			-	*		-	-
22 *		-	-	-	-	-	*		*	*
23 *		-	-	-		*	w		*	*
23 *		*	*	*	*	*	0.1		*	*
24 0.1 0.2 0.1 0.1 1.3 1.1 0.2 0.2 25 0.5 0.9 0.4 0.6 4.1 2.6 1.7 1.7 26 2.3 3.3 1.6 2.5 8.3 5.4 6.6 6.6 27 7.8 9.0 5.7 7.9 11.8 9.2 17.1 17.2 28 17.0 18.8 14.2 17.2 13.3 13.6 28.3 28.6 29 24.2 25.2 23.5 24.4 14.9 17.6 25.3 25.2 30 21.4 21.5 23.5 21.6 16.8 19.1 13.4 13.2 31 13.9 12.5 15.9 13.7 14.5 15.7 5.1 5.0 32 7.6 5.7 8.7 7.3 8.6 9.4 1.6 1.6 33 3.6 2.2 4.4 3.4 4.0 4.0 0.5 0.5 34 1.3 0.6 1.7 1.2 <t< td=""><td></td><td>*</td><td>*</td><td>*</td><td>*</td><td>0.3</td><td></td><td></td><td>*</td><td>*</td></t<>		*	*	*	*	0.3			*	*
25 0.5 0.9 0.4 0.6 4.1 2.6 1.7 1.7 26 2.3 3.3 1.6 2.5 8.3 5.4 6.6 6.6 27 7.8 9.0 5.7 7.9 11.8 9.2 17.1 17.2 28 17.0 18.8 14.2 17.2 13.3 13.6 28.3 28.6 29 24.2 25.2 23.5 24.4 14.9 17.6 25.3 25.2 30 21.4 21.5 23.5 21.6 16.8 19.1 13.4 13.2 31 13.9 12.5 15.9 13.7 14.5 15.7 5.1 5.0 32 7.6 5.7 8.7 7.3 8.6 9.4 1.6 1.6 33 3.6 2.2 4.4 3.4 4.0 4.0 0.5 0.5 34 1.3 0.6 1.7 1.2 1.5 1.		I .	0.2	0.1	0.1				0.2	0.2
26 2.3 3.3 1.6 2.5 8.3 5.4 6.6 6.6 27 7.8 9.0 5.7 7.9 11.8 9.2 17.1 17.2 28 17.0 18.8 14.2 17.2 13.3 13.6 28.3 28.6 29 24.2 25.2 23.5 24.4 14.9 17.6 25.3 25.2 30 21.4 21.5 23.5 21.6 16.8 19.1 13.4 13.2 31 13.9 12.5 15.9 13.7 14.5 15.7 5.1 5.0 32 7.6 5.7 8.7 7.3 8.6 9.4 1.6 1.6 33 3.6 2.2 4.4 3.4 4.0 4.0 0.5 0.5 34 1.3 0.6 1.7 1.2 1.5 1.3 0.1 0.1 35 0.2 0.1 0.3 0.2 0.5 0.3 * * 36 & above 0.1 * 0.1 0.1					0.6					
27 7.8 9.0 5.7 7.9 11.8 9.2 17.1 17.2 28 17.0 18.8 14.2 17.2 13.3 13.6 28.3 28.6 29 24.2 25.2 23.5 24.4 14.9 17.6 25.3 25.2 30 21.4 21.5 23.5 21.6 16.8 19.1 13.4 13.2 31 13.9 12.5 15.9 13.7 14.5 15.7 5.1 5.0 32 7.6 5.7 8.7 7.3 8.6 9.4 1.6 1.6 33 3.6 2.2 4.4 3.4 4.0 4.0 0.5 0.5 34 1.3 0.6 1.7 1.2 1.5 1.3 0.1 0.1 35 0.2 0.1 0.3 0.2 0.5 0.3 * * 36 & above 0.1 * 0.1 0.1 0.1 0.1 0.1 *				1.6	2.5					
28 17.0 18.8 14.2 17.2 13.3 13.6 28.3 28.6 29 24.2 25.2 23.5 24.4 14.9 17.6 25.3 25.2 30 21.4 21.5 23.5 21.6 16.8 19.1 13.4 13.2 31 13.9 12.5 15.9 13.7 14.5 15.7 5.1 5.0 32 7.6 5.7 8.7 7.3 8.6 9.4 1.6 1.6 33 3.6 2.2 4.4 3.4 4.0 4.0 0.5 0.5 34 1.3 0.6 1.7 1.2 1.5 1.3 0.1 0.1 35 0.2 0.1 0.3 0.2 0.5 0.3 * * 36 & above 0.1 * 0.1 0.1 0.1 0.1 0.1 0.1 *					7.9		9.2			
29 24.2 25.2 23.5 24.4 14.9 17.6 25.3 25.2 30 21.4 21.5 23.5 21.6 16.8 19.1 13.4 13.2 31 13.9 12.5 15.9 13.7 14.5 15.7 5.1 5.0 32 7.6 5.7 8.7 7.3 8.6 9.4 1.6 1.6 33 3.6 2.2 4.4 3.4 4.0 4.0 0.5 0.5 34 1.3 0.6 1.7 1.2 1.5 1.3 0.1 0.1 35 0.2 0.1 0.3 0.2 0.5 0.3 * * * 36 & above 0.1 * 0.1 0.1 0.1 0.1 0.1 * *					17.2	13.3	1			
30					24.4	14.9	17.6			
31 13.9 12.5 15.9 13.7 14.5 15.7 5.1 5.0 32 7.6 5.7 8.7 7.3 8.6 9.4 1.6 1.6 1.6 33 3.6 2.2 4.4 3.4 4.0 4.0 0.5 0.5 0.5 34 1.3 0.6 1.7 1.2 1.5 1.3 0.1 0.1 0.1 35 0.2 0.1 0.3 0.2 0.5 0.3 0.3 = * 36 & above 0.1 * 0.1 0.1 0.1 0.1 * *					21.6	16.8				
32 7.6 5.7 8.7 7.3 8.6 9.4 1.6 1.6 33 3.6 2.2 4.4 3.4 4.0 4.0 0.5 0.5 34 1.3 0.6 1.7 1.2 1.5 1.3 0.1 0.1 35 0.2 0.1 0.3 0.2 0.5 0.3 - * 36 & above 0.1 * 0.1 0.1 0.1 * *					13.7					
33 3.6 2.2 4.4 3.4 4.0 4.0 0.5 0.5 3.4 3.4 1.3 0.6 1.7 1.2 1.5 1.3 0.1 0.1 0.1 3.5 0.2 0.1 0.3 0.2 0.5 0.5 0.3 0.3 0.2 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1					7.3					
34 1.3 0.6 1.7 1.2 1.5 1.3 0.1 0.1 35 0.2 0.1 0.3 0.2 0.5 0.3 0.2 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1										
35 0.2 0.1 0.3 0.2 0.5 0.3 = * 36 & above 0.1 * 0.1 0.1 0.1 0.1 *		1.3		1.7			1 1			
36 & above 0.1 * 0.1 0.1 0.1 0.1 * *						11				
Average Strength 29.5 29.2 29.8 29.5 29.1 29.4 28.4 28.4	36 & above	0.1	*		0.1		- 11		*	*
	Average Strength	29.5	29.2	29.8	29.5	29.1	29.4		28.4	28.4

^{1/} Fiber strength expressed in terms of 1/8" gage (grams per tex). Less than 0.05 percent.
2/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 30. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2006 crop.

MEMPHIS

PHOENIX

					Lau I					Classing
				T	Classing Office	Arizona	California	New	Texas 2/	Office
Mike and	Arkansas	Missouri	Mississippi	Tennessee	Total	Alizonia	Camorina	Mexico		Total
Fiber Strength					Total					
MIKE					*	0.1	0.1	0.4		0.1
24 & below		-	-	*	*	0.1	0.1	0.2		0.1
25					*	0.1	0.1	0.5		0.2
26					*	0.2	0.3	0.8		0.2
27	*		-		*	0.2	0.3	0.9		0.3
28	*	*			*	0.2	0.3	1.2		0.3
29	*	0.1	*	*	*	0.3	0.6	1.4		0.5
30	*	0.2					0.6	2.1		0.6
31	*	0.3			0.1	0.5	0.0	2.7		0.8
32	*	0.5		0.1	0.1	0.6	0.7	4.4		0.9
33	0.1	0.8	4	0.1	0.3	0.7		6.0		1.3
34	0.1	1.2	0.1	0.1	0.4	1.0	1.0	7.6		1.6
35	0.2	1.6	0.4	0.2	0.6	1.3	1.1			2.0
36	0.5	2.2	0.5	0.4	0.9	1.6	1.0	8.7		2.5
37	1.0	3.1	0.7	0.6	1.4	2.2	1.3	9.0		
38	1.7	4.2	1.0	0.9	2.0	2.8	1.7	10.2		3.1
39	3.0	5.4	1.5	1.4	3.0	3.8	2.9	10.1		4.1
40	4.6	6.9	2.4	2.1	4.3	4.4	3.8	8.4		4.7
41	6.7	8.1	3.6	3.2	5.8	4.8	5.5	7.2		5.1
42	8.6	9.0	4.5	4.6	7.2	5.1	6.2	6.5		5.4
43	10.3	9.6	5.6	6.2	8.6	5.6	9.2	4.8		6.1
44	11.2	9.6	6.7	8.0	9.6	6.5	9.0	3.2		6.7
45	11.0	9.3	7.6	9.7	10.0	7.6	10.2	1.7		7.6
46	10.6	8.2	8.5	11.0	10.1	8.4	10.5	0.9		8.1
47	9.6	6.9	9.3	11.7	9.6	8.7	9.3	0.6		8.2
48	7.9	5.5	9.9	11.1	8.4	8.3	6.6	0.3		7.5
49	5.5	3.5	9.3	9.4	6.4	7.8	4.9	0.1		6.8
50	3.4	2.0	8.6	7.1	4.5	6.3	4.8	*		5.7
51	2.0	1.0	7.1	4.8	2.9	4.7	4.1	*		4.3
	1.1	0.5	5.4	3.2	1.8	3.1	2.0	*		2.7
52 53	0.5	0.2	3.5	2.0	1.0	1.8	0.8	*		1.6
	0.3	0.2	2.2	1.3	0.6	0.7	0.2	*		0.6
54 55	0.2	*	1.0	0.6	0.3	0.2	0.2	_		0.2
	0.1		0.3	0.1	0.1	0.1	*	_		0.1
56		*	0.3	*	*	*	*			*
57			U. I	*	*		_			
58			*	*	*		_	_		
59		•								
60 & above	- 45	- 42	47	46	45	45	44	38		44
Average mike	45	43	41	40	43	45		- 30		
Fiber Strength 1/										
17 & below	-	-	-	-		•	-			
18	-	-	-	•	•					*
19	-	-	-	-	•		1	-		
20	-	-	-	-	•		•	-		
21	-	-		•	•		7			
22	*	*	*	*	*	•	•	*		
23	*	*	0.1	*	*	0.1	*	0.2		0.1
24		0.1	0.8	*	0.1	0.3	0.1	1.0		0.3
25	0.3	0.3	3.0	0.3	0.4	1.2	0.3	3.3		1.2
26	1.6	1.6	7.9	1.3	1.8	3.3	0.7	6.5		3.2
27	6.3	5.8	14.2	4.7	5.9	6.8	2.6	8.7		6.5
28	16.8	15.0	19.0	12.4	15.0	12.3	7.4	13.1		11.8
29	26.4	25.2	20.0	23.0	24.7	18.6	17.7	17.6		18.5
30	26.3	27.0	15.7	26.3	26.1	21.4	30.7	18.5		22.4
31	15.1	16.4	10.0	18.5	16.3	18.0	25.7	12.9		18.6
01	5.3	6.3	5.1	8.9	6.7	10.7	10.9	8.9		10.6
32	0.0				2.2	4.8	3.2	5.5		4.6
32 33		1.8	27	3.3	6.6					
33	1.4	1.8	2.7	3.3 1.0						1.6
33 34	1.4 0.3	0.4	1.1	1.0	0.6	1.7	0.6	2.6		1.6
33	1.4									

Average Strength 29.4 29.6 28.8 29.8 29.6

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). Less than 0.05 percent.

^{2/} Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 31. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2006 crop.

RAYVILLE

VISALIA

Mike and Fiber Strength	Arkansas /2	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
MIKE						
24 & below		*	-	*	*	0.4
25		*	-	*	*	0.3
26		*		*	*	0.4
27		*	-	*	0.1	0.5
28		*		*	0.1	0.6
29		*		*	0.1	0.7
30		*	-		0.1	0.8
31			-		0.2	0.9
32		*	*	*	0.3	1.0
33		*	*	*	0.5	1.1
34		0.1	*	*	0.7	1.2
35		0.1	0.1	0.1	1.2	1.4
36		0.2	0.2	0.2	2.1	1.7
37		0.3	0.3	0.3	3.4	2.0
38		0.5	0.5	0.5		
39		0.8	1.0	0.9	4.5	2.4
40		1.3	1.7	1.3	6.2	3.0
41		2.0	2.8		7.6	3.8
42		2.9	4.2	2.1	9.2	4.8
43				3.0	10.7	5.8
44		4.1	6.0	4.3	10.9	6.8
		5.7	6.9	5.8	11.1	7.6
45		7.8	8.6	7.8	10.1	8.1
46		10.5	10.7	10.5	8.4	8.4
47		13.6	12.4	13.5	5.4	8.5
48		15.8	13.5	15.7	3.3	8.0
49		14.8	12.7	14.6	2.1	6.9
50		10.3	10.1	10.3	1.0	5.2
51		5.5	5.5	5.5	0.3	3.5
52		2.3	2.1	2.3	0.2	2.1
53		0.9	0.4	0.9	0.1	1.1
54		0.3	0.1	0.3	*	0.5
55		0.1	*	0.1	*	0.2
56		*	*	*		*
57			•	*		*
58			*	-		*
59		•	-	*	-	*
60 & above		-	-			*
Average mike		47	47	47	43	43.8
iber Strength 1/						
17 & below			_			*
18					_	*
19						*
20						*
21		*	-	*	-	
22					-	0.4
		0.0	0.4	0.0	-	0.1
23		0.2	0.1	0.2	*	0.2
24		1.0	0.7	1.0		0.7
25		4.5	3.0	4.4	0.0	2.0
26		14.0	10.2	13.8	0.2	5.4
27		24.1	21.1	23.9	0.7	11.2
28		23.9	26.7	24.1	1.6	17.6
29		16.9	21.6	17.3	2.1	20.4
30		9.3	11.5	9.4	2.9	18.0
31		4.1	3.8	4.1	4.9	12.0
32		1.4	1.0	1.4	7.8	6.2
33		0.4	0.2	0.3	12.9	2.8
33			*	0.1	21.9	1.5
34		0.1		0.1	2.1.0	1.0
		0.1	*	*	23.8	1.0
34			*			

^{1/} Fiber strength expressed in terms of 1/8" gage (grams per tex). Less than 0.05 percent.

^{2/} Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

CORPUS

Table 32. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2006 crop

		ABILI	ENE		Е	BIRMINGHA	M	CHRISTI		DUMAS	
Mike Groupings,				Classing			Classing			Adianianiani	Classing Office
Uniformity and Trash	Kansas	Oklahoma	Texas	Office Total	Alabama	Florida	Office Total	Texas	Arkansas	Mississippi	Total
MIKE		1									
24 & below	0.5	0.1	0.3	0.3			*		-	*	-
25 - 26	1.5	0.2	0.6	0.6		0.1	*	-	-	-	-
27 - 29	4.6	0.9	2.6	2.5	0.1	0.4	0.1		-	-	-
30 - 32	9.5	1.5	5.8	5.5	0.2	0.5	0.2	0.2	-	-	-
33 - 34	8.2	1.8	5.7	5.3	0.3	1.2	0.4	0.8	0.1	0.3	0.2
35 - 36	8.6	2.7	7.4	6.8	0.8	2.2	1.0	2.2	0.4	0.8	0.7
37 - 42	27.0	18.2	31.7	28.9	13.3	18.0	13.9	39.3	15.0	12.5	13.3
43 - 49	32.7	55.3	39.2	41.2	62.0	61.5	61.9	55.6	66.5	62.6	63.9
50 - 52	5.4	15.4	5.4	7.1	18.9	13.6	18.2	1.7	15.3	19.6	18.2
53 & above	1.9	3.8	1.2	1.7	4.4	2.3	4.2	0,1	2.6	4.1	3.6
Average mike	40	45	41	42	47	45	46	43	46	47	47
Mike 35 - 49	68.3	76.2	78.4	76.9	76.1	81.8	76.8	97.1	82.0	76.0	77.9
Uniformity 1/											
72 & below	-	-	*	*	-	-	-	-	-	-	•
73	_	*	*	*	-	-	-	- !	-	•	•
74		*	*	*	-	-	-	-	-	-	-
75	*		0.3	0.2	*	*	*	*	-	_	•
76	0.1	0.2	1.2	0.9	*	*	*	*	-	~ F	
77	0.4	0.9	3.7	2.8	0.4	0.3	0.4	0.4	0.2	0.5	0.4
78	2.4	3.3	9.0	7.3	3.8	3.3	3.7	2.0	1.2	3.5	2.8
79	11.1	9.2	16.5	14.7	14.6	16.8	14.8	7.9	6.2	13.0 25.0	10.8
80	31.0	19.4	22.9	23.2	28.9	36.2	29.9	18.2	19.7	28.6	28.3
81	36.0	28.5	23.4	25.7	30.6	29.1	30.4	29.6	27.8 32.3	21.7	25.1
82	16.6	24.6	16.0	17.5	16.8	10.8	16.1	30.6	11.4	7.2	8.5
83	2.4	11.4	6.0	6.5	4.4	2.9	4.3	1.0	1.1	0.6	0.8
84	0.1	2.3	1.0	1.1	0.4	0.4	0.4	1.0	0.1	*	*
85		0.2	0.1	0.1	*			*		_	_
86	-	-	-	· ·					_	_	
87 88	-	-	-							-	
89			-						-		
90 & above			_		_	-		_	-		-
Average uniformity	80.6	81.0	80.3	80.4	80.6	80.4	80.5	81.1	81.2	80.7	80.9
Trash 2/											
00	_	*	*	*	-			-	-	*	*
01	0.8	10.9	10.8	9.7	1.6	0.5	1.5	2.7	0.9	1.7	1.4
02	8.0	28.8	28.0	26.0	15.2	11.3	14.7	15.4	7.8	11.3	10.2
03	17.1	24.8	23.9	23.3	29.1	32.0	29.5	21.0	19.0	20.4	19.9
04	16.0	13.1	13.3	13.6	24.8	30.0	25.4	17.6	22.6	20.2	21.0
05	15.9	9.0	9.5	10.1	15.1	16.4	15.3	15.0	19.2	16.4	17.3
06	12.9	5.3	5.8	6.5	6.9	6.0	6.8	10.7	13.8	12.3	12.8
07	10.2	3.3	3.6	4.3	3.7	2.3	3.5	7.3	8.0	7.8	7.9
08	6.4	1.8	1.9	2.4	1.7	0.9	1.6	4.3	4.5	4.8	4.7
09	4.5	1.1	1.2	1.6	0.8	0.3	0.7	2.3	1.8	2.2	2.1
10	2.6	0.6	0.7	0.9	0.5	0.2	0.4	1.4	1.1	1.4	1.3
11	1.7	0.4	0.4	0.6	0.3	0.1	0.2	0.8	0.7	0.8	0.8
12	1.1	0.3	0.3	0.4	0.2	*	0.1	0.5	0.3	0.4	0.4
13	0.6	0.2	0.2	0.2	0.1	*	0.1	0.3	0.1	0.1	0.1
14	0.5	0.1	0.1	0.2	0.1	*	*	0.2	0.1	0.1	0.1
15	0.4	0.1	0 1	0.1	*	*	*	0.1	*		*
16	0.3	0.1	0.1	0.1	*		*	0.1	*	*	*
17	0.2	*	*	0.1		*		0.1	*	*	*
18 & above	0.8	0.1	0.1	0.2	*	*	*	0.1	11		
Average trash	0.55	0.34	0.35	0.37	0.39	0.39	0.39	0.45	0.48	0.47	0.47

¹ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 33. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2006 crop

FLORENCE LAMESA LUBBOCK MACON Mike Groupings, Classing Classing Uniformity and North South Virginia Office Texas Texas Florida 3/ Georgia Office Trash Carolina Carolina Total Total 24 & below 0.5 23 * 25 - 26 1.0 3.8 27 - 29 _ 3.7 9.3 0.1 30 - 32 0.1 0.3 0.1 7.6 11.9 0.2 0.2 33 - 34 0.1 0.5 0.1 0.2 7.9 8.6 0.4 0.4 35 - 36 0.5 1.2 0.6 0.6 9.3 8.9 1.0 1.0 37 - 42 21.5 18.3 20.6 20.7 33.2 27.5 12.1 12.2 43 - 49 67.7 63.4 71.0 67.0 31.5 23.7 64.4 64.5 50 - 52 9.0 13.9 6.7 9.9 4.8 3.2 19.0 18.9 53 & above 12 2.2 0.9 1.4 0.5 0.6 2.6 2.6 Average mike 45 46 45 45 40 38 47 47 Mike 35 - 49 89.6 82.9 92.3 88.3 74.0 60.1 77.6 77.7 Uniformity 1/ 72 & below 73 74 75 76 0.2 0.2 77 0.9 0.8 0.5 0.5 78 0.2 0.8 0.1 0.3 3.5 2.7 4.6 4.5 1.5 5.5 0.5 2.3 11.0 8.6 16.9 16.7 80 6.9 19.3 3.4 9.4 24.4 20.2 33.9 34.3 81 21.0 35.0 14.6 23.6 33.2 31.5 26.7 26.8 82 36.6 28.2 37.2 34.8 21.0 25.4 11.9 11.8 83 27.1 9.7 35.2 23.8 5.3 9.2 4.4 4.4 84 6.4 1.4 8.5 5.4 0.5 1.4 0.9 0.9 85 0.4 0.1 0.6 0.3 0.1 86 87 88 89 90 & above Average uniformity 82.0 81.2 82.3 81.8 80.7 81.0 80.4 80.4 Trash 2/ 00 01 0.1 0.1 9.6 6.7 0.8 0.8 02 2.0 5.1 1.2 2.7 30.2 27.1 14.0 13.8 11.7 20.9 9.0 13.6 26.3 26.2 30.8 30.7 04 198 24.2 18.5 20.7 15.6 17.2 25.7 25.8 05 23.3 21.0 24.6 22.9 8.5 10.0 15.0 15.1 06 18.0 13.3 20.4 17.1 4.6 5.6 7.9 8.0 07 11.4 7.4 13.2 10.6 2.5 3.1 3.1 3.1 08 6.4 3.9 7.1 5.9 1.3 1.8 1.5 1.5 09 3.1 1.9 3.1 2.9 0.6 1.0 0.6 0.6 10 1.7 1.0 1 4 1.5 0.4 0.6 0.3 0.3 11 1.0 0.6 0.8 0.9 0.2 0.3 0.2 0.2 12 0.6 0.3 0.4 0.5 0.1 0.2 0.1 0.1 13 0.3 0.1 0.1 0.2 0.1 0.1 14 0.2 0.1 0.1 0.2 0.1 15 0.1 0.1 16 0.1 0.1 17 18 & above 0.2 0.1 Average trash 0.55 0.48 0.56 0.53 0.32 0.35 0.39 0.39

^{1.} A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

³ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 34. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2006 crop

MEMPHIS

PHOENIX

24 & below 25 - 26 27 - 29 30 - 32 33 - 34 35 - 36 37 - 42 43 - 49 50 - 52 53 & above	0.1 0.7 25.5	0.1 0.9 2.0	:		Total *	0.1	0.1	Mexico	Total
25 - 26 27 - 29 30 - 32 33 - 34 35 - 36 37 - 42 43 - 49 50 - 52	0.7	0.9		-	*	0.1	0.1		
27 - 29 30 - 32 33 - 34 35 - 36 37 - 42 43 - 49 50 - 52	0.7	0.9		-		0.1	0.1	0.4	0.1
30 - 32 33 - 34 35 - 36 37 - 42 43 - 49 50 - 52	0.7	0.9	•		•	0.2	0.3	0.7	0.2
33 - 34 35 - 36 37 - 42 43 - 49 50 - 52	0.7			-	-	0.6	0.9	3.0	0.8
35 - 36 37 - 42 43 - 49 50 - 52	0.7	2.0	-	0.1	0.2	1.5	1.9	6.2	1.8
37 - 42 43 - 49 50 - 52			0.1	0.2	0.6	1.7	1.6	10.4	2.2
43 - 49 50 - 52	25.5	3.8	0.9	0.6	1.5	2.9	2.1	16.3	3.6
50 - 52		36.6	13.7	12.8	23.7	23.2	21.3	51.4	25.0
	66.3	52.7	57.0	67.1	62.8	52.9	59.6	11.6	51.1
53 & above	6.5	3.5	21.1	15.1	9.1	14.2	11.0		12.7
	0.8	0.3	7.1	4.0	2.0	2.8	1.2		2.4
Average mike	45	43	47	46	45	45	44	38	44
Mike 35 - 49	92.5	93.1	71.5	80.5	87.9	78.9	83.0	79.2	79.7
Uniformity 1/									
72 & below	-	-	•	-	-		-	-	-
73	-	-	-	-		*	-		*
74	*	-	-	•	-	•	-	-	*
75	-	-	-	•	-	*	-	*	*
76	•	-	-	-	-	0.1	*		0.1
77	*	*	0.3	*	*	0.5	0.2	0.2	0.4
78	0.2	0.1	2.7	0.1	0.2	1.9	1.3	1.5	1.8
79	1.5	0.5	9.4	0.6	1.3	7.3	6.9	7.5	7.3
80	6.1	3.0	21.1	3.7	5.1	21.0	27.8	16.5	21.6
81	21.4	14.0	31.3	15.6	18.1	34.0	43.9	32.4	35.3
82	40.5	36.0	26.1	35.6	37.2	26.5	18.6	26.9	25.4
83	25.8	37.3	8.2	33.3	30.4	7.7	1.3	12.5	7.1
84	4.1	8.7	0.9	10.2	7.1	0.9	*	2.3	0.8
85	0.2	0.6	0.1	0.9	0.5	•		0.1	*
86		*	*	*	*		-	-	*
87	-	-	-	•	- []	-	-	40	
88	•	-	-	•	- 11	-	-	-	-
89	•	-	-	-	-	-	•	-	
90 & above Average uniformity	82.0	82.3	94.0	-	-	-	-	-	-
Trash 2/	02.0	02.3	81.0	82.3	82.1	81.0	80.7	81.2	81.0
00	*				*	*			
01	0.2	0.1	0.5	0.4	0.3	32.1		44.4	*
02	4.3	3.5	7.9	7.3	5.2	42.6	53.4	11.4	33.7
03	16.2	14.4	18.6	19.9	17.1	14.5	34.1	37.9	41.3
04	24.7	22.9	21.8	24.1	23.9	4.3	5.4 1.5	27.6	 14.1
05	22.9	23.2	19.8	20.4	22.0	2.2		12.0	4.3
06	15.8	17.1	14.4	13.5	15.3	1.4	1.2	6.1	2.3
07	8.9	10.2	8.6	7.6	8.8	1.0	1.0	2.8	1.4
08	4.4	5.2	4.6	3.9	4.5	0.7	1.0	1.2	1.0
09	1.4	1.7	1.7	1.4	1.5		0.8	0.5	0.7
10	0.7	0.9	0.9	0.8		0.4	0.6	0.2	0.4
11	0.3	0.4	0.5	0.4	0.8	0.3	0.4	0.1	0.3
12	0.1	0.2	0.3	0.4	0.4	0.2	0.3	0.1	0.2
13	*	0.1	0.3	0.2	0.2	0.1	0.2		0.1
14	*	*	0.1	0.1	*	0.1	0.1		0.1
15	*	*	*	*	*	0.1	0.1	*	0.1
16	*	*	*	*				*	*
17	*	*		*	*	*			*
18 & above	*	*	*	*	*	*	*		*
Average trash	0.49	0.51	0.48	0.47	0.49	0.22	0.19	0.28	*

Average trash | 0.49 | 0.51 | 0.48 | 0.47 | 0.49 | | 0.22 | 0.19 | 0.28 |

1. A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. Less than 0.05 percent.

3. Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 35. – Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2006 crop

RAYVILLE

VISALIA

Mike Groupings,						
Uniformity and Trash	Arkansas 3/	Louisiana	Mississippi	Classing Office Total	California	UNITED
24 & below						STATES
25 - 26		· ·	-	*	*	0.4
27 - 29		•	-			
30 - 32		-			0.3	0.7
33 - 34		-			0.6	1.8
35 - 36		0.1			1.1	2.7
		0.3	0.3	0.3		2.3
37 - 42		7.9	10.6	8.1	3.3	3.1
43 - 49		72.3	70.8	72.1	41.7	21.8
50 - 52		18.1	17.6	18.1	51.4	54.3
53 & above		1.3	0.6	1.3	1.5	10.8
Average mike		47	47	47	0.1	1.8
Mike 35 - 49		80.5	81.7	80.5	43	43.8
Uniformity 1/				00.3	96.3	79.2
72 & below						
73		_		•	-	*
74				-	-	*
75		*	*		-	*
76		0.1			-	*
77		1.1	0.4	0.1	*	0.1
78		7.1		1.1	*	0.5
79		22.9	3.0	6.9	0.3	2.7
80		29.9	12.6 25.6	22.2	1.2	9.0
81		21.9		29.6	2.5	19.0
82		12.7	28.3	22.4	8.5	25.6
83		3.8	20.9	13.2	28.6	25.5
84		0.4	8.2	4.1	37.6	14.2
85		*	0.9	0.4	16.2	3.1
86		*		*	4.3	0.3
87			· ·	*	0.8	*
88		-	~	-	*	*
89		•	-	-		
90 & above		-	-	-	-	
verage uniformity		80.2	-	-	-	
Trash 2/		00.2	80.8	80.2	82.7	81.2
00		*				
01		3.1	-	*	*	*
02		19.8	0.9	2.9	17.5	4.4
03		30.1	11.0	19.2	43.6	16.4
04		21.1	27.3	29.8	23.3	22.5
05		12.7	27.0	21.4	8.9	20.0
06		6.6	17.8	13.1	3.5	15.2
07		3.4	8.7	6.8	1.5	9.8
08		1.7	4.1	3.5	0.7	5.6
09		0.7	1.9	1.7	0.4	3.1
10			0.6	0.7	0.2	1.3
11		0.4	0.3	0.4	0.1	0.7
12		0.2	0.2	0.2	0.1	0.4
13		0.1	0.1	0.1	0.1	0.2
14		*	*	0.1	*	0.1
15			*	*	*	0.1
16		*	*	*	*	*
17			-	*	*	*
		*	*	*	*	*
18 & above		*	*	*		*
Average trash		0.37	0.41	0.38	0.25	

A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent,

^{3/} Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 36. -- Percentage distribution of color, staple and uniformity for American Pima cotton classed, by states and United States, 2006 crop.

2 1,568 11.7 15,160 2.3 54 0.2 132 0.3 16,914 2.3 3 4 · 201 · 5 · 210 · 5 · 210 · 5 · 210 · 5 · 210 ·	Designation	Leaf		Arizona		California		New Mexico		Texas		United States	
Total		1						•				1.5	
O		i .		11.7					132	0.3		2.3	
Total	01	1	-	-				-	-	-			
Total		1	-		-	-	-	-	-	•	-	-	
1		j.						:		-		-	
2 9192 68 425,914 65 2 7328 36 36 39 443,328 60 327 36 40 327 36 36 37 36 36 37 36 37 37	Total								189	0.5	28,025	3.8	
22							1		204			2.4	
100													
Total	02		-								4,997	0.7	
77											36		
1			-	-	-	-	-						
2	Total		10,040							75.1		81.4	
1			287							18.0			
S				1.3	44,907		· ·					6.9	
Total	03									*			
Total					1		-		-			0.1	
1	Total		405	-			-	-	-	-	1		
2	TOtal		485					19.9	9,683			13.3	
04 4 19 0.1 3.585 0.5 30 0.1 52 0.1 3,727 0.5 6 0.1 5.2 0.1 3,727 0.5 6 39 0.3 468 0.1 666 0.3 2 · 575 0.1 6 4 · 3 34 · · · · · · · · · · · · · · ·		2		0.8		0.2	1		26				
S	04								52	0.1	3,727	0.5	
6	04												
Total		6			34	•				-			
1	Total		225	1.7					. 440	-	2		
187 187						- 1.1					1	1.1	
05							-	-		-	187		
Total	05		1										
6		5	19	0.1								0.1	
Total			i		(•			I.	-	66	•	
1	Total					0.2			252	0.6		0.2	
06			-	-	1	ė					The second secon		
06			-	- 1		:	1		[-	•		
Total	06												
Total			-			*	38			*	73	*	
Total							9			-	37		
07	Total		0	0.0	252		49	0.2	109	0.2	410	0.0	
07				-				-				-	
07				-			-			-			
Total	07		•	-		*			12	•	1		
Total 0 0.0 9 0 0.0 14 0.0 23 0.0 STAPLE 40 & shorter 42					1				2	•	3.0	*	
STAPLE 40 & shorter 42	Tatal		-	-	-	-	-	-			-		
40 & shorter 42			0	0.0	9	*	0	0.0	14	0.0	23	0.0	
42					-		-				18		
44													
48 & longer 5,810 43.4 521,837 79.9 9,608 44.4 9,993 24.0 547,248 75.0 Average 46.6 48.0 46.8 46.8 46.2 47.8 Tol. 100,100,100,100,100,100,100,100,100,100											19,086		
Average 46.6 48.0 46.8 46.2 47.8 UNIFORMITY 72 & below	48 & longe	r	5,810	43.4	521,837	79.9							
72 & below 73			46.	6	48.	0	46.8		46.				
74 75 76 77 78 78 79 79 70 11 78 79 70 70 71 78 79 70 70 70 70 70 70 70 70 70 70 70 70 70	72 & belov												
75 76 77 78				-	-					-			
76 77 78							•	-	•		-	-	
78	76					-		-				1	
79				-	-	-	-	-	-	-	-		
80 1							3		3				
81		80		į.	205		12						
83 684 5.1 34,419 5.3 1,892 8.7 3,389 8.2 39,780 5.5 84 2,565 19.2 101,230 15.5 5,249 24.3 9,903 23.8 117,307 16.1 5.1 86 2,908 21.7 196,909 30.1 4,859 22.5 9,148 22.0 211,278 29.0 87 1,490 11.1 54,072 8.3 1,321 6.1 2,487 6.0 57,887 7.9 88 406 3.0 7,683 1.2 109 0.5 334 0.8 8,128 1.1 90 & above 1 1 2 2 5 5 186 2 2 4 2 4 3 2 5 5 186 2 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									156	0.4	1,902		
84 2,565 19.2 101,230 15.5 5,249 24.3 9,903 23.8 117,307 16.1 5,180 38.7 247,425 37.9 7,670 35.5 15,287 36.8 272,831 37.4 8.6 2,908 21.7 196,909 30.1 4,859 22.5 9,148 22.0 211,278 29.0 87 1,490 11.1 54,072 8.3 1,321 6.1 2,487 6.0 57,887 7.9 8.8 406 3.0 7,683 1.2 109 0.5 33.4 0.8 8,128 1.1 90 & above 1 1.79 2 2 5 18.6 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0	83												
86 2,908 21.7 196,909 30.1 4,859 22.5 9,148 22.0 211,278 29.0 87 1,490 11.1 54,072 8.3 1,321 6.1 2,487 6.0 57,887 7.9 88 408 3.0 7,683 1.2 109 0.5 334 0.8 8,128 1.1 179 2 2 5 5 186 186 1.1 190 8,300 1 179 2 2 5 5 186 186 186 186 186 186 186 186 186 186					101,230	15.5	5,249	24.3	9,903	23.8			
87											272,831	37.4	
88 408 3.0 7.683 1.2 109 0.5 334 0.8 8,128 1.1 90	87		1,490	11 1	54,072	8.3							
90 & above 1 2 186 2 Average 85.2 85.2 84.9 84.9 85.2							109		334	0.8	8,128	1.1	
Average 85.2 85.2 84.9 84.9 85.2)			5				
					85.2				84.5				

Table 37. -- Percentage distribution of grade, staple and mike for American Pima cotton classed, by states and United States, 2006 crop.

Grade, Staple and Mike	Ari	izona	Cali	fornia	State	Mexico	To	xas	11-14	4 04.4
Mike groups					11014		16	, kas	United	d State
24 & below			5	*	-				5	
25 - 26	-		326		4		4			
27 - 29	23	0.2	6,289	1.0	153	0.7	65		334	
30 - 32	70	0.5	20,231	3.1	801			0.2	6,530	(
33 - 34	116	0.9	12,952			3.7	1,468	3.5	22,570	3
35 - 36	741	5.5	23,461	2.0	1,410	6.5	2,022	4.9	16,500	2
37 - 42	10,030			3.6	2,962	13.7	4,197	10.1	31,362	4
43 - 49		74.9	477,680	73.1	12,873	59.5	26,421	63.6	527,044	7:
	2,412	18.0	112,257	17.2	3,424	15.8	7,384	17.8	125,478	1
50 - 52	-	-	-	-					120,410	
53 & above	-	-	-		-		-			
Average mike	4	40	1	10	1	9	-		-	
Mike readings					-	3	3	9	4	10
24 & below			5							
25							-	-	5	
26			64		1		-		65	
27	-	-	262	•	3	•	4		269	
	-	-	771	0.1	14	0.1	7	- •	792	0.
28	3	-	1,890	0.3	44	0.2	13			
29	20	0.1	3,628	0.6	95	0.4			1,950	0.
30	28	0.2	6,084	0.9			45	0.1	3,788	0.
31	30				188	0.9	217	0.5	6,517	0.
32		0.2	7,000	1.1	253	1.2	519	1.2	7,802	1.
	12		7,147	1.1	360	1.7	732	1.8	8,251	
33	31		6,691	1.0	526	2.4	982	2.4	8,230	1.
34	85	0.3	6,261	1.0	884	4.1	1,040			1.
35	243	0.6	8,322	1.3	1,269	5.9		2.5	8,270	1.
36	498	1.2	15,139				1,662	4.0	11,496	1.
37	661			2.3	1,693	7.8	2,535	6.1	19,865	2.
		1.4	29,547	4.5	2,229	10.3	3,908	9.4	36,345	5.
38	880	1.7	52,431	8.0	2,501	11.6	4,723	11.4	60,535	8.
39	1,739	4.3	81,979	12.6	2,437	11.3	5,326	12.8		
40	2,131	4.1	104,313	16.0	2,251	10.4			91,481	12
41	2,474	4.7	111,044	17.0			5,023	12.1	113,718	15
42	2,145	4.6			1,908	8.8	4,245	10.2	119,671	16
43	1,453	3.5	98,366	15.1	1,547	7.2	3,188	7.7	105,246	14
44			66,880	10.2	1,279	5.9	2,517	6.1	72,129	9.
	659	1.4	32,863	5.0	953	4.4	1,889	4.5	36,364	5.0
45	235	0.5	10,183	1.6	677	3.1	1,364	3.3		
46	52	0.1	1,958	0.3	358	1.7			12,459	1.7
47	10	-	309	0.0			878	2.1	3,246	0.4
48	2	-			129	0.6	455	1.1	903	0.1
49		-	53		23	0.1	217	0.5	295	*
	1		11		5		64	0.2	81	
50	-	-	-			-		-		
51		-	-							-
52	-	-							-	-
53						- 1	-	-	-	-
			-	- 1	*	-			-	-
54	-		-	-	-				1	-
54 55			-			-			:	-
54 55 56		:		-		-		:	-	
54 55						-				
54 55 56					:	-		:		
54 55 56 57 58						-				
54 55 56 57 58 59						-				
54 55 56 57 58 59 60 & above						-				
54 55 56 57 58 59 60 & above			40	-	39	-	39	-		
54 55 56 57 58 59 60 & above	40		40	-	39	-	39	-		
54 55 56 57 58 59 60 & above Average mike Strength	40		40		39	-		-	40	
54 55 56 57 58 59 60 & above Average mike Strength 17 & below	40		40		39	-	39	-	- 40	
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18	40		40		39		39		- 40	
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18	40		40		39		39		40	
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20	40		40		39		39		40	
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21	40		40		39		39		40	
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20	40		40		39		39		40	
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21	40		40		39		39		40	
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23	40		40		39		39		40	
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24	40		40		39		39		40	
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25	40		40		39		39		40	
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26	40		40		39		39		40	
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27	40		40		39		39		40	
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28	40		-							
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27	40									
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29			- - - - - - - - - 8 28							
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30	40		- - - - - - - - - - - - - - - - - - -		- - - - - - - - - - - - - - - - - - -				- - - - - - - 11 31 140	
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31			- - - - - - - - - 8 8 28 121 276		- - - - - - - - - - 2 3 10 34	0.2	1 - 7	0.1		
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32	2		- - - - - - - - - 8 28 121 276 692		- - - - - - - 2 3 10 34 87					0.2
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33			- - - - - - - - - 8 8 28 121 276		- - - - - - - - - - 2 3 10 34	0.2	1 - 7	0.1	- - - - - - 11 31 140 351 1,174	0.22
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34	2		- - - - - - - - - 8 28 121 276 692			0.2 0.4 1.6	- - - - - - - - - - 7 41 194 543	0.1 0.5 1.3	- - - - - - 11 31 140 351 1,174 3,369	0.5
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33		0.8	- - - - - - - - - - - - - - - - - - -	0.1		0.2 0.4 1.6 3.7	- - - - - 1 - 7 41 194 543 1,267	0.1 0.5 1.3 3.0		0.5
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	0.1	2 3 10 34 87 347 810 1,487	0.2 0.4 1.6 3.7 6.9		0.1 0.5 1.3 3.0 5.9	- - - - - - 11 31 140 351 1.174 3,369 8,435 15,964	0.5 1.2 2.2
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36		0.8	- - - - - - - - - - - - - - - - - - -	0.1 0.4 0.9 1.7 2.7		0.2 0.4 1.6 3.7 6.9	1 1 7 41 194 543 1,267 2,463 4,237	0.1 0.5 1.3 3.0 5.9	11 31 140 351 1,174 3,369 8,435 15,964 25,334	0.5
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37		0.8 2.9 5.6 9.4	8 28 121 276 892 2,378 5,966 11,237 17,818 31,279	0.1 0.4 0.9 1.7 2.7		0.2 0.4 1.6 3.7 6.9 10.9	7 41 194 543 1,267 2,463 4,237 6,687	0.1 0.5 1.3 3.0 5.9	- - - - - - 11 31 140 351 1.174 3,369 8,435 15,964	0.5 1.2 2.2
54 55 56 57 58 59 60 & ubove Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37		0.8 2.9 5.8 6.9 9.4	8 28 121 276 892 2,378 5,966 11,237 17,818 31,279 57,694	0.1 0.4 0.9 1.7 2.7		0.2 0.4 1.6 3.7 6.9	1 1 7 41 194 543 1,267 2,463 4,237	0.1 0.5 1.3 3.0 5.9 10.2		0.5 1.2 2.2 3.5 5.8
54 55 56 57 58 59 00 & ubove Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39		0.8 2.9 5.6 9.4	8 28 121 276 892 2,378 5,966 11,237 17,818 31,279	0.1 0.4 0.9 1.7 2.7	2 3 10 34 87 347 810 1,487 2,349 3,106 3,337	0.2 0.4 1.6 3.7 6.9 10.9 14.4 15.4	1 7 41 194 543 1,267 2,463 4,237 6,687	0.1 0.5 1.3 3.0 5.9 10.2 16.1	11 31 140 351 1.174 3.369 8,435 15,964 25,334 42,328 70,346	0.5 1.2 2.2 3.5 5.8 9.6
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37		0.8 2.9 5.8 6.9 9.4	8 28 121 276 892 2,378 5,966 11,237 17,818 31,279 57,694 93,177	0.1 0.4 0.9 1.7 2.7 4.8 8.8 14.3	2 3 10 34 87 347 810 1.487 2.349 3.106 3.337 3.212	0.2 0.4 1.6 3.7 6.9 10.9 14.4 15.4 14.9	1 1 1 7 41 194 543 1,267 2,463 4,237 6,687 7,743 6,705	0.1 0.5 1.3 3.0 5.9 10.2 16.1 18.6 16.1	11 31 140 351 1,174 3,369 8,435 15,964 25,334 42,328 70,346 105,172	0.5 1.2 2.2 3.5 5.8 9.6 14.4
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 23 33 34 35 36 37 38 39 40		0.8 2.9 5.8 6.9 9.4 11.7 15.7	8 28 121 276 892 2,378 5,966 11,237 17,818 31,279 57,694 93,177 117,027	0.1 0.4 0.9 1.7 4.8 8.8 14.3	2 3 10 34 87 347 810 1.487 2.349 3.106 3.337 3.212 2.719	0.2 0.4 1.6 3.7 6.9 10.9 14.4 15.4 14.9 12.6	7 41 194 543 1.267 2.463 4.237 6.687 7.743 6.705 5.295	0.1 0.5 1.3 3.0 5.9 10.2 16.1 18.6 16.1 12.7	11 31 140 351 1,174 3,369 8,435 15,964 25,334 42,328 70,346 105,172 127,328	0.5 1.2 2.2 3.5 5.8 9.6 14.4 17.4
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41		0.8 2.9 5.8 6.9 9.4 11.7 15.5 17.0	8 28 121 276 892 2,378 5,966 11,237 17,818 31,279 57,694 93,177 117,027 120,736	0.1 0.4 0.9 1.7 2.7 4.8 8.8 14.3 17.9 18.5	2 3 10 34 87 347 810 1.487 2.349 3.106 3.337 3.212 2.719 1,995	0.2 0.4 1.6 3.7 6.9 10.9 14.4 15.4 14.9 12.6 9.2	1 - - - 1 - 7 41 194 543 1,267 2,463 4,237 6,687 7,743 6,705 5,295 3,270	0.1 0.5 1.3 3.0 5.9 10.2 16.1 18.6 16.1 12.7 7.9	11 31 140 351 1,174 3,369 8,435 15,964 25,334 42,328 70,346 105,172	0.5 1.2 2.2 3.5 5.8 9.6 14.4
54 55 56 57 58 59 00 & ubove Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42		0.8 2.9 5.8 6.9 9.4 11.7 15.5 17.0	8 28 121 276 892 2,378 5,966 11,279 57,694 93,177 117,027 120,736 94,712	0.1 0.4 0.9 1.7 2.7 4.8 8 14.3 17.9 18.5	2 3 10 34 87 347 810 1,487 2,349 3,106 3,337 3,212 2,719 1,995 1,212	0.2 0.4 1.6 3.7 6.9 10.9 14.4 15.4 14.9 12.6	7 41 194 543 1.267 2.463 4.237 6.687 7.743 6.705 5.295	0.1 0.5 1.3 3.0 5.9 10.2 16.1 18.6 16.1 12.7	11 31 140 351 1,174 3,369 8,435 15,964 25,334 42,328 70,346 105,172 127,328	0.5 1.2 2.2 3.5 5.8 9.6 14.4 17.4 17.5
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 23 33 34 35 36 37 38 39 40 41 42 43		0.8 2.9 5.8 6.9 9.4 11.7 17.0 11.9 7.5	8 28 121 276 892 2,378 5,966 11,237 17,818 31,279 57,694 93,177 117,027 120,736 94,712 56,954	0.1 0.4 0.9 1.7 2.7 4.8 8.8 14.3 17.9 18.5	2 3 10 34 87 347 810 1.487 2.349 3.106 3.337 3.212 2.719 1,995	0.2 0.4 1.6 3.7 6.9 10.9 14.4 15.4 14.9 12.6 9.2	1 - - - 1 - 7 41 194 543 1,267 2,463 4,237 6,687 7,743 6,705 5,295 3,270	0.1 0.5 1.3 3.0 5.9 10.2 16.1 18.6 16.1 12.7 7.9 4.2	111 311 140 351 1,174 3,369 8,435 15,964 25,334 42,328 70,346 105,172 127,328 127,608 98,676	0.5 1.2 2.2 3.5 5.8 9.6 14.4 17.4 17.5 13.5
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44		0.8 2.9 5.8 6.9 9.4 11.7 15.5 17.0	8 28 121 276 892 2,378 5,966 11,279 57,694 93,177 117,027 120,736 94,712	0.1 0.4 0.9 1.7 2.7 4.8 8 14.3 17.9 18.5	2 3 10 34 87 347 810 1,487 2,349 3,106 3,337 3,212 2,719 1,995 1,212 588	0.2 0.4 1.6 3.7 6.9 10.9 14.4 15.4 14.9 12.6 9.2 5.6 2.7	7 41 194 543 1,267 2,463 4,237 6,687 7,743 6,705 5,295 3,270 1,736 834	0.1 0.5 1.3 3.0 5.9 10.2 16.1 18.6 16.1 12.7 7.9 4.2 2.0	11 31 140 351 1,174 3,369 8,435 15,964 25,334 42,328 70,346 105,172 127,328 127,608 98,676 59,089	0.5 1.2 2.2 3.5 5.8 9.6 14.4 17.4 17.5 13.5 8.1
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44		0.8 2.9 5.8 6.9 9.4 11.7 17.0 11.9 7.5	8 28 121 276 892 2,378 5,966 11,237 17,818 31,279 57,694 93,177 117,027 120,736 94,712 56,954 27,557	0.1 0.4 0.9 1.7 2.7 2.7 4.8 8.8 14.3 17.9 18.5 14.5 8.7 4.2	2 3 10 34 87 347 810 1.487 2.349 3.106 3.337 3.212 2.719 1.995 1.212 588 233	0.2 0.4 1.6 3.7 6.9 10.9 14.4 15.4 14.9 12.6 9.2 5.6 2.7 1.1	1 - - - 1 - 7 41 194 543 1,267 2,463 4,237 6,687 7,743 6,705 5,295 3,270 1,736 834 326	0.1 0.5 1.3 3.0 5.9 10.2 16.1 18.6 16.1 12.7 7.9 4.2 2.0 0.8	111 311 311 140 351 1,174 3,369 8,435 15,964 25,334 42,328 70,346 105,172 127,328 127,608 98,676 59,089 28,561	0.5 1.2 2.2 3.5 5.8 9.6 14.4 17.4 17.5 13.5 8.1 3.9
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above		0.8 2.9 5.8 6.9 9.4 11.7 15.5 17.0 7.5 5.3	8 28 121 276 892 2,378 5,966 11,237 17,818 31,279 57,694 93,177 117,027 120,736 94,712 56,954 27,567 15,331	0.1 0.4 0.9 1.7 2.7 4.8 8.8 8.8 14.3 17.9 18.5 14.5 8.7	2 3 10 34 87 347 810 1,487 2,349 3,106 3,337 3,212 2,719 1,995 1,212 588 233 96	0.2 0.4 1.6 3.7 6.9 10.9 14.4 15.4 14.9 12.6 9.2 5.6 2.7	1 1 7 41 194 543 1,267 2,463 4,237 6,687 7,743 6,705 5,295 3,270 1,736 834 326 212	0.1 0.5 1.3 3.0 5.9 10.2 16.1 18.6 16.1 12.7 7.9 4.2 2.0	11 31 140 351 1,174 3,369 8,435 15,964 25,334 42,328 70,346 105,172 127,328 127,608 98,676 59,089 28,561 15,906	0.5 1.2 2.2 3.5 5.8 9.6 14.4 17.4 17.5 13.5 8.1
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above rage Strength		0.8 2.9 5.8 6.9 9.4 11.7 15.5 17.0 7.5 5.3	8 28 121 276 892 2,378 5,966 11,237 17,818 31,279 57,694 93,177 117,027 120,736 94,712 56,954 27,557	0.1 0.4 0.9 1.7 2.7 2.7 4.8 8.8 14.3 17.9 18.5 14.5 8.7 4.2	2 3 10 34 87 347 810 1.487 2.349 3.106 3.337 3.212 2.719 1.995 1.212 588 233	0.2 0.4 1.6 3.7 6.9 10.9 14.4 15.4 14.9 12.6 9.2 5.6 2.7 1.1	1 - - - 1 - 7 41 194 543 1,267 2,463 4,237 6,668 7,743 6,705 5,295 3,270 1,736 834 326	0.1 0.5 1.3 3.0 5.9 10.2 16.1 18.6 16.1 12.7 7.9 4.2 2.0 0.8	111 311 311 140 351 1,174 3,369 8,435 15,964 25,334 42,328 70,346 105,172 127,328 127,608 98,676 59,089 28,561	0.5 1.2 2.2 3.5 5.8 9.6 14.4 17.4 17.5 13.5 8.1 3.9
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above rage Strength		0.8 2.9 6.9 9.4 11.7 17.0 11.9 7.5 3.2 2.0	8 28 121 276 892 2,378 5,966 11,237 17,818 31,279 57,694 93,177 117,027 120,736 94,712 56,954 27,567 15,331	0.1 0.4 0.9 1.7 2.7 4.8 8.8 14.3 17.9 18.5 14.5 14.5 14.5 2.3	2 3 10 34 87 347 810 1,487 2,349 3,106 3,337 3,212 2,719 1,995 1,212 588 233 96	0.2 0.4 1.6 3.7 6.9 10.9 14.4 15.4 14.9 12.6 9.2 5.6 2.7 1.1	1 1 7 41 194 543 1,267 2,463 4,237 6,687 7,743 6,705 5,295 3,270 1,736 834 326 212	0.1 0.5 1.3 3.0 5.9 10.2 16.1 18.6 16.1 12.7 7.9 4.2 2.0 0.8	11 31 140 351 1,174 3,369 8,435 15,964 25,334 42,328 70,346 105,172 127,328 127,608 98,676 59,089 28,561 15,906	0.5 1.2 2.2 3.5 5.8 9.6 14.4 17.4 17.5 13.5 8.1 3.9
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above rage Strength		0.8 2.9 5.8 6.9 9.4 11.7 15.5 17.0 11.9 7.5 5.3.2 2.0	8 28 121 276 892 2,378 5,966 11,237 17,818 31,279 57,694 93,177 117,027 120,736 94,712 56,954 27,567 15,331	0.1 0.4 0.9 1.7 2.7 2.7 4.8 8.8 14.3 17.9 18.5 14.5 8.7 4.2	2 3 10 34 87 347 810 1,487 2,349 3,106 3,337 3,212 2,719 1,995 1,212 588 233 96	0.2 0.4 1.6 3.7 6.9 10.9 14.4 15.4 14.9 12.6 9.2 5.6 2.7 1.1	7 41 194 543 1,267 2,463 4,237 6,687 7,743 6,705 5,295 3,270 1,736 834 326 212	0.1 0.5 1.3 3.0 5.9 10.2 16.1 18.6 16.1 12.7 7.9 4.2 2.0 0.8 0.5	11 31 140 351 1,174 3,369 8,435 15,964 25,334 42,328 70,346 105,172 127,328 127,608 98,676 59,089 28,561 15,906 40,10	0.5 1.2 2.2 3.5 5.8 9.6 14.4 17.5 13.5 8.1 3.9 2.2
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above rage Strength Incous matter		0.8 2.9 6.9 9.4 11.7 17.0 11.9 7.5 3.2 2.0	8 28 121 276 892 2,378 5,966 11,237 17,818 31,279 57,694 93,177 117,027 120,736 94,712 56,954 27,567 15,331	0.1 0.4 0.9 1.7 2.7 4.8 8.8 14.3 17.9 18.5 14.5 14.5 14.5 2.3	2 3 10 34 87 347 810 1.487 2.349 3.106 3.337 3.212 2.719 1,995 1,212 588 233 96 38.30	0.2 0.4 1.6 3.7 6.9 10.9 14.4 15.4 14.9 12.6 9.2 5.6 2.7 1.1 0.4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.1 0.5 1.3 3.0 5.9 10.2 16.1 18.6 16.1 12.7 7.9 4.2 2.0 0.8 0.5	11 31 140 351 1.174 3.369 8,435 15,964 25,334 42,328 70,346 105,172 127,328 127,608 98,676 59,089 28,561 15,906 40,10	0.5 1.2 2.2 3.5 5.8 9.6 14.4 17.5 13.5 8.1 3.9 2.2
54 55 56 57 58 59 60 & above Average mike Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44		0.8 2.9 5.8 6.9 9.4 11.7 15.5 17.0 11.9 7.5 5.3.2 2.0	8 28 121 276 892 2,378 5,966 11,237 17,818 31,279 57,694 93,177 117,027 120,736 94,712 56,954 27,567 15,331 40,30	0.1 0.4 0.9 1.7 2.7 4.8 8.8 14.3 17.9 5 14.5 8.7 4.2 2.3	2 3 10 34 87 347 810 1,487 2,349 3,106 3,337 3,212 2,719 1,995 1,212 588 233 96	0.2 0.4 1.6 3.7 6.9 10.9 14.4 14.9 12.6 9.2 5.6 2.7 1.1	7 41 194 543 1,267 2,463 4,237 6,687 7,743 6,705 5,295 3,270 1,736 834 326 212	0.1 0.5 1.3 3.0 5.9 10.2 16.1 18.6 16.1 12.7 7.9 4.2 2.0 0.8 0.5	11 31 140 351 1,174 3,369 8,435 15,964 25,334 42,328 70,346 105,172 127,328 127,608 98,676 59,089 28,561 15,906 40,10	0.5 1.2 2.2 3.5 5.8 9.6 14.4 17.5 13.5 8.1 3.9 2.2

^{*} Less than 0.05 percent.

NOTE: Totals may not add due to rounding.

